CP5740 Model: Fixture Family: **PETAL**

Document Description: Installation Instructions for

LED Series Luminaires


PETAL


Pendant

INSTALLATION & ASSEMBLY INSTRUCTIONS

Driver in the canopy

Remote Driver





When using electrical equipment, basic safety precautions should always be followed, including the following:

• Read all instructions carefully before installing and save for future use.

• Make sure all connections are in accordance with the National Electrical Code and local regulations.

• To avoid possible electric shock, be sure the power supply is turned off before servicing or installing the fixture

• Service should be performed by qualified personnel.

• These instructions may not cover all details or variations. If additional information is needed, please contact Visa Lighting.

Sheet: 1 of 5

Eng: AJN

Date Drawn: 11/24/20

CP5740 Model: Fixture Family: **PETAL**

Document Description: Installation Instructions for

LED Series Luminaires

PFTAL Pendant




SDC (Driver in the canopy) Option


Canopy Parts


Ba - Cover

Bb - Cover Screws

Bc - Canopy Kit








Driver Shape/Size may vary

- 1. Remove the Cover Screws (Bb) holding the Spun Cover (Ba). Save for later.
- 2. Fasten the Canopy Kit (Bc) assembly to junction box (screws provided by others).
- 3. Connect the White, Black and Green wires per local and national codes (120/277VAC) and then push them into the junction box. Connect the Violet/Grey 0-10V dimming wires.
- 4. Pull the fixture power cord through the center hole in the cover (Ba) and through the center clamp in the canopy kit (Bc). Tighten screws on clamp to hold power cord down and support the weight of the fixture.
- 5. Connect the driver wires to the cord wires.
- 6. Lift Spun Cover (Ba) in place and reinstall the screws (Bb) that were removed in step 1.



When using electrical equipment, basic safety precautions should always be followed, including the following:

Read all instructions carefully before installing and save for future use.
Make sure all connections are in accordance with the National Electrical Code and local regulations.
To avoid possible electric shock, be sure the power supply is turned off before servicing or installing the fixture

Service should be performed by qualified personnel.

• These instructions may not cover all details or variations. If additional information is needed, please contact Visa Lighting.

Drawing: **762358XX**

Eng: AJN

CP5740 Model: Fixture Family: **PETAL**


Document Description: Installation Instructions for LED Series Luminaires

1717 West Civic Drive Milwaukee, WI 53209 414-354-6600 Design Modification Rights Reserved

© Visa Lighting 2016

RMD (Remote Mounted Driver) **Option- Fixture Mounting:**


- Fasten universal mounting plate to junction box with the junction box 1. mounting screws (by others).
- 2. Adjust the height of the fixture by tightening the set screw on the side of the strain relief.
- 3. Ensure that an Overhand Knot is above the strain relief to prevent catastrophic failures.
- 4. Make all wire connections per local and national codes.
- 5. Lift Canopy in place and secure with canopy screws.



RMD (Remote Mounted Driver) **Option- Driver box mounting:**

Components may vary depending on options ordered.

- Remove cover by removing the cover 1. screw.
- 2. Mount remote box in an accessible area per local and national codes, use fasteners appropriate for the mounting surface (not included).
- 3. Make all wire connections per local and national codes.



When using electrical equipment, basic safety precautions should always be followed, including the following:

• Read all instructions carefully before installing and save for future use.
• Make sure all connections are in accordance with the National Electrical Code and local regulations.
• To avoid possible electric shock, be sure the power supply is turned off before servicing or installing the fixture
• Service should be performed by qualified personnel.
• These instructions may not cover all details or variations. If additional information is needed, please contact Visa Lighting.


Drawing: **762358XX**


CP5740 Model: Fixture Family: **PETAL**

Document Description: Installation Instructions for LED Series Luminaires

1717 West Civic Drive Milwaukee, WI 53209 414-354-6600 Design Modification Rights Reserved © Visa Lighting 2016

Wiring Diagram





When using electrical equipment, basic safety precautions should always be followed, including the following:

• Read all instructions carefully before installing and save for future use.

• Make sure all connections are in accordance with the National Electrical Code and local regulations.

• To avoid possible electric shock, be sure the power supply is turned off before servicing or installing the fixture

• Service should be performed by qualified personnel.

• These instructions may not cover all details or variations. If additional information is needed, please contact Visa Lighting.

Drawing: **762358XX**

Sheet: 4 of 5

Eng: AJN

Date Drawn: 11/24/20


CP5740 Model: Fixture Family: **PETAL**

Document Description: Installation Instructions for LED Series Luminaires

1717 West Civic Drive Milwaukee, WI 53209 414-354-6600 Design Modification Rights Reserved © Visa Lighting

MAINTENANCE FEATURES:

- Instructions are the same for all 3 sides
- OLED panels are field replaceable



When using electrical equipment, basic safety precautions should always be followed, including the following:

• Read all instructions carefully before installing and save for future use.

• Make sure all connections are in accordance with the National Electrical Code and local regulations.

• To avoid possible electric shock, be sure the power supply is turned off before servicing or installing the fixture

• Service should be performed by qualified personnel.

• These instructions may not cover all details or variations. If additional information is needed, please contact Visa Lighting.

Drawing: **762358XX**