


CP6100, 6102 6104, 6120, 6122, 6124 Celest Pendants - Stem Mounts Celest CP Small Form



SHEET 2: SWIVEL HANGER AND STEM INSTALLATION

SHEET 3: JBOX MOUNTING

SHEET 4: LED PLATE INSTALL

SHEET 5: SHADE ASSEMBLY & INSTALLATION

When using electrical equipment, basic safety precautions should always be followed, including the following:

- When using electrical equipment, basic safety precautions should always be followed, including the following.
 Read all instructions carefully before installing and save for future use.
 Make sure all connections are in accordance with the National Electrical Code and local regulations.
 To avoid possible electric shock, be sure the power supply is turned off before servicing or installing the fixture
 Service should be performed by qualified personnel.
 These instructions may not cover all details or variations. If additional information is needed, please contact Visa Lighting.

INSTALLATION INSTRUCTIONS A LIGHTING OLDENBURG GROUP COMPANY CP6100, 6102 6104, 6120, 6122, 6124 Model: 1717 West Civic Drive Milwaukee, WI 53209 Fixture Family: Celest Pendants - Stem Mounts 414-354-6600 Document Description: Installation Instructions for **Design Modification Rights Reserved** © Visa Lighting Celest CP Small Form 4" OCTAGONAL ELECTRICAL JUNCTION NOTE: UPPER KNOCKOUTS BOX, 2-1/8" DEEP AND SCREW MOUNTING TABS (by others) TO BE REMOVED. SEE SHEET 6 OF 6 FOR DETAILS. Drawing: 762363XX **CEILING MATERIAL** SUPPORT YOKE Rev: NOTE: YOKE REDUCES SPACE FOR WIRING BY 3.5 cu in.

SWIVEL BALL

RETAINER

FIXTURE STEM (fixture not shown) 1/4-20 SCREWS

GROUND WIRE

CANOPY (style varies)

(supplied)

GROOVE

ANTI-ROTATION

CAST SWIVEL PLATE

CANOPY SCREWS

Sheet: 2 of 5

Eng: ZOF

Date Drawn: 1/20/2021

Preparation

**The structural support is to be suitable for a 150 pound load minimum. Please consult a structural engineer for appropriate safety factors per local and national codes. Refer to sheet 6 of 6 for more details on support options. Support Yoke is designed to fit inside of a 4" octagonal junction box, 2-1/8" deep.


INSTRUCTIONS

- 1. Remove necessary knockouts and junction box screw mounting tabs as necessary (refer to sheet 6 of 6 for further details) and securely install support yoke to building structure.
- 2. Insert swivel ball/stem assembly through cast swivel plate and fasten swivel ball retainer and ground wire with screws provided.
- 3. Insert stem through canopy, pull fixture wires through stem and securely fasten stem to the fixture.
- 4. Fasten cast swivel plate to support yoke with 1/4-20 screws provided.
- 5. Make all wire connections per local and national codes.
- 6. Lift canopy in place and secure with screws provided.
 - When using electrical equipment, basic safety precautions should always be followed, including the following:

 - Read all instructions carefully before installing and save for future use.
 Make sure all connections are in accordance with the National Electrical Code and local regulations.
 To avoid possible electric shock, be sure the power supply is turned off before servicing or installing the fixture
 - Service should be performed by qualified personnel.
 - These instructions may not cover all details or variations. If additional information is needed, please contact Visa Lighting.




'ISA LIGHTING OLDENBURG GROUP COMPANY 1717 West Civic Drive Milwaukee, WI 53209 414-354-6600 **Design Modification Rights Reserved** © Visa Lighting



- When using electrical equipment, basic safety precautions should always be followed, including the following:
 Read all instructions carefully before installing and save for future use.
 Make sure all connections are in accordance with the National Electrical Code and local regulations.
 To avoid possible electric shock, be sure the power supply is turned off before servicing or installing the fixture
 Service should be performed by qualified personnel.
 These instructions may not cover all details or variations. If additional information is needed, please contact Visa Lighting.

Model: Fixture Family:	CP6100, 6102 6104, 6120, 6122, 6124 Celest Pendants - Stem Mounts
Document Description:	Installation Instructions for
	Celest CP Small Form






- When using electrical equipment, basic safety precautions should always be followed, including the following:
 Read all instructions carefully before installing and save for future use.
 Make sure all connections are in accordance with the National Electrical Code and local regulations.
 To avoid possible electric shock, be sure the power supply is turned off before servicing or installing the fixture
 Service should be performed by qualified personnel.
 These instructions may not cover all details or variations. If additional information is needed, please contact Visa Lighting.







- 1. Install stems, canopy, and LED plate per previous sheets. 2. Assemble shade assembly carefully on ground using 8-32 hex nuts provided, use
- packaging to protect panels & take care to not bend/force parts.
- 3. Install bottom lens.
- 4. Raise shade assembly over LED plate, secure cables to griplocks & level shade. Tops of LED optics must be below studs that top lens rest on.
- 5. Install (2) top lens parts, resting on exposed studs.

When using electrical equipment, basic safety precautions should always be followed, including the following: Read all instructions carefully before installing and save for future use.
Make sure all connections are in accordance with the National Electrical Code and local regulations.
To avoid possible electric shock, be sure the power supply is turned off before servicing or installing the fixture
Service should be performed by qualified personnel.
These instructions may not eaver all details or variations. If additional information is peeded, place contact V

• These instructions may not cover all details or variations. If additional information is needed, please contact Visa Lighting.