

# CB1902 UNITY™

## 12" ADA Sconce – Top and Bottom Lens


[Visalighting.com/products/Unity](https://visalighting.com/products/Unity)

Type: \_\_\_\_\_ Project: \_\_\_\_\_ Location: \_\_\_\_\_




### DIMENSIONS

Depth is measured from wall to front of fixture

W = Width H = Height D = Depth


W	12"	(305 mm)
H	12"	(305 mm)
D	4"	(102 mm)




### FEATURES

- Amber night light option to minimize patient disturbance
- Top and bottom acrylic lenses reduce the need to clean the interior of the fixture
- Easy to clean Tri-lam vinyl coated shade with fabric look or easy to clean OLIN Lumicor® acrylic diffuser with fabric look
- Antimicrobial housing finish
- ETL listed for damp locations. Not suitable for exterior applications

### RELATIVE SCALE DRAWING



### PHOTOMETRICS



ADA Compliant



XPS



ETL Listed



5 Year Warranty

# CB1902 UNITY (cont.)

## 12" ADA Sconce – Top and Bottom Lens

Fill in shaded boxes using information listed below

CB1902	-					MVOLT
MODEL	SOURCE <sup>1</sup>		VOLTAGE	SOURCE OPTION <sup>2</sup>	SHADE <sup>3</sup>	OPTION <sup>4</sup>
	<ul style="list-style-type: none"> <li>• L30K(H)</li> <li>• L30K(L)</li> <li>• L35K(H)</li> <li>• L35K(L)</li> <li>• L40K(H)</li> <li>• L40K(L)</li> </ul>		MVOLT	NGT	CRMTR • NATTR • OLIN • WHTR	XPS

SOURCE<sup>1</sup> (Select one)

Dimmable 0–10V to 1%, Minimum 80CRI, within 3–step MacAdam


Source	CCT	Delivered Lumens	Power (Watts)
• L30K(H)	3000K	1900	20
• L30K(L)	3000K	1300	13
L35K(H)	3500K	1900	20
L35K(L)	3500K	1300	13
• L40K(H)	4000K	2000	20
• L40K(L)	4000K	1300	13

SOURCE OPTION<sup>2</sup>

NGT	Night Light (amber)
-----	---------------------

SHADES<sup>3</sup> (Select one)

CRMTR	Cream Tri-lam Vinyl
• NATTR	Natural Tri-lam Vinyl
• OLIN	Lumicor Oyster Linen Acrylic
• WHTR	White Tri-lam Vinyl

OPTION<sup>4</sup>

⚠ Option availability may be interdependent with Other Options

XPS	Express 10 day shipping. Items marked with a bullet (•) are not available with XPS
-----	--

## VOLTAGE

MVOLT	120–277V, 50/60 Hz
-------	--------------------

## NIGHT LIGHT (NGT) OPTION



## OLIN SHADE OPTION



# CB1902 UNITY (cont.)

## 12" ADA Sconce – Top and Bottom Lens



### UNITY PRODUCT FAMILY

Wall Sconce	12"	ADA	CB1900
Wall Sconce	12" (Top and Bottom Lens)		CB1902
Headwall	49"		CB1904
Overbed	24" x 24"	With Reading	CM1900
		Without Reading	CM1901
	24" x 48"		CM1906
	9" x 48"	Tandem	CM1912
Table Lamp	Fixed Base		TF1904
	Freestanding		TF1906
	Charging Base		TF1908

### SUGGESTED VARIATIONS

- Alternative shade materials
- Increase or decrease fixture height or width

See [Visalighting.com/products/Unity](https://visalighting.com/products/Unity) for more information