

DECK™


CB1978 and CB1980

Dual Layer Diffuser - Surface Mount



Visalighting.com/products/Deck

Type: _____ Project: _____ Location: _____






DIMENSIONS¹

Depth is measured from wall to front of fixture

W = Width H = Height D = Depth


	CB1978	CB1980
W	23-1/2" (597 mm)	34-1/2" (876 mm)
H	3-1/2" (89 mm)	
D	2-5/8" (67 mm)	




FEATURES

- Remote driver
- Horizontal or vertical mounting
- Surface mount
- Dual Layer diffuser; rear layer is 1/8" thick frosted acrylic with a matte finish
- No VOC powder coat paint finish; low VOC clear coat on metal finishes
- ETL listed for damp locations

RELATIVE SCALE DRAWING



PHOTOMETRICS



DECK (cont.)

CB1978 and CB1980

Dual Layer Diffuser - Surface Mount

Fill in shaded boxes using information listed below

		- MVOLT					
MODEL¹ CB1978 CB1980 See page 1	SOURCE² • L30K(H) • L30K(L) L35K(H) L35K(L) • L40K(H) • L40K(L)	VOLTAGE MVOLT	DIFFUSER RETAINER FINISH See last page for finish order codes	HOUSING FINISH See last page for finish order codes	DIFFUSER³ AM • KA • OLIN • SL	OPTION(S)⁴ DCC JBC • MRI XPS	

SOURCE² (Select one)

Dimmable 0-10V to 1%, Minimum 80CRI, within 3-step MacAdam

Source	CCT	CB1978		CB1980	
		Delivered Lumens	Power (Watts)	Delivered Lumens	Power (Watts)
• L30K(H)	3000K	950	14	1400	21
• L30K(L)	3000K	650	10	950	13
L35K(H)	3500K	950	14	1400	21
L35K(L)	3500K	650	10	950	13
• L40K(H)	4000K	1000	14	1500	21
• L40K(L)	4000K	700	10	1000	13


VOLTAGE

MVOLT	120-277V, 50/60 Hz
--------------	--------------------


DIFFUSER³ (Select one)

Rear diffuser is Matte White Acrylic

AM	Clear acrylic with matte finish
• KA	Kauri Lumicor®
• OLIN	Oyster Linen Lumicor
• SL	Silver Spun Lumicor



MOUNTING DETAIL



OPTIONS³ (Multiple Selections Allowed)

⚠ Option availability may be interdependent with Other Options

DCC	Damp clear coat for metal finishes (required for 5 year warranty when used in damp locations)
JBC	Junction box cover (5" square) for use with an existing 4" junction box. Painted to match surface housing finish
• MRI	MRI room application, not available with dimming
XPS	Express 10 day shipping. Items marked with a bullet (•) are not available with XPS

DECK (cont.)

CB1978 and CB1980

Dual Layer Diffuser - Surface Mount

DECK PRODUCT FAMILY

Single Layer Diffuser	Surface Mount	24"	• CB1972
		35"	• CB1975
	Recessed Mount	24"	• CB1971
		35"	• CB1974
Dual Layer Diffuser	Surface Mount	24"	• CB1978
		35"	• CB1980
	Recessed Mount	24"	• CB1977
		35"	• CB1979

SUGGESTED VARIATIONS

- 2700K
- Custom colors
- Nominal 4" height

See [Visalighting.com/products/Deck](https://visalighting.com/products/Deck) for more information

DECK (cont.)

CB1978 and CB1980

Dual Layer Diffuser - Surface Mount

FINISHES

Specify color code when ordering. For accurate color matching, individual paint and finish samples are [available upon request](#).
 For more information about our finishes visit visalighting.com/finishes

Powder Coat Paint Finishes (Standard) Powder coat finishes available for Diffuser Retainer or Housing

AGGY Agate Grey	ALGN Alpine Green	BJBG Baja Beige	BMAT Bronze Matte	BRNZ Bronze	BSIL Blade Silver	CVBL Cove Blue
DEOR Deoro Gold	GLWT Glacier White	GSIL Graphite Silver	HRGR Harbor Grey	JTBK Jet Black	OCBL Ocean Blue	SHGR Shoreline Grey
SBGN Sagebrush Green	SLGR Slate Grey	SSTP Sierra Taupe	TRCN Terracotta Canyon	TRWT Traffic White	VBLK Velvet Black	VNRD Vineyard Red

Alternative Metal Finishes (Premium) Metal finishes available for Diffuser Retainer

BBA Brushed Brass Alternative	BCA Brushed Chrome Alternative	BUA Brushed Copper Alternative	BZA Brushed Bronze Alternative
OBA Oil-Rubbed Bronze Alternative	PRA Pewter Alternative	RBA Rustic Brass Alternative	SNA Satin Nickel Alternative

Metal Finish (Premium)

BA Brushed Aluminum