## CB3664 SHIELD™


### Rectangular



Visalighting.com/products/Shield

Type: Project: Location:






#### **DIMENSIONS**

Depth is measured from wall to front of fixture

W = Width H = Height D = Depth


W 7" (178 mm) H 16" (406 mm) D 4" (102 mm)




#### **FEATURES**

- · Integral driver
- Modular design for replacement of LED source and driver
- Mounts to standard electrical junction box (by others) with provided hardware
- Heavy gauge fabricated metal housing
- Front shield features snap lock for easy toolless relamping
- No VOC powder coat paint
- ETL listed for indoor damp locations. Not suited for exterior applications

#### **RELATIVE SCALE DRAWING**



#### **PHOTOMETRICS**












# CB3664 SHIELD (cont.)







#### SOURCE<sup>1</sup> (Select one)

Dimmable 0-10V to 1%, Minimum 80CRI, within 3-step MacAdam

SOURCE	ССТ	Delivered Lumens	Power (Watts)
• L30K(H)	3000K	850	14
• L30K(L)	3000K	550	9
L35K(H)	3500K	850	14
L35K(L)	3500K	550	9
• L40K(H)	4000K	900	14
• L40K(L)	4000K	600	9

#### **VOLTAGE**

MVOLT 120-277V, 50/60 Hz

#### OPTION<sup>2</sup>

▲ Option availability may be interdependent with Other Options

**XPS** Express 10 day shipping. Items marked with a bullet (•) are not available with **XPS** 

## CB3664 SHIELD (cont.) Rectangular



#### SHIELD PRODUCT FAMILY

- CB3660 16" Curved
- CB3664 16" Rectangular

See Visalighting.com/products/Shield for more information

#### SUGGESTED VARIATIONS

· Custom colors

#### **FINISHES**

Specify color code when ordering. For accurate color matching, individual paint and finish samples are <u>available upon request</u>. For more information about our finishes visit <u>visalighting.com/finishes</u>

Powder Coat Paint Finishes (Standard)

