


SHINE™

CB5513_CB5515_CB5517 Indoor



[Visalighting.com/products/Shine](https://visalighting.com/products/Shine)

Type: _____ Project: _____ Location: _____



DIMENSIONS¹



Depth is measured from wall to front of fixture

W = Width L = Length D = Depth


Model	CB5513	CB5515	CB5517
L	28" (711 mm)	42-1/2" (1080 mm)	52-1/2" (1334 mm)
W	3" (76 mm)		
D	4" (102 mm)		
D with JBC option	4-1/4" (108 mm)		

FEATURES


- Integral high power factor electronic driver
- Modular design for replacement of LED source and driver
- Vertical or horizontal mounting
- Surface mount to 2x4 junction box. Optional junction box cover (JBC option) available for 4" junction box
- Cast and extruded aluminum construction
- Frosted 1/8" high impact grade acrylic
- No VOC powder coat paint finish
- ETL listed for damp locations



RELATIVE SCALE DRAWING



PHOTOMETRICS



XPS



ADA Compliant



ETL Listed



5 Year Warranty

SHINE (cont.)

CB5513_CB5515_CB5517 Indoor



Fill in shaded boxes using information listed below

MODEL¹ CB5513 CB5515 CB5517	SOURCE² • L30K(H) • L30K(L) • L35K(H) • L35K(L) • L40K(H) • L40K(L)	VOLTAGE MVOLT	FINISH See last page for finish order codes	OPTION(S)³ DCC JBC XPS
--	---	-------------------------	---	---

SOURCE² (Select one)

Dimmable 0-10V to 1%, Minimum 80CRI, within 3-step MacAdam

VOLTAGE

MVOLT	120-277V, 50/60 Hz
--------------	--------------------

SOURCE	CCT	CB5513		CB5515		CB5517	
		Delivered Lumens	Power (Watts)	Delivered Lumens	Power (Watts)	Delivered Lumens	Power (Watts)
• L30K(H)	3000K	1500	15	2400	25	3200	32
• L30K(L)	3000K	1000	10	1500	14	2100	20
L35K(H)	3500K	1500	15	2400	25	3200	32
L35K(L)	3500K	1000	10	1500	14	2100	20
• L40K(H)	4000K	1500	15	2400	25	3200	32
• L40K(L)	4000K	1000	10	1500	14	2100	20

OPTIONS³ (Multiple Selections Allowed)

⚠ Option availability may be interdependent with Other Options

DCC	Damp clear coat for metal finishes (required for 5 year warranty when used in damp locations)
JBC	Junction box cover (4-1/2" square) for use with an existion 4" octagonal junction box. Painted to match finish
XPS	Express 10 day shipping. Items marked with a bullet (●) are not available with XPS

SHINE (cont.)

CB5513_CB5515_CB5517 Indoor



SHINE PRODUCT FAMILY

- CB5513 – 28” Indoor
- CB5515 – 43” Indoor
- CB5517 – 53” Indoor
- CB5524 – 19” Indoor
- OW5513 – 28” Outdoor
- OW5515 – 43” Outdoor
- OW5517 – 53” Outdoor
- OW5524 – 19” Outdoor

SUGGESTED VARIATIONS

- 2700K
- Increase/decrease length (indoor only)
- Custom colors

See [Visalighting.com/products/Shine](https://visalighting.com/products/Shine) for more information

FINISHES

Specify color code when ordering. For accurate color matching, individual paint and finish samples are [available upon request](#). For more information about our finishes visit visalighting.com/finishes

Powder Coat Paint Finishes (Standard)

AGGY Agate Grey	ALGN Alpine Green	BJBG Baja Beige	BMAT Bronze Matte	BRNZ Bronze	BSIL Blade Silver	CVBL Cove Blue
DEOR Deoro Gold	GLWT Glacier White	GSIL Graphite Siver	HRGR Harbor Grey	JTBK Jet Black	OCBL Ocean Blue	SHGR Shoreline Grey
SBGN Sagebrush Green	SLGR Slate Grey	SSTP Sierra Taupe	TRCN Terracotta Canyon	TRWT Traffic White	VBLK Velvet Black	VNRD Vineyard Red

Alternative Metal Finishes (Premium)

BBA Brushed Brass Alternative	BCA Brushed Chrome Alternative	BUA Brushed Copper Alternative	BZA Brushed Bronze Alternative
OBA Oil-Rubbed Bronze Alternative	PRA Pewter Alternative	RBA Rustic Brass Alternative	SNA Satin Nickel Alternative

Metal Finish (Premium)

BA Brushed Aluminum