
CB5523 POSH™

52" Sconce



Visalighting.com/products/Posh

Project: Type: Location:





DIMENSIONS


Depth is measured from wall to front of fixture

| W = Width | | L = Length | D = Depth | |
|-------------|--|----------------------------------|-----------|--|
| W L D | | (72 mm) (1315 mm) (111 mm) | w[| |


FEATURES

- Integral driver
- Modular design for replacement of LED source and driver
- Horizontal or vertical mount
- Mounts without electrical junction box with provided hardware, or to 4" x 4" standard electrical junction box (by others) if JBC option is selected
- Extruded white acrylic diffuser with matte finish
 - UV stable
 - UL-94 HB Flame Class rated
- No VOC powder coat paint; Low VOC clear coat on metal finishes
- ETL listed for damp locations. Not suited for exterior applications

RELATIVE SCALE DRAWING



PHOTOMETRICS










ETL Listed

CB5523 POSH (cont.)

52" Sconce





SOURCE¹ (Select one)

Dimmable 0-10V to 1%, Minimum 80CRI, within 3-step MacAdam

| SOURCE | ССТ | Delivered Lumens | Power (Watts) |
|-----------|-------|------------------|---------------|
| • L30K(H) | 3000K | 3600 | 32 |
| • L30K(L) | 3000K | 2400 | 20 |
| L35K(H) | 3500K | 3600 | 32 |
| L35K(L) | 3500K | 2400 | 20 |
| • L40K(H) | 4000K | 3700 | 32 |
| • L40K(L) | 4000K | 2500 | 20 |

VOLTAGE


| MVOLT | 120-277V, 50/60 Hz |
|-------|--------------------|
|-------|--------------------|

OPTIONS² (Multiple Selections Allowed)

A Option availability may be interdependent with Other Options

| JBC | Junction box cover (4-1/2" square) for use with an existion 4" octagonal junction box. Painted to match finish | |
|-----|--|--|
| XPS | Express 10 day shipping. Items marked with a bullet (•) are not available with XPS | |

JBC OPTION DETAIL



CB5523 POSH (cont.)

52" Sconce



POSH PRODUCT FAMILY

- CB5518 28" Sconce ADA
- CB5521 40" Sconce
- CB5519 28" Sconce
- CB5522 52" Sconce ADA
- CB5520 40" Sconce ADA
- CB5523 52" Sconce

See Visalighting.com/products/Posh for more information

SUGGESTED VARIATIONS

- 2700K
- Increase/decrease length
- Custom colors


FINISHES

Specify color code when ordering. For accurate color matching, individual paint and finish samples are <u>available upon request</u>. For more information about our finishes visit visalighting.com/finishes

Powder Coat Paint Finishes (Standard)



Alternative Metal Finishes (Premium)



Metal Finish (Premium)



This document contains information which is the property of Visa Lighting, and may not, in whole or in part, be duplicated, disclosed, or used for design or manufacturing purposes without the prior written permission of Visa Lighting. ©Visa Lighting. Design Modification Rights Reserved. Visa Lighting reserves the right to change specifications for product improvement without notification.