CM1005 SCHOOL HAUS™

Ceiling Surface Mount



Visalighting.com/products/School-Haus

Type: Project: Location:





DIMENSIONS

W = Width H = Height


14" (356 mm) 12-5/8" (321 mm)




FEATURES

- Integral driver
- Modular design for replacement of LED source and driver
- Easy toolless diffuser cleaning
- Mounts to standard electrical junction box (by others) with provided
- Heavy gauge spun metal canopy
- White glass diffuser
- No VOC powder coat paint; Low VOC clear coat on metal finishes
- ETL listed for damp locations. Not suited for exterior applications

RELATIVE SCALE DRAWING



PHOTOMETRICS










5 Year Warranty

CM1005 SCH00L HAUS (cont.)

Ceiling Surface Mount





SOURCE¹ (Select one)

Dimmable 0-10V to 1%, Minimum 80CRI, within 3-step MacAdam

SOURCE	ССТ	Delivered Lumens	Power (Watts)
• L30K(H)	3000K	4700	38
• L30K(L)	3000K	2400	19
L35K(H)	3500K	4800	38
L35K(L)	3500K	2500	19
• L40K(H)	4000K	4900	38
• L40K(L)	4000K	2500	19

VOLTAGE

MVOLT	120-277V, 50/60 Hz
-------	--------------------

OPTIONS² (Multiple Selections Allowed)

▲ Option availability may be interdependent with Other Options

	The state of the s
DCC	Damp clear coat for metal finishes (required for 5 year warranty when used in damp locations)
XPS	Express 10 day shipping. Items marked with a bullet (•) are not available with XPS

CM1005 SCHOOL HAUS (cont.)

Ceiling Surface Mount



SCHOOL HAUS PRODUCT FAMILY

- CM1005 Ceiling Surface Mount
- CP4515 14" Pendant
- CP4517 18" Pendant

See <u>Visalighting.com/products/School-Haus</u> for more information

SUGGESTED VARIATIONS

- 2700K
- Change in globe size or style

FINISHES

Specify color code when ordering. For accurate color matching, individual paint and finish samples are <u>available upon request</u>. For more information about our finishes visit visalighting.com/finishes

Powder Coat Paint Finishes (Standard)



Alternative Metal Finishes (Premium)

