

CM1982-T SYMMETRY™

23" General Use - Tunable



VisaLighting.com/products/Symmetry


Type: _____ Project: _____ Location: _____



DIMENSIONS

DIA = Diameter RD = Recessed Depth RW = Recessed Width


DIA	22-7/8"	(581 mm)
RD	6-1/2"	(165 mm)
RW	23-1/2"	(597 mm)




FEATURES

- Integral driver located within the housing and accessible from below the ceiling
- 90+ CRI
- Remote emergency driver
- Two Channel Tunable control capabilities provides independent control of CCT and dimming using two separate 0-10V controllers (by others)
- Suitable for drywall/sheetrock or T-bar grid system (see installation instructions)
- Suitable for insulation contact
- Recyclable aluminum housing
- Frosted acrylic lens uniquely formed in a gentle concave profile with graceful, shallow dome in the center (patent pending)
- No VOC powder coat paint finish
- Antimicrobial finishes (no VOC) on all interior and exterior painted surfaces
- ETL listed for damp locations. Not suited for exterior applications

RELATIVE SCALE DRAWING



PHOTOMETRICS



CM1982-T SYMMETRY (cont.)

23" General Use - Tunable



Fill in shaded boxes using information listed below

CM1982-T		-	MVOLT		
MODEL	SOURCE ¹ TUN2(L) TUN2(H)		VOLTAGE MVOLT	LENS FRAME FINISH See last page for finish order codes	OPTION ² REM

SOURCE¹ (Select one)

Dimmable 0-10V to 10%

Minimum 90CRI, within 3-step MacAdam (2700K-6500K)

Source	CCT Range	Delivered Lumens	Power (Watts)
TUN2(L)	2700K-6500K	3000	35
TUN2(H)	2700K-6500K	5000	63

Delivered lumens shown at 3500K. Lumen output may vary slightly at other CCT settings

VOLTAGE

MVOLT	120-277V, 50/60 Hz
-------	--------------------

OPTION² (Multiple selections allowed)

REM	Remote emergency driver, 10W output for 90 minutes
-----	--

CM1982-T SYMMETRY (cont.)

23" General Use - Tunable



SYMMETRY PRODUCT FAMILY

Behavioral Health – Overbed	CM1976-W — 45" CM1986-W — 23"
Behavioral Health – General Use	CM1978-W — 45" CM1988-W — 23"
Behavioral Health – Tunable	CM1978-T — 45" CM1982-T — 23"
Overbed	CM1970-W — 45" CM1980-W — 23"
General Use	CM1972-W — 45" CM1982-W — 23"
Tunable	CM1972-T — 45" CM1988-T — 23"

See [Visalighting.com/Products/Symmetry](https://visalighting.com/Products/Symmetry) for more information

FINISHES

Specify color code when ordering. For accurate color matching, individual paint and finish samples are [available upon request](#). For more information about our finishes visit visalighting.com/finishes

Powder Coat Paint Finishes (Standard)

AGGY Agate Grey	ALGN Alpine Green	BJBG Baja Beige	BMAT Bronze Matte	BRNZ Bronze	BSIL Blade Silver	CVBL Cove Blue
DEOR Deoro Gold	GLWT Glacier White	GSIL Graphite Silver	HRGR Harbor Grey	JTBK Jet Black	OCBL Ocean Blue	SHGR Shoreline Grey
SBGN Sagebrush Green	SLGR Slate Grey	SSTP Sierra Taupe	TRCN Terracotta Canyon	TRWT Traffic White	VBLK Velvet Black	VNRD Vineyard Red