

CM2000 BROADWAY™

29" Diameter - Ceiling Surface Mount



[Visalighting.com/products/Broadway](https://visalighting.com/products/Broadway)


Type: _____ Project: _____ Location: _____



DIMENSIONS

W = Width H = Height


W 29" (737 mm)
H 6" (152 mm)




FEATURES

- Integral driver
- Modular design for replacement of LED source and driver
- Mounts to standard electrical junction box (by others), second mounting location to structural blocking (by others) with provided hardware
- Heavy gauge spun metal housing with upper lensed aperture to provide a luminous glow to reduce ceiling contrast
- Thermally formed 1/8" thick white acrylic diffuser with matte finish
 - UV stable
- Optional 1/8" thick impact resistant polycarbonate white lens cover
- No VOC powder coat paint; low VOC clear coat on metal finishes
- ETL listed for damp locations. Not suitable for exterior applications

RELATIVE SCALE DRAWING



PHOTOMETRICS



CM2000 BROADWAY (cont.)

29" Diameter - Ceiling Surface Mount



Fill in shaded boxes using information listed below

CM2000	-		MVOLT		
MODEL	SOURCE ¹	VOLTAGE	FINISH	DIFFUSER OPTION ²	OPTION(S) ³
	<ul style="list-style-type: none"> • L30K(H) • L30K(L) • L35K(H) • L35K(L) • L40K(H) • L40K(L) 	MVOLT	See last page for finish order codes	IRP	DCC XPS

SOURCE¹ (Select one)

Dimmable 0-10V to 1%, Minimum 80CRI, within 3-step MacAdam

SOURCE	CCT	Delivered Lumens	Power (Watts)
• L30K(H)	3000K	7600	82
• L30K(L)	3000K	5200	54
L35K(H)	3500K	7800	82
L35K(L)	3500K	5400	54
• L40K(H)	4000K	8000	82
• L40K(L)	4000K	5500	54

VOLTAGE

MVOLT	120-277V, 50/60 Hz
-------	--------------------

DIFFUSER OPTION²

Diffuser is High Performance Matte White Acrylic unless IRP diffuser option is selected

IRP	Impact resistant polycarbonate white diffuser
-----	---

OPTIONS³

▲ Option availability may be interdependent with Other Options

DCC	Damp clear coat for metal finishes (required for 5 year warranty when used in damp locations)
XPS	Express 10 day shipping. Items marked with a bullet (●) are not available with XPS

CM2000 BROADWAY (cont.)

29" Diameter - Ceiling Surface Mount



BROADWAY PRODUCT FAMILY

- CM2000 – 29" Ceiling Surface
- CP2000-CBL – 29" Aircraft Cable
- CP2000-STM – 29" Single Stem
- CP2002-CBL – 40" Aircraft Cable
- CP2002-STM – 40" Single Stem
- CP2004-CBL – 50" Aircraft Cable
- CP2004-STM – 50" Single Stem

SUGGESTED VARIATIONS

- Custom color or material

See [Visalighting.com/products/Broadway](https://www.visalighting.com/products/Broadway) for more information

FINISHES

Specify color code when ordering. For accurate color matching, individual paint and finish samples are [available upon request](#).

For more information about our finishes visit [visalighting.com/finishes](https://www.visalighting.com/finishes)

Powder Coat Paint Finishes (Standard)

AGGY Agate Grey	ALGN Alpine Green	BJBG Baja Beige	BMAT Bronze Matte	BRNZ Bronze	BSIL Blade Silver	CVBL Cove Blue
DEOR Deoro Gold	GLWT Glacier White	GSIL Graphite Siver	HRGR Harbor Grey	JTBK Jet Black	OCBL Ocean Blue	SHGR Shoreline Grey
SBGN Sagebrush Green	SLGR Slate Grey	SSTP Sierra Taupe	TRCN Terracotta Canyon	TRWT Traffic White	VBLK Velvet Black	VNRD Vineyard Red

Alternative Metal Finishes (Premium)

BBA Brushed Brass Alternative	BCA Brushed Chrome Alternative	BUA Brushed Copper Alternative	BZA Brushed Bronze Alternative
OBA Oil-Rubbed Bronze Alternative	PRA Pewter Alternative	RBA Rustic Brass Alternative	SNA Satin Nickel Alternative

Metal Finish (Premium)

BA Brushed Aluminum