### CM2040 CARLA™

20" Ceiling Mount



Visalighting.com/products/Carla

Type: Project: Location:






#### **DIMENSIONS**

DIA = Diameter H = Height


DIA 19-5/8" (498 mm) H 5-3/4" (146 mm)




#### **FEATURES**

- Integral Driver
- High or Low lumen output
- Mounts over standard electrical junction box (by others)
- Spun metal trim
- Thermally formed 1/8" thick acrylic diffuser with translucent white matte finish
  - UV stable
  - UL-94 HB Flame Class rated
- No VOC powder coat paint finish
- ETL listed for damp locations. Not recommended for exterior applications

#### **RELATIVE SCALE DRAWING**



#### **PHOTOMETRICS**








# CM2040 CARLA (cont.) 20" Ceiling Mount





#### SOURCE¹ (Select one)

Dimmable 0-10V to 1%, Minimum 80CRI, within 3-step MacAdam

| Source  | сст   | Delivered Lumens | Power (Watts) |
|---------|-------|------------------|---------------|
| L30K(H) | 3000K | 3100             | 26            |
| L30K(L) | 3000K | 2300             | 19            |
| L35K(H) | 3500K | 3200             | 26            |
| L35K(L) | 3500K | 2400             | 19            |
| L40K(H) | 4000K | 3300             | 26            |
| L40K(L) | 4000K | 2400             | 19            |

| VOLTAGE |                    |
|---------|--------------------|
| MVOLT   | 120-277V, 50/60 Hz |

## CM2040 CARLA (cont.) 20" Ceiling Mount



#### CARLA PRODUCT FAMILY

- CM2038 16" Ceiling Mount
- CM2040 20" Ceiling Mount

See Visalighting.com/products/Carla for more information

#### SUGGESTED VARIATIONS

· Alternative Metal Finishes

#### **FINISHES**

Specify color code when ordering. For accurate color matching, individual paint and finish samples are <u>available upon request</u>. For more information about our finishes visit <u>visalighting.com/finishes</u>

Powder Coat Paint Finishes (Standard)

