CP3792 MIDBAY[™] 23" – Cable or Chain Suspension

VISA LIGHTING

VisaLighting.com/products/Midbay

Type:

Project:

Location:




DIMENSIONS

OAH is the distance (in inches) from the bottom of the fixture to the ceiling plane. Example - OAH(120) indicates an overall fixture height of 120" W = Width OAH = Overall Height X = Body Height

W 23-1/8" (587 mm) X 7-3/8" (187 mm) Maximum Overall Height (OAH) = 120"




RELATIVE SCALE DRAWING



FEATURES

- Integral driver
- Quick connect mounting hardware provided for simple installation
- 3 single loop chains, 3 threaded connecting links, and one eye bolt included, standard
- Junction box plate and hook included
- 120" length installed cord included, cord is field adjustable
- Heavy gauge spun metal ventilated housing
- Standard clear prismatic pattern 12 acrylic diffuser
- No VOC powder coat paint finish
- ETL listed for damp locations (not suited for exterior applications)

PHOTOMETRICS








CP3792 MIDBAY (cont.) 23" – Cable or Chain Suspension

VISA LIGHTING

Fill in shaded boxes using information listed below



SOURCE¹ (Select one)

Dimmable 0-10V to 1%, Minimum 80CRI, within 3-step MacAdam								
SOURCE	ССТ	Delivered Lumens	Power (Watts)					
• L30K(H)	3000K	6400	55					
• L30K(L)	3000K	4200	37					
L35K(H)	3500K	6400	55					
L35K(L)	3500K	4200	37					
• L40K(H)	4000K	6400	55					
• L40K(L)	4000K	4200	37					

DIFFUSER OPTION³

Diffuser is clear prismatic acrylic if no option is selected

```
• AC Opal White Acrylic
```

MOUNTING AND ELECTRICAL CORD OPTION⁴

Mounting is chain hung if no mounting option is selected, Maximum overall height is 120". Cord is field adjustable

ACP	Aircraft cable hung (single circuit with LED)						
ACP/CP1	Aircraft cable hung with 120V NEMA L5-15P plug, single circuit						
ACP/CP2	Aircraft cable hung with 277V NEMA L7-15P plug, single circuit						
CH/CP1	Chain hung with 120V NEMA L5-15P plug, single circuit						
CH/CP2	Chain hung with 277V NEMA L7-15P plug, single circuit						

OPTIONS⁵ (Multiple Selections allowed)

A Option availability may be interdependent with Other Options

LRS	Lens retention system							
WGD	Wire guard (white only)							
XPS	Express 10 day shipping. Items marked with a bullet (•) are not available with XPS							

VOLTAGE² (Select one)


MVOLT	120-277V, 50/60 Hz
120V	120V, 50/60 Hz
277V	277V, 50/60 Hz

WIRE GUARD (WGD Option)

Increases X (body height) by 1-5/8"



MOUNTING DETAILS



CP3792 MIDBAY (cont.) 23" – Cable or Chain Suspension

VISA LIGHTING

MIDBAY PRODUCT FAMILY

- CP3792 23" Cable or Chain Suspension
- CP3793 31" Cable or Chain Suspension
- CP3794 23" Conduit Canopy
- CP3795 31" Conduit Canopy

See VisaLighting.com/products/Midbay for more information

SUGGESTED VARIATIONS

- Increase overall height beyond 120 inches
- Alternate color temperature source
- Special plug for dual level switching
- Factory installed plug for modular wiring systems installation
- 2 circuit dimming with 2 power cords
- Alternate diffuser materials

Specify color code when ordering. For accurate color matching, individual paint and finish samples are <u>available upon request</u>. For more information about our finishes visit <u>visalighting.com/finishes</u>

FINISHES

Powder Coat Paint Finishes (Standard)

AGGY	Agate Grey	ALGN	Alpine Green	BJBG	Baja Beige	BMAT	Bronze Matte	BRNZ	Bronze	BSIL	Blade Silver	CVBL	Cove Blue
DEOR	Deoro Gold	GLWT	Glacier White	GSIL	Graphite Siver	HRGR	Harbor Grey	JTBK	Jet Black	OCBL	Ocean Blue	SHGR	Shoreline Grey
SBGN	Sagebrush Green	SLGR	Slate Grey	SSTP	Sierra Taupe	TRCN	Terracotta Canyon	TRWT	Traffic White	VBLK	Velvet Black	VNRD	Vineyard Red

This document contains information which is the property of Visa Lighting, and may not, in whole or in part, be duplicated, disclosed, or used for design or manufacturing purposes without the prior written permission of Visa Lighting. ©Visa Lighting. Design Modification Rights Reserved. Visa Lighting reserves the right to change specifications for product improvement without notification.