# CP3794 MIDBAY™

23" - Conduit Canopy



VisaLighting.com/products/Midbay

Type: Project: Location:






#### **DIMENSIONS**

OAH is the distance (in inches) from the bottom of the fixture to the ceiling plane. Example - OAH(120) indicates an overall fixture height of 120"

W = Width OAH = Overall Height X = Body Height


W 23-1/8" (587 mm) X 7-3/8" (187 mm) Maximum Overall Height (OAH) = 120"




#### **FEATURES**

- · Integral driver
- Quick connect mounting hardware provided for simple installation
- Heavy gauge spun metal ventilated housing
- Standard clear prismatic pattern 12 acrylic diffuser
- No VOC powder coat paint finish
- ETL listed for damp locations (not suited for exterior applications)

#### **RELATIVE SCALE DRAWING**



#### **PHOTOMETRICS**









χрς

5 Year Warranty

# CP3794 MIDBAY (cont.)

## 23" - Conduit Canopy



#### Fill in shaded boxes using information listed below CP3794 MVOLT SOURCE1 VOLTAGE MOUNTING<sup>3</sup> OPTION(S)4 MODEL FINISH DIFFUSER OPTION 2 • L30K(H) MVOLT • AC SKR LRS • L30K(L) See last page SKS WGD for finish L35K(H) XPS order codes L35K(L) • L40K(H) • L40K(L)

#### SOURCE<sup>1</sup> (Select one)

Dimmable 0-10V to 1%, Minimum 80CRI, within 3-step MacAdam

SOURCE	ССТ	Delivered Lumens	Power (Watts)
• L30K(H)	3000K	6400	55
• L30K(L)	3000K	4200	37
L35K(H)	3500K	6400	55
L35K(L)	3500K	4200	37
• L40K(H)	4000K	6400	55
• L40K(L)	4000K	4200	37

#### DIFFUSER OPTION<sup>2</sup>

Diffuser is clear prismatic acrylic if no option is selected

• AC	Opal White Acrylic
------	--------------------

#### MOUNTING<sup>3</sup> (Select one)

SKR	Conduit hung using 1/2" IMC (by others). Includes 20 degree swivel canopy for octogonal junction box (jbox provided by others)
SKS	Conduit hung using 1/2" IMC (by others). Includes 20 degree swivel canopy for 4" square junction box (jbox provided by others)

### OPTIONS<sup>4</sup> (Multiple Selections allowed)

#### ▲ Option availability may be interdependent with Other Options

LRS	Lens retention system	
WGD	Wire guard (white only)	
XPS	Express 10 day shipping. Items marked with a bullet (•) are not available with XPS	

#### VOLTAGE (Select one)

MVOLT	120-277V, 50/60 Hz
-------	--------------------

#### WIRE GUARD (WGD Option)

Increases X (body height) by 1-5/8"



# CP3794 MIDBAY (cont.)

## 23" - Conduit Canopy



#### MIDBAY PRODUCT FAMILY

- CP3792 23" Cable or Chain Suspension
- CP3793 31" Cable or Chain Suspension
- CP3794 23" Conduit Canopy
- CP3795 31" Conduit Canopy

See VisaLighting.com/products/Midbay for more information

#### SUGGESTED VARIATIONS

- Alternate color temperature source
- 2 circuit dimming with 2 power cords
- · Alternate diffuser materials

Specify color code when ordering. For accurate color matching, individual paint and finish samples are <u>available upon request</u>. For more information about our finishes visit <u>visalighting.com/finishes</u>

#### **FINISHES**

Powder Coat Paint Finishes (Standard)

