


OLYMPIA™

CP4191, CP4195, and CP4199
Power Art Cable™ Suspension



Visalighting.com/products/Olympia

Type: _____ Project: _____ Location: _____




DIMENSIONS^{1,5}

OAH is the distance (in inches) from the bottom of the fixture to the ceiling plane.
Example - OAH(36) indicates an overall fixture height of 36"

⚠ OAH must be specified

W = Width OAH = Standard Overall Height X = Body Height
NBS = Nominal Bowl Size

	CP4191	CP4195	CP4199
W	26" (660 mm)	33-7/8" (860 mm)	40-5/8" (1032 mm)
OAH	25" (635 mm)	32" (813 mm)	38" (965 mm)
X	7" (178 mm)	9" (229 mm)	10-1/2" (267 mm)
NBS	23x5" (584x127 mm)	31x7" (787x178 mm)	37x9" (940x229 mm)




**Structural Blocking
Required (CP4199)
(See Detail on Page 2)**


FEATURES

- Integral driver
- Modular design for replacement of LED source and driver
- Easy toolless bowl cleaning
- Patented Power Art Cable™ mounting system uses a braided stainless steel jacket to encapsulate power conductors and provide support. Rated for loads up to 150 lbs (ETL listed to UL standards)
- Mounts to standard electrical junction box (by others) with provided hardware for ceiling slopes up to 45 degrees from horizontal (**CP4191 and CP4195**)
- Mounts through 4" octagonal by 2-1/8" deep electrical junction box (by others) to structural blocking (by others) with provided hardware for ceiling slopes up to 45 degrees from horizontal (**CP4199 only**)
- Spun metal trim
- Thermally formed 1/8" thick white acrylic diffuser with matte finish
 - F1 rated, UV stable
 - UL-94 HB Flame Class rated
- No VOC powder coat paint finish; Low VOC clear coat on metal finishes
- ETL listed for damp locations. Not suited for exterior applications

RELATIVE SCALE DRAWING



PHOTOMETRICS



OLYMPIA (cont.)

CP4191, CP4195, and CP4199
Power Art Cable Suspension



Fill in shaded boxes using information listed below

MODEL¹ CP4191 CP4195 CP4199 See page 1		SOURCE² • L30K • L35K • L40K		VOLTAGE MVOLT		FINISH See last page for finish order codes		DIFFUSER OPTION³ • ABA		OPTION(S)⁴ AF DCC XPS		OAH⁵ See page 1	
--	--	---	--	-------------------------	--	---	--	---	--	--	--	--	--

SOURCE² (Select one)

Dimmable 0-10V to 10%, Minimum 80CRI, within 3-step MacAdam

SOURCE	CCT	CP4191				CP4195				CP4199			
		Uplight		Downlight		Uplight		Downlight		Uplight		Downlight	
		Delivered Lumens	Power (Watts)	Delivered Lumens	Power (Watts)	Delivered Lumens	Power (Watts)	Delivered Lumens	Power (Watts)	Delivered Lumens	Power (Watts)	Delivered Lumens	Power (Watts)
• L30K	3000K	8300	78	2400	39	12600	119	4100	53	21900	205	6200	67
L35K	3500K	8700		2500		13100		4300		22800		6500	
• L40K	4000K	8900		2600		13500		4400		23500		6700	

DIFFUSER OPTION³

Diffuser is matte white acrylic unless ABA option is selected

• ABA	Hand Painted Alabaster Alternative
-------	------------------------------------



ABA

VOLTAGE

MVOLT	120-277V, 50/60 Hz
--------------	--------------------

OPTIONS⁴ (Multiple selections allowed)


⚠ Option availability may be interdependent with Other Options

AF	Add Finial. Addition of AF option increases H dimension (height) by 1-1/8"
DCC	Damp clear coat for metal finishes (required for 5 year warranty when used in damp locations)
XPS	Express 10 day shipping. Items marked with a bullet (•) are not available with XPS

AF OPTION



STRUCTURAL BLOCKING DETAIL (CP4199)



OLYMPIA (cont.)

CP4191, CP4195, and CP4199
Power Art Cable Suspension

OLYMPIA PRODUCT FAMILY

Sconces	18" Deep Bowl	• CB3462
	20" Shallow Bowl	• CB3464
Surface Mount Ceiling Units	18" Deep Bowl	• CM1101
	26" Shallow Bowl	• CM1103
Stem Suspension Pendants	26" Bowl	• CP4151
	34" Bowl	• CP4155
	41" Bowl	• CP4159
Cable Suspension Pendants	26" Bowl	• CP4191
	34" Bowl	• CP4195
	41" Bowl	• CP4199

SUGGESTED VARIATIONS

- Custom colors
- Integrate accents and trim from other product designs
- Larger diffuser sizes available

See [Visalighting.com/products/Olympia](https://visalighting.com/products/Olympia) for more information

OLYMPIA (cont.)

CP4191, CP4195, and CP4199

Power Art Cable Suspension



FINISHES PB (Polished Brass) and BB (Brushed Brass) not available on CP4195 and CP4199

Specify color code when ordering. For accurate color matching, individual paint and finish samples are [available upon request](#).
For more information about our finishes visit visalighting.com/finishes

Powder Coat Paint Finishes (Standard)

AGGY Agate Grey	ALGN Alpine Green	BJBG Baja Beige	BMAT Bronze Matte	BRNZ Bronze	BSIL Blade Silver	CVBL Cove Blue
DEOR Deoro Gold	GLWT Glacier White	GSIL Graphite Siver	HRGR Harbor Grey	JTBK Jet Black	OCBL Ocean Blue	SHGR Shoreline Grey
SBGN Sagebrush Green	SLGR Slate Grey	SSTP Sierra Taupe	TRCN Terracotta Canyon	TRWT Traffic White	VBLK Velvet Black	VNRD Vineyard Red

Alternative Metal Finishes (Premium)

BBA Brushed Brass Alternative	BCA Brushed Chrome Alternative	BUA Brushed Copper Alternative	BZA Brushed Bronze Alternative
OBA Oil-Rubbed Bronze Alternative	PRA Pewter Alternative	RBA Rustic Brass Alternative	SNA Satin Nickel Alternative

Metal Finish (Premium)

BA Brushed Aluminum	PB Polished Brass
BB Brushed Brass	

PB (Polished Brass) and BB (Brushed Brass) available with CP4191 only