
## MIDLAND ARTS™

CP4901 and CP4911 Pendants



Visalighting.com/products/Midland-Arts

Type: Project: Location:






#### DIMENSIONS 1, 6

OAH is the distance (in inches) from the bottom of the fixture to the ceiling plane. Example - OAH(24) indicates an overall fixture height of 24"

#### **A** 0AH must be specified

W = Width OAH = Standard Overall Height X = Body Height


	CP4901	CP4911
W	11" (279 mm)	13" (330 mm)
X	25" (635 mm)	28" (711 mm)
OAH	42" (1067 mm)	48" (1219 mm)




#### **FEATURES**

- · Integral driver
- Wired for dual circuit operation (bodylight/downlight)
- Spun downlight baffle trim, painted white with downlight option (bottom is solid white aluminum when no downlight is specified)
- Mounts to standard electrical junction box (by others) for sloped ceiling up to 45 degrees from horizontal
- Spun metal housing trim; solid metal bar trim; rolled accent panel creates three dimensional effect
- Extruded 1/8" thick white acrylic diffuser with matte finish
  - UV stable
  - UL-94 HB Flame Class rated
- No VOC powder coat paint finish; Low VOC clear coat on metal finishes
- ETL listed for damp locations. Not suited for exterior applications

#### **RELATIVE SCALE DRAWING**



#### **PHOTOMETRICS**



Body Light







Page 1

800-788-VISA VisaLighting.com

### MIDLAND ARTS (cont.) CP4901 and CP4911 Pendants



#### Fill in shaded boxes using information listed below **MVOLT** OPTION(S)5 MODEL<sup>1</sup> **BODYLIGHT<sup>2</sup>** DOWNLIGHT<sup>3</sup> **VOLTAGE DOWNLIGHT**4 HOUSING/ **ACCENT** OAH6 OPTION CP4901 • L30K(H) MVOLT OPTIC ACCENT **PANEL** DCC FINISH See page 1 CP4911 • L30K(L) • L30K(H) MED **BAR FINISH** XPS • L30K(L) L35K(H) NRW See page 1 See last page See last page L35K(L) L35K(H) WIDE for finish for finish • L40K(H) L35K(L) Required with order codes order codes • L40K(L) • L40K(H) **Downlight Option** • L40K(L)

#### BODYLIGHT SOURCE<sup>2</sup> (Select one)

Dimmable 0-10V to 1%, Minimum 80CRI, within 3-step MacAdam

		CP4901		CP4911	
SOURCE	ССТ	Delivered Lumens	Power (Watts)	Delivered Lumens	Power (Watts)
• L30K(H)	3000K	4400	48	5600	61
• L30K(L)	3000K	1900	22	2500	27
L35K(H)	3500K	4400	48	5600	61
L35K(L)	3500K	1900	22	2500	27
• L40K(H)	4000K	4500	48	5800	61
• L40K(L)	4000K	2000	22	2600	27

#### DOWNLIGHT OPTION<sup>3</sup>

Fixture bottom is solid if no downlight is specified

SOURCE	ССТ	Delivered Lumens	Power (Watts)
• L30K(H)	3000K	2700	28
• L30K(L)	3000K	1300	14
L35K(H)	3500K	2800	28
L35K(L)	3500K	1400	14
• L40K(H)	4000K	2800	28
• L40K(L)	4000K	1400	14

#### **VOLTAGE**

#### DOWNLIGHT OPTIC4

#### Required for Downlight

MED	48° beam
NRW	34° beam
WIDE	84° beam

#### OPTIONS<sup>5</sup> (Multiple selections allowed)

▲ Option availability may be interdependent with Other Options

DCC	Damp clear coat for metal finishes (required for 5 year warranty when used in damp locations)
XPS	Express 10 day shipping. Items marked with a bullet (•) are not available with XPS

# MIDLAND ARTS (cont.) CP4901 and CP4911 Pendants



#### MIDLAND ARTS PRODUCT FAMILY

- CB6531 7" ADA Sconce
- CB6533 9" Sconce
- CP4901 25" Pendant
- CP4911 28" Pendant

#### SUGGESTED VARIATIONS

- · Add accents
- · Increase length

See Visalighting.com/products/Midland-Arts for more information

#### **FINISHES**

Specify color code when ordering. For accurate color matching, individual paint and finish samples are <u>available upon request</u>. For more information about our finishes visit <u>visalighting.com/finishes</u>


Powder Coat Paint Finishes (Standard)



#### Alternative Metal Finishes (Premium)



Metal Finish (Premium)



This document contains information which is the property of Visa Lighting, and may not, in whole or in part, be duplicated, disclosed, or used for design or manufacturing purposes without the prior written permission of Visa Lighting. ©Visa Lighting. Design Modification Rights Reserved. Visa Lighting reserves the right to change specifications for product improvement without notification.