# CP5321 AIR FOIL<sup>™</sup> 48" Body Height x 36" Width

# VISA LIGHTING

VisaLighting.com/products/Air-Foil

Type:

Project:

Location:




# DIMENSIONS<sup>6</sup>

## A OAH must be specified

OAH is the distance (in inches) from the bottom of the fixture to the ceiling plane. Example - OAH(192) indicates an overall fixture height of 192"


W = Width D = Depth OAH = Standard Overall Height X = Body Height



# FEATURES

- Integral driver
- Modular design for replacement of LED source and driver
- Optional LED downlight (controls by others)
- Edge lit trim
- Color changing RGB is DMX compatible (controls by others)
- Matte white acrylic diffuser
- Optional specialty diffuser materials available, including Vara Kamin's Impressions of Light<sup>®</sup> images which are replicated from Kamin's original works of art
- Power cord is white; cable is stainless steel
- No VOC powder coat paint; Low VOC clear coat on metal finishes
- ETL listed for damp locations. Not recommended for exterior applications

# PHOTOMETRICS






# CP5321 AIR FOIL (cont.) 48" Body Height x 36" Width

# VISA LIGHTING

Fill in shaded boxes using information listed below



### BODYLIGHT<sup>1</sup> (Select one)

Dimmable 0-10V to 1%, Minimum 80CRI, within 3-step MacAdam

Source	ССТ	Delivered Lumens	Power (Watts)		
L30K	3000K	10700	93		
L35K	3500K	10700	93		
L40K	4000K	11000	93		
RGB			107		

# DOWNLIGHT<sup>2</sup> (Optional)

Fixture bottom is solid if no downlight is specified

Source	ССТ	Delivered Lumens	Power (Watts)		
L30K(H)	3000K	2900	28		
L30K(L)	3000K	1400	14		
L35K(H)	3500K	3000	28		
L35K(L)	3500K	1500	14		
L40K(H)	4000K	3100	28		
L40K(L)	4000K	1500	14		

## DOWNLIGHT OPTICS<sup>3</sup> (Optional)

Required with downlight option

MED	49° Beam
NRW	35° Beam
WIDE	70° Beam

## VOLTAGE

MVOLT 120-277V, 50/60 Hz

# DIFFUSER OPTION<sup>4</sup>

Diffuser is matte white acrylic if no option is selected


VKMD	Vara Kamin's Moon Drops®				
VKMM	Vara Kamin's Morning Melody®				
VKPG	Vara Kamin's Priscilla's Garden®				
VKSS	Vara Kamin's Summer of Sundays $^{\scriptscriptstyle (\! \mathbb{S}\!)}$				

Vara Kamin options have been colorcorrected to 4000K CCT and are available only with L40K source





### STRUCTURAL BLOCKING DETAILS



# OPTION<sup>5</sup>

A Option availability may be interdependent with Other Options

**DCC** Damp clear coat for metal finishes (required for 5 year warranty when used in damp locations)

# CP5321 AIR FOIL (cont.) 48" Body Height x 36" Width



# **AIR FOIL PRODUCT FAMILY**

Indoor Wall	51" with downlight option	• CB5301		
Sconce	55"	• CB5303		
	48" H x 16" W	• CP5301		
	48" H x 24" W	• CP5311		
Pendant	48" H x 36" W	• CP5321		
	24" H x 16" W	• CP5393		
	36" H x 16" W	• CP5395		
Outdoor Wall Sconce	5			

See <u>VisaLighting.com/products/Air-Foil</u> for more information

# SUGGESTED VARIATIONS

- Tandem units
- Custom printed overlay on lenses
- Graphics (school/company logos)

# CP5321 AIR FOIL (cont.) 48" Body Height x 36" Width



# FINISHES

Specify color code when ordering. For accurate color matching, individual paint and finish samples are <u>available upon request</u>. For more information about our finishes visit <u>visalighting.com/finishes</u>

Powder Coat Paint Finishes (Standard)

AGGY	Agate Grey	ALGN	Alpine Green	BJBG	Baja Beige	BMAT	Bronze Matte	BRNZ	Bronze	BSIL	Blade Silver	CVBL	Cove Blue
DEOR	Deoro Gold	GLWT	Glacier White	GSIL	Graphite Siver	HRGR	Harbor Grey	JTBK	Jet Black	OCBL	Ocean Blue	SHGR	Shoreline Grey
SBGN	Sagebrush Green	SLGR	Slate Grey	SSTP	Sierra Taupe	TRCN	Terracotta Canyon	TRWT	Traffic White	VBLK	Velvet Black	VNRD	Vineyard Red

## Alternative Metal Finishes (Premium)

BBA	Brushed Brass Alternative	<b>BCA</b> Chrom	Brushed ne Alternative	<b>BUA</b> Cop	Brushed per Alternative	<b>BZA</b> Bron	Brushed ze Alternative
<b>OBA</b> Bro	Oil-Rubbed onze Alternative	PRA	Pewter Alternative	RBA	Rustic Brass Alternative	SNA	Satin Nickel Alternative

## Metal Finish (Premium)



BA Brushed Aluminum

This document contains information which is the property of Visa Lighting, and may not, in whole or in part, be duplicated, disclosed, or used for design or manufacturing purposes without the prior written permission of Visa Lighting. ©Visa Lighting. Design Modification Rights Reserved. Visa Lighting reserves the right to change specifications for product improvement without notification.