


# CP5720 PEEK™



[VisaLighting.com/products/Peek](http://VisaLighting.com/products/Peek)

Type: \_\_\_\_\_ Project: \_\_\_\_\_ Location: \_\_\_\_\_




## DIMENSIONS<sup>3</sup> OAH MUST BE SPECIFIED

W = Width    X = Body Height    D = Depth    OAH = Overall Height

OAH is the distance (in inches) from the bottom of the fixture to the ceiling plane.  
Example - OAH(25) indicates an overall fixture height of 25"


W	16"	(406 mm)
OAH	25"	(635 mm)
X	16"	(406 mm)
D	9-5/8"	(244 mm)




## FEATURES

- Integral driver
- Evenly illuminated body
- RGB is DMX controlled with RDM for digital addressing
- For RGB source, since the AC and DMX wiring are brought into the same J-Box, a suitable barrier must be installed to maintain separation of circuits if the DMX control signal is classified as Class 2 per NEC code. The voltage partition is provided and is intended for use only with a standard 1-1/2" deep 4x4 Octagonal electrical box, included with this product. Consult your local regulations for DMX installation requirements.
- Cord is white (unless BSC is selected)
- Acrylic is vacuum formed
- No VOC powder coat paint finish
- ETL listed for damp locations (not suited for exterior applications)

## RELATIVE SCALE DRAWING



## PHOTOMETRICS



## CP5720 PEEK (cont.)



Fill in shaded boxes using information listed below

<b>CP5720</b>		<b>-</b>		<b>MVOLT</b>	
<b>MODEL</b>	<b>SOURCE<sup>1</sup></b> L30K(H) L30K(L) L35K(H) L35K(L) L40K(H) L40K(L) RGB	<b>VOLTAGE</b> MVOLT	<b>FINISH</b>  See last page for finish order codes	<b>OPTION<sup>2</sup></b> BSC  Cord is white unless option is selected	<b>OAH<sup>3</sup></b>

SOURCE<sup>1</sup> (Select one)

Dimmable 0-10V to 1% and minimum 80CRI, within 3-step MacAdam

Source	CCT	Delivered Lumens	Power (Watts)
L30K(H)	3000K	2600	27
L30K(L)	3000K	1700	18
L35K(H)	3500K	2600	27
L35K(L)	3500K	1700	18
L40K(H)	4000K	2700	27
L40K(L)	4000K	1800	18
RGB			15

## VOLTAGE

<b>MVOLT</b>	120-277V, 50/60 Hz
--------------	--------------------

OPTION<sup>2</sup>



Cord is white unless option is specified

<b>BSC</b>	Black Suspension Cord
------------	-----------------------

# CP5720 PEEK (cont.)



## COLOR CHANGING RGB



Cord Mount Voltage Partition

## PEEK PRODUCT FAMILY

[CP5720 – 16" Pendant](#)

[CP5722 – 21" Pendant](#)

[CP5724 – 26" Pendant](#)

See [Visalighting.com/products/Peek](https://visalighting.com/products/Peek) for more information

## FINISHES (Canopy, Trim Ring, Tube Wall and Edge)

Specify color code when ordering. For accurate color matching, individual paint and finish samples are [available upon request](#). For more information about our finishes visit [visalighting.com/finishes](https://visalighting.com/finishes)

### Powder Coat Paint Finishes (Standard)

<b>AGGY</b> Agate Grey	<b>ALGN</b> Alpine Green	<b>BJBG</b> Baja Beige	<b>BMAT</b> Bronze Matte	<b>BRNZ</b> Bronze	<b>BSIL</b> Blade Silver	<b>CVBL</b> Cove Blue
<b>DEOR</b> Deoro Gold	<b>GLWT</b> Glacier White	<b>GSIL</b> Graphite Silver	<b>HRGR</b> Harbor Grey	<b>JTBK</b> Jet Black	<b>OCBL</b> Ocean Blue	<b>SHGR</b> Shoreline Grey
<b>SBGN</b> Sagebrush Green	<b>SLGR</b> Slate Grey	<b>SSTP</b> Sierra Taupe	<b>TRCN</b> Terracotta Canyon	<b>TRWT</b> Traffic White	<b>VBLK</b> Velvet Black	<b>VNRD</b> Vineyard Red