


CP5722 PEEK™



VisaLighting.com/products/Peek

Type: _____ Project: _____ Location: _____




DIMENSIONS³

OAH MUST BE SPECIFIED

W = Width X = Body Height D = Depth OAH = Overall Height

OAH is the distance (in inches) from the bottom of the fixture to the ceiling plane.
Example - OAH(35) indicates an overall fixture height of 35"


W	21"	(533 mm)
OAH	30"	(762 mm)
X	21"	(533 mm)
D	14-3/8"	(365 mm)




FEATURES

- Integral driver
- Evenly illuminated body
- RGB is DMX controlled with RDM for digital addressing
- For RGB source, since the AC and DMX wiring are brought into the same J-Box, a suitable barrier must be installed to maintain separation of circuits if the DMX control signal is classified as Class 2 per NEC code. The voltage partition is provided and is intended for use only with a standard 1-1/2" deep 4x4 Octagonal electrical box, included with this product. Consult your local regulations for DMX installation requirements.
- 1/16" DIA SS cable included, field adjustable
- Cord is white (unless BSC is selected)
- Acrylic is vacuum formed
- No VOC powder coat paint finish
- ETL listed for damp locations (not suited for exterior applications)

RELATIVE SCALE DRAWING



PHOTOMETRICS



CP5722 PEEK (cont.)



Fill in shaded boxes using information listed below

CP5722		MVOLT			
MODEL	SOURCE¹ L30K(H) L30K(L) L35K(H) L35K(L) L40K(H) L40K(L) RGB	VOLTAGE MVOLT	FINISH See last page for finish order codes	OPTION² BSC Cord is white unless option is selected	OAH³

SOURCE¹ (Select one)

Dimmable 0-10V to 1% and minimum 80CRI, within 3-step MacAdam

Source	CCT	Delivered Lumens	Power (Watts)
L30K(H)	3000K	3500	32
L30K(L)	3000K	2300	21
L35K(H)	3500K	3600	32
L35K(L)	3500K	2400	21
L40K(H)	4000K	3700	32
L40K(L)	4000K	2400	21
RGB			21

VOLTAGE

MVOLT	120-277V, 50/60 Hz
--------------	--------------------

OPTION²



Cord is white unless option is specified

BSC	Black Suspension Cord
------------	-----------------------

CP5722 PEEK (cont.)



COLOR CHANGING RGB



Cord Mount Voltage Partition

PEEK PRODUCT FAMILY

[CP5720 – 16” Pendant](#)

[CP5722 – 21” Pendant](#)

[CP5724 – 26” Pendant](#)

See [Visalighting.com/products/Peek](https://www.visalighting.com/products/Peek) for more information

FINISHES (Canopy, Trim Ring, Tube Wall and Edge)

Specify color code when ordering. For accurate color matching, individual paint and finish samples are [available upon request](#). For more information about our finishes visit [visalighting.com/finishes](https://www.visalighting.com/finishes)

Powder Coat Paint Finishes (Standard)

AGGY Agate Grey	ALGN Alpine Green	BJBG Baja Beige	BMAT Bronze Matte	BRNZ Bronze	BSIL Blade Silver	CVBL Cove Blue
DEOR Deoro Gold	GLWT Glacier White	GSIL Graphite Silver	HRGR Harbor Grey	JTBK Jet Black	OCBL Ocean Blue	SHGR Shoreline Grey
SBGN Sagebrush Green	SLGR Slate Grey	SSTP Sierra Taupe	TRCN Terracotta Canyon	TRWT Traffic White	VBLK Velvet Black	VNRD Vineyard Red