

RAVEN™


CV1818/CV1800/CV1802/CV1804/CV1806

Indoor models with Accent Bars



VisaLighting.com/products/Raven

Type: _____ Project: _____ Location: _____




DIMENSIONS¹

L = Length D = Depth W = Width WT = Weight


| | CV1818 | CV1800 | CV1802 | CV1804 | CV1806 |
|---|------------------|------------------|------------------|-------------------|-------------------|
| L | 18-1/2" (470 mm) | 24-3/4" (629 mm) | 36-1/2" (927 mm) | 48-3/8" (1229 mm) | 60-1/8" (1527 mm) |
| D | 4" (102 mm) | | | | |
| W | 3 -3/8" (86 mm) | | | | |

FEATURES


- Integral driver
- Ceiling or wall mount (horizontal or vertical orientation)
- Mounts to 2 X 4 electrical junction box (by others) with provided hardware. Requires auxiliary mounting fasteners (provided). Orient junction box to match fixture's linear dimension (horizontal or vertical)
- High impact extruded aluminum backplate and siderails; die-cast end caps and trim bars
- Extruded clear prismatic performance lens and extruded white acrylic diffuser
- High impact extruded white acrylic, F1 rated; UV stable; UL-94 HB Flame Class rated
- No VOC powder coat finish
- ETL listed for damp locations. Not suited for exterior applications



RELATIVE SCALE DRAWING



PHOTOMETRICS



ADA



XPS



ETL Listed



5 Year Warranty

RAVEN (cont.)

CV1818/CV1800/CV1802/CV1804/CV1806

Indoor models with Accent Bars



Fill in shaded boxes using information listed below

| - MVOLT | | | | |
|--|--|------------------|--------------------------------------|------------------------|
| MODEL ¹ | SOURCE ² | VOLTAGE MVOLT | FINISH | OPTION(S) ³ |
| CV1818 CV1800 CV1802 CV1804 CV1806 | <ul style="list-style-type: none"> L30K(H) L30K(L) L35K(H) L35K(L) L40K(H) L40K(L) | | See last page for finish order codes | VR XPS |

See page 1

SOURCE² (Select One)

Dimmable 0-10V to 1%, Minimum 80CRI, within 3-step MacAdam

| Source | CCT | CV1818 | | CV1800 | | CV1802 | | CV1804 | | CV1806 | |
|-----------|-------|------------------|-------------|------------------|-------------|------------------|-------------|------------------|-------------|------------------|-------------|
| | | Delivered Lumens | Power/Watts | Delivered Lumens | Power/Watts | Delivered Lumens | Power/Watts | Delivered Lumens | Power/Watts | Delivered Lumens | Power/Watts |
| • L30K(H) | 3000K | 1100 | 10 | 1400 | 13 | 2800 | 26 | 3300 | 29 | 3900 | 35 |
| • L30K(L) | 3000K | 750 | 7 | 800 | 7 | 1900 | 17 | 2200 | 19 | 2800 | 23 |
| L35K(H) | 3500K | 1100 | 10 | 1400 | 13 | 2800 | 26 | 3300 | 29 | 3900 | 35 |
| L35K(L) | 3500K | 750 | 7 | 800 | 7 | 1900 | 17 | 2200 | 19 | 2800 | 23 |
| • L40K(H) | 4000K | 1100 | 10 | 1400 | 13 | 2800 | 26 | 3400 | 29 | 4100 | 35 |
| • L40K(L) | 4000K | 750 | 7 | 800 | 7 | 2000 | 17 | 2300 | 19 | 2800 | 23 |

OPTION³ (Multiple selections allowed)

VOLTAGE

⚠ Option availability may be interdependent with Other Options

| | |
|-------|--------------------|
| MVOLT | 120-277V, 50/60 Hz |
|-------|--------------------|


| | |
|-----|--|
| VR | Vandal resistant frame fasteners |
| XPS | Express 10 day shipping. Items marked with a bullet (•) are not available with XPS |

LUMEN MAINTENANCE RATING

| | |
|----------------|------------|
| L80 (reported) | >50,000hrs |
|----------------|------------|

Die-Cast End Caps

Vandal Resistant Frame Fastener (VR option)



RAVEN (cont.)

CV1818/CV1800/CV1802/CV1804/CV1806

Indoor models with Accent Bars

RAVEN PRODUCT FAMILY

| | | |
|----------------|---------|--|
| Accent Bars | Outdoor | <ul style="list-style-type: none"> • OW1348 • OW1340 • OW1342 • OW1344 • OW1346 |
| | Indoor | <ul style="list-style-type: none"> • CV1818 • CV1800 • CV1802 • CV1804 • CV1806 |
| No Accent Bars | Outdoor | <ul style="list-style-type: none"> • OW1350 • OW1352 • OW1354 • OW1356 • OW1358 |
| | Indoor | <ul style="list-style-type: none"> • CV1820 • CV1822 • CV1824 • CV1826 • CV1828 |

SUGGESTED VARIATIONS

- 2700k–5000k color temperatures
- Increase fixture length up to 8' (indoor only)

See [Visalighting.com/products/Raven](https://www.visalighting.com/products/Raven) for more information

RAVEN (cont.)

CV1818/CV1800/CV1802/CV1804/CV1806

Indoor models with Accent Bars

FINISHES

Specify color code when ordering. For accurate color matching, individual paint and finish samples are [available upon request](#).
For more information about our finishes visit visalighting.com/finishes

Powder Coat Paint Finishes (Standard)

| | | | | | | |
|---|--|--|--|---|--|--|
|  |  |  |  |  |  |  |
| AGGY Agate Grey | ALGN Alpine Green | BJBG Baja Beige | BMAT Bronze Matte | BRNZ Bronze | BSIL Blade Silver | CVBL Cove Blue |
|  |  |  |  |  |  |  |
| DEOR Deoro Gold | GLWT Glacier White | GSIL Graphite Silver | HRGR Harbor Grey | JTBK Jet Black | OCBL Ocean Blue | SHGR Shoreline Grey |
|  |  |  |  |  |  |  |
| SBGN Sagebrush Green | SLGR Slate Grey | SSTP Sierra Taupe | TRCN Terracotta Canyon | TRWT Traffic White | VBLK Velvet Black | VNRD Vineyard Red |