VOILA™ CV4145, CV4146 and CV4147 35" Semi-Recessed – Integral Driver



Visalighting.com/products/Voila

Type: Project: Location:







DIMENSIONS¹


Depth is measured from wall to front of fixture

W = Width H = Height D = Depth RW = Recessed Width RH = Recessed Height RD = Recessed Depth


	CV4145 (ADA compliant)	CV4146 (ADA compliant)	CV4147
W		34-1/2" (876 mm)	
Н	2" (51 mm)	3" (76 mm)	4" (102 mm)
D	2-5/8" (67 mm)	3-5/8" (92 mm)	4-5/8" (117 mm)
RW		34-3/4" (883 mm)	
RH		1-7/8" (48 mm)	
RD		3-1/4" (83 mm)	

FEATURES


- Integral driver
- Versatile mounting; ceiling or wall mount (vertical or horizontal orientation)
- Semi-recessed (mud required; mud frame included)
- Ceiling installations for drywall only
- Recessed backbox is available for pre-shipment for rough-in installation
- Clear acrylic diffuser with matte finish, standard for CV4146 and CV4147; optional for CV4145
- Optional frosted borosilicate glass available for CV4145
- No VOC powder coat paint finish; low VOC clear coat on metal finishes
- ETL listed for damp locations



RELATIVE SCALE DRAWING



PHOTOMETRICS












XPS

ETL Listed 5 Year Warranty

VOILA (cont.) CV4145, CV4146 and CV4147 35" Semi-Recessed – Integral Driver



Fill in shaded boxes using information listed below



SOURCE² (Select one)

Dimmable 0-10V to 1%, Minimum 80CRI, within 3-step MacAdam

		CV4145 (AD	A compliant)	CV4146 (AD	A compliant)	CV4147		
Source CCT		Delivered Power Lumens (Watts)		Delivered Power Lumens (Watts)		Delivered Lumens	Power (Watts)	
• L30K(H)	3000K	1500	21	1500	21	1600	21	
• L30K(L)	3000K	1000	13	1000	13	1000	13	
L35K(H)	3500K	1500	21	1500	21	1600	21	
L35K(L)	3500K	1000	13	1000	13	1000	13	
• L40K(H)	4000K	1500	21	1600	21	1600	21	
• L40K(L)	4000K	1000	13	1000	13	1100	13	

DIFFUSERS³ (Available only on CV4145) (Select one)

Diffuser is clear acrylic with matte finish for models CV4146 and CV4147


AM	Clear Acrylic with matte finish
• FBG	Frosted borosilicate glass

OPTIONS⁴ (Multiple Selections Allowed)

A Option availability may be interdependent with other options

22 option availability may be interdependent with other options								
DCC	Damp clear coat for metal finishes (required for 5 year warranty when used in damp locations)							
RB	Pre-ship recessed backbox							
TTF	Tile Trim Flange; Painted - specify Finish Code (see finish order codes on last page)							
XPS	Express 10 day shipping. Items marked with a bullet (•) are not available with XPS							


MOUNTING DETAIL





VOLTAGE

MVOLT	120-277V, 50/60 Hz

TILE TRIM FLANGE DETAIL (TTF OPTION)







VOILA (cont.) CV4145, CV4146 and CV4147 35" Semi-Recessed – Integral Driver



VOILA PRODUCT FAMILY

		2"	• CV4140
	24"	3"	• CV4141
Semi-Recessed –		4"	• CV4142
Integral Driver		2"	• CV4145
	35"	3"	• CV4146
		4"	• CV4147
		2"	• CV4160
	24"	3"	• CV4161
Surface Mount –		4"	• CV4162
Low Voltage		2"	• CV4165
	35"	3"	• CV4166
		4"	• CV4167

See <u>Visalighting.com/products/Voila</u> for more information

SUGGESTED VARIATIONS

- 2700K
- Custom color
- Nominal 4' height
- Add metal end caps

VOILA (cont.) CV4145, CV4146 and CV4147 35" Semi-Recessed – Integral Driver

FINISHES

Specify color code when ordering. For accurate color matching, individual paint and finish samples are <u>available upon request</u>. For more information about our finishes visit <u>visalighting.com/finishes</u>

Powder Coat Paint Finishes (Standard) Powder coat finishes available for Diffuser Retainer and Housing

AGGY	Agate Grey	ALGN	Alpine Green	BJBG	Baja Beige	BMAT	Bronze Matte	BRNZ	Bronze	BSIL	Blade Silver	CVBL	Cove Blue
DEOR	Deoro Gold	GLWT	Glacier White	GSIL	Graphite Siver	HRGR	Harbor Grey	JTBK	Jet Black	OCBL	Ocean Blue	SHGR	Shoreline Grey
SBGN	Sagebrush Green	SLGR	Slate Grey	SSTP	Sierra Taupe	TRCN	Terracotta Canyon	TRWT	Traffic White	VBLK	Velvet Black	VNRD	Vineyard Red

Alternative Metal Finishes (Premium) Metal finishes available for Diffuser Retainer only



Metal Finish (Premium)

