## VOILA<sup>™</sup> CV4160, CV4161 and CV4162 24" Surface Mount – Low Voltage



Visalighting.com/products/Voila

Type: Project: Location:








### DIMENSIONS<sup>1</sup>

Depth is measured from wall to front of fixture

W = Width H = Height D = Depth


	CV4160 (ADA compliant)	CV4161	CV4162						
W	23-1/2" (597 mm)								
Н	2" (51 mm)	3" (76 mm)	4" (102 mm)						
D	4" (102 mm)	5" (127 mm)	6" (152 mm)						




## **FEATURES**

- Remote driver
- Versatile mounting; ceiling or wall mount (vertical or horizontal orientation)
- Surface Mount
- Ceiling installations for drywall only
- Clear acrylic diffuser with matte finish, standard for CV4161 and CV4162; optional for CV4160
- Optional frosted borosilicate glass available for CV4160
- No VOC powder coat paint finish; low VOC clear coat on metal finishes
- ETL listed for damp locations

### **RELATIVE SCALE DRAWING**



#### **PHOTOMETRICS**












# VOILA (cont.) CV4160, CV4161 and CV4162 24" Surface Mount – Low Voltage



#### Fill in shaded boxes using information listed below




### SOURCE<sup>2</sup> (Select one)

Dimmable 0-10V to 1%, Minimum 80CRI, within 3-step MacAdam

		CV4160 (AD	A compliant)	CV	1161	CV4162		
Source CCT		Delivered Power Lumens (Watts)		Delivered Lumens			Power (Watts)	
• L30K(H)	3000K	1000	14	1000	14	1000	14	
• L30K(L)	3000K	700	10	700	10	750	10	
L35K(H)	3500K	1000	14	1000	14	1000	14	
L35K(L)	3500K	700	10	700	10	750	10	
• L40K(H)	4000K	1000	14	1000	14	1100	14	
• L40K(L)	4000K	700	10	700	10	750	10	

### **VOLTAGE**

MVOLT	120-277V, 50/60 Hz



### DIFFUSERS<sup>3</sup> (Available only on CV4160) (Select one)

Diffuser is clear acrylic with matte finish for models CV4141 and CV4142

AM	Clear Acrylic with matte finish
• FBG	Frosted borosilicate glass

### OPTIONS<sup>4</sup> (Multiple Selections Allowed)

### Option availability may be interdependent with 0ther 0ptions

DCC	Damp clear coat for metal finishes (required for 5 year warranty when used in damp locations)
JBC	Junction box cover (5" square) for use with an existing 4" junction box. Painted to match surface housing finish
• MRI	MRI room application, not available with dimming
XPS	Express 10 day shipping. Items marked with a bullet (•) are not available with XP\$

# VOILA (cont.) CV4160, CV4161 and CV4162 24" Surface Mount – Low Voltage



## **VOILA PRODUCT FAMILY**

		2"	• CV4140
	24"	3"	• CV4141
Semi-Recessed –		4"	• CV4142
Integral Driver		2"	• CV4145
	35"	3"	• CV4146
		4"	• CV4147
		2"	• CV4160
	24"	3"	• CV4161
Surface Mount –		4"	• CV4162
Low Voltage		2"	• CV4165
	35"	3"	• CV4166
		4"	• CV4167

See <u>Visalighting.com/products/Voila</u> for more information

### SUGGESTED VARIATIONS

- 2700K
- Custom color
- Nominal 4' height
- Add metal end caps

## VOILA (cont.) CV4160, CV4161 and CV4162 24" Surface Mount – Low Voltage



#### **FINISHES**

Specify color code when ordering. For accurate color matching, individual paint and finish samples are <u>available upon request</u>. For more information about our finishes visit <u>visalighting.com/finishes</u>

Powder Coat Paint Finishes (Standard) Powder coat finishes available for Diffuser Retainer and Housing

AGGY	Agate Grey	ALGN	Alpine Green	BJBG	Baja Beige	BMAT	Bronze Matte	BRNZ	Bronze	BSIL	Blade Silver	CVBL	Cove Blue
DEOR	Deoro Gold	GLWT	Glacier White	GSIL	Graphite Siver	HRGR	Harbor Grey	JTBK	Jet Black	OCBL	Ocean Blue	SHGR :	Shoreline Grey
SBGN	Sagebrush Green	SLGR	Slate Grey	SSTP	Sierra Taupe	TRCN	Terracotta Canyon	TRWT	Traffic White	VBLK	Velvet Black	VNRD	Vineyard Red

#### Alternative Metal Finishes (Premium) Metal finishes available for Diffuser Retainer only



#### Metal Finish (Premium)

