VOILA[™] CV4165, CV4166 and CV4167 35" Surface Mount – Low Voltage


VISA LIGHTING

Visalighting.com/products/Voila

Type:

Project:

Location:




DIMENSIONS¹


Depth is measured from wall to front of fixture

W = Width H = Height D = Depth

	CV4165 (ADA compliant)	CV4166	CV4167			
W	34	1-1/2" (876 mm)				
Н	2" (51 mm)	3" (76 mm)	4" (102 mm)			
D	4" (102 mm)	5" (127 mm)	6" (152 mm)			




RELATIVE SCALE DRAWING



FEATURES

- Remote driver
- Versatile mounting; ceiling or wall mount (vertical or horizontal orientation)
- Surface Mount
- Ceiling installations for drywall only
- Clear acrylic diffuser with matte finish, standard for CV4166 and CV4167; optional for CV4165
- Optional frosted borosilicate glass available for CV4165
- No VOC powder coat paint finish; low VOC clear coat on metal finishes
- ETL listed for damp locations

PHOTOMETRICS












VisaLighting.com

VOILA (cont.) CV4165, CV4166 and CV4167 35" Surface Mount – Low Voltage



SOURCE² (Select one)

Dimmable 0-10V to 1%, Minimum 80CRI, within 3-step MacAdam

		CV4165 (ADA	(compliant)	CV4	166	CV4167		
Source	ССТ	Delivered Lumens	Power (Watts)			Delivered Lumens	Power (Watts)	
• L30K(H)	3000K	1500	21	1500	21	1600	21	
• L30K(L)	3000K	1000	13	1000	13	1000	13	
L35K(H)	3500K	1500	21	1500	21	1600	21	
L35K(L)	3500K	1000	13	1000	13	1000	13	
• L40K(H)	4000K	1500	21	1600	21	1600	21	
• L40K(L)	4000K	1000	13	1000	13	1100	13	

DIFFUSERS³ (Available only on CV4165) (Select one)

Diffuser is clear acrylic with matte finish for models CV4166 and CV4167

AM	Clear Acrylic with matte finish					
• FBG	Frosted borosilicate glass					

OPTIONS⁴ (Multiple Selections Allowed)


A Option availability may be interdependent with Other Options

DCC	Damp clear coat for metal finishes (required for 5 year warranty when used in damp locations)
JBC	Junction box cover (5" square) for use with an existing 4" junction box. Painted to match surface housing finish
• MRI	MRI room application, not available with dimming
XPS	Express 10 day shipping. Items marked with a bullet (•) are not available with XPS

VOLTAGE

MVOLT 120-277V, 50/60 Hz

MOUNTING DETAIL



VOILA (cont.) CV4165, CV4166 and CV4167 35" Surface Mount – Low Voltage

VOILA PRODUCT FAMILY

	1		
		2"	• CV4140
	24"	3"	• CV4141
Semi-Recessed –		4"	• CV4142
Integral Driver		2"	• CV4145
	35"	3"	• CV4146
		4"	• CV4147
		2"	• CV4160
	24"	3"	• CV4161
Surface Mount –		4"	• CV4162
Low Voltage		2"	• CV4165
	35"	3"	• CV4166
		4"	• CV4167

See Visalighting.com/products/Voila for more information



SUGGESTED VARIATIONS

- 2700K
- Custom color
- Nominal 4' height
- Add metal end caps

VOILA (cont.) CV4165, CV4166 and CV4167 35" Surface Mount – Low Voltage



FINISHES

Specify color code when ordering. For accurate color matching, individual paint and finish samples are <u>available upon request</u>. For more information about our finishes visit <u>visalighting.com/finishes</u>

AGGY	Agate Grey	ALGN	Alpine Green	BJBG	Baja Beige	BMAT	Bronze Matte	BRNZ	Bronze	BSIL	Blade Silver	CVBL	Cove Blue
DEOR	Deoro Gold	GLWT	Glacier White	GSIL	Graphite Siver	HRGR	Harbor Grey	JTBK	Jet Black	OCBL	Ocean Blue	SHGR	Shoreline Grey
SBGN	Sagebrush Green	SLGR	Slate Grey	SSTP	Sierra Taupe	TRCN	Terracotta Canyon	TRWT	Traffic White	VBLK	Velvet Black	VNRD	Vineyard Red

Alternative Metal Finishes (Premium) Metal finishes available for Diffuser Retainer only

BBA			Brushed e Alternative	BUA Copp	Brushed per Alternative	BZA Brushed Bronze Alternative	
OBA Bro	Oil-Rubbed nze Alternative	PRA	Pewter Alternative	RBA	Rustic Brass Alternative	SNA	Satin Nickel Alternative

Metal Finish (Premium)



BA Brushed Aluminum

This document contains information which is the property of Visa Lighting, and may not, in whole or in part, be duplicated, disclosed, or used for design or manufacturing purposes without the prior written permission of Visa Lighting. ©Visa Lighting. Design Modification Rights Reserved. Visa Lighting reserves the right to change specifications for product improvement without notification.