

# CYPRESS™


## OW1210\_OW1212\_OW1214

### Multi-Window Outdoor



[Visalighting.com/products/Cypress](http://visalighting.com/products/Cypress)

Type: \_\_\_\_\_ Project: \_\_\_\_\_ Location: \_\_\_\_\_




#### DIMENSIONS<sup>1</sup>


Depth is measured from wall to front of fixture

W = Width H = Height D = Depth

	OW1210	OW1212	OW1214
<b>W</b>	8" (203 mm)	10-1/2" (267 mm)	13-1/2" (343 mm)
<b>H</b>	18" (457 mm)	24-1/8" (613 mm)	32-1/8" (816 mm)
<b>D</b>	5-3/4" (146 mm)	7-1/2" (191 mm)	9-1/2" (241 mm)




#### RELATIVE SCALE DRAWING



#### FEATURES

- Integral driver
- Modular design for replacement of LED source and driver
- Uplight or downlight application
- Surface mounts over a standard electrical junction box (by others)
- Clear tempered glass top lens
- 1/8" thick white acrylic diffuser
  - F1 rated, UV stable
  - UL-94 HB Flame Class rated
- Housing fabricated of heavy gauge welded and gasketed aluminum
- No VOC powder coat paint finish
- ETL listed for wet location mountinging 4' above grade

#### PHOTOMETRICS



XPS



ETL Listed



5 Year Warranty

# CYPRESS (cont.)

## OW1210\_OW1212\_OW1214

### Multi-Window Outdoor

Fill in shaded boxes using information listed below

<b>MODEL<sup>1</sup></b> OW1210 OW1212 OW1214  See page 1	<b>SOURCE<sup>2</sup></b> <ul style="list-style-type: none"> <li>• L30K(H)</li> <li>• L30K(L)</li> <li>• L35K(H)</li> <li>• L35K(L)</li> <li>• L40K(H)</li> <li>• L40K(L)</li> </ul>	<b>VOLTAGE</b> MVOLT	<b>FINISH</b>  See last page for finish order codes	<b>OPTION<sup>3</sup></b> XPS
--	---	-------------------------	---	----------------------------------

**SOURCE<sup>2</sup>** (Select one)

Dimmable 0-10V to 1%, Minimum 80CRI, within 3-step MacAdam

SOURCE	CCT	OW1210		OW1212		OW1214	
		Delivered Lumens	Power (Watts)	Delivered Lumens	Power (Watts)	Delivered Lumens	Power (Watts)
• L30K(H)	3000K	750	21	1200	28	1900	46
• L30K(L)	3000K	350	10	600	13	950	20
L35K(H)	3500K	750	21	1200	28	1900	46
L35K(L)	3500K	350	10	600	13	950	20
• L40K(H)	4000K	750	21	1200	28	1900	46
• L40K(L)	4000K	350	10	600	13	950	20

**VOLTAGE**

<b>MVOLT</b>	120-277V, 50/60 Hz
--------------	--------------------

**OPTION<sup>3</sup>**

**⚠** Option availability may be interdependent with Other Options

<b>XPS</b>	Express 10 day shipping. Items marked with a bullet (●) are not available with XPS
------------	--

# CYPRESS (cont.)

## OW1210\_OW1212\_OW1214

### Multi-Window Outdoor



#### CYPRESS PRODUCT FAMILY

Outdoor	Single Window	18"	• OW1200
		24"	• OW1202
		32"	• OW1204
	Multi-Window	18"	• OW1210
		24"	• OW1212
		32"	• OW1214
	Accent Bar	19"	• OW1220
		25"	• OW1222
		33"	• OW1224
Indoor	Single Window	13"	• CB5120
	Multi-Window	13"	• CB5122
	No Window	13"	• CB5124

#### SUGGESTED VARIATIONS

- Custom colors
- Custom windows
- Color gels on face or sides

See [Visalighting.com/products/Cypress](https://visalighting.com/products/Cypress) for more information

#### FINISHES

Specify color code when ordering. For accurate color matching, individual paint and finish samples are [available upon request](#). For more information about our finishes visit [visalighting.com/finishes](https://visalighting.com/finishes)

##### Powder Coat Paint Finishes (Standard)

						
<b>AGGY</b> Agate Grey	<b>ALGN</b> Alpine Green	<b>BJBG</b> Baja Beige	<b>BMAT</b> Bronze Matte	<b>BRNZ</b> Bronze	<b>BSIL</b> Blade Silver	<b>CVBL</b> Cove Blue
						
<b>DEOR</b> Deoro Gold	<b>GLWT</b> Glacier White	<b>GSIL</b> Graphite Siver	<b>HRGR</b> Harbor Grey	<b>JTBK</b> Jet Black	<b>OCBL</b> Ocean Blue	<b>SHGR</b> Shoreline Grey
						
<b>SBGN</b> Sagebrush Green	<b>SLGR</b> Slate Grey	<b>SSTP</b> Sierra Taupe	<b>TRCN</b> Terracotta Canyon	<b>TRWT</b> Traffic White	<b>VBLK</b> Velvet Black	<b>VNRD</b> Vineyard Red