
OW1725 SOUTHRIDGE™

18" Outdoor Sconce



Visalighting.com/products/Southridge

Type: Project: Location:





DIMENSIONS


Depth is measured from wall to front of fixture

| W = Width $H = Height$ | | H = Height | D = Depth | | |
|------------------------|---------------|----------------------|-----------|------------|-----------|
| W | 18" | (457 mm) | | Front View | Side View |
| H D | 18" 5-5/8" | (457 mm) (143 mm) | | Housing | H |
| | | | Housing | W | |


FEATURES

- Integral driver
- Modular design for replacement of LED source and driver
- Surface mount to standard electrical junction box (by others) with provided hardware
- Aluminum front shield features snap lock for easy toolless servicing
- Aluminum, fully gasketed and sealed source chamber with clear tempered glass enclosure
- No VOC powder coat paint finish
- ETL listed for wet location mounting to 4' above grade

RELATIVE SCALE DRAWING



PHOTOMETRICS










5 Year Warranty

OW1725 SOUTHRIDGE (cont.)

18" Outdoor Sconce





SOURCE¹ (Select one)

Dimmable 0-10V to 1%, Minimum 80CRI, within 3-step MacAdam

| SOURCE | ССТ | Delivered Lumens | Power (Watts) | | |
|-----------|-------|------------------|---------------|--|--|
| • L30K(H) | 3000K | 2200 | 50 | | |
| • L30K(L) | 3000K | 1400 | 31 | | |
| L35K(H) | 3500K | 2200 | 50 | | |
| L35K(L) | 3500K | 1500 | 31 | | |
| • L40K(H) | 4000K | 2300 | 50 | | |
| • L40K(L) | 4000K | 1500 | 31 | | |

VOLTAGE² (Select one)

| MVOLT | 120-277V, 50/60 Hz | | | | | |
|-------|--------------------|--|--|--|--|--|
| 347V | 347V, 50/60 Hz | | | | | |

OPTIONS³ (Multiple Selections Allowed)

▲ Option availability may be interdependent with Other Options

| and option availability may be interdependent with other options | | | | | | | | | |
|--|-----|---|--|--|--|--|--|--|--|
| BCS Brightness control shield for steep viewing angle | | | | | | | | | |
| | XPS | Express 10 day shipping Items marked with a bullet (•) are not available with XPS | | | | | | | |

OW1725 SOUTHRIDGE (cont.)

18" Outdoor Sconce



SOUTHRIDGE PRODUCT FAMILY

- 0W1721 14" Sconce
- 0W1725 18" Sconce

SUGGESTED VARIATIONS

- Increase shield size up to 24" sq
- Custom color

See <u>Visalighting.com/products/Southridge</u> for more information

FINISHES

Specify color code when ordering. For accurate color matching, individual paint and finish samples are <u>available upon request</u>. For more information about our finishes visit <u>visalighting.com/finishes</u>

Powder Coat Paint Finishes (Standard)

| ACCV | Agata Cray | ALCN | Alpine Green | BJBG | Paia Paigo | BMAT | Bronze Matte | BRNZ | Bronze | BSIL | Blade Silver | CVBL | Cove Blue |
|------|--------------------|------|---------------|------|----------------|-------|----------------------|------|---------------|------|--------------|------|----------------|
| AGGY | Agate Grey | ALGN | Alpine dieen | DJDU | Baja Beige | DIMAI | biolize Matte | DKNZ | ыши | DSIL | bidue Silvei | CAPE | cove blue |
| | | | | | | | | | | | | | |
| DEOR | Deoro Gold | GLWT | Glacier White | GSIL | Graphite Siver | HRGR | Harbor Grey | JTBK | Jet Black | OCBL | Ocean Blue | SHGR | Shoreline Grey |
| | | | | | | | | | | | | | |
| SBGN | Sagebrush Green | SLGR | Slate Grey | SSTP | Sierra Taupe | TRCN | Terracotta Canyon | TRWT | Traffic White | VBLK | Velvet Black | VNRD | Vineyard Red |