


# CV1609/CV1611/CV1613/CV1615 VISAGE™

Indoor — Flush Frame



[VisaLighting.com/products/Visage](https://www.VisaLighting.com/products/Visage)

Type: \_\_\_\_\_ Project: \_\_\_\_\_ Location: \_\_\_\_\_



## DIMENSIONS<sup>1</sup>




W = Width L = Length RD = Recessed Depth RL = Recessed Length WT = Weight

	CV1609	CV1611	CV1613	CV1615
W	4-1/2" (114 mm)			
L	26-1/8" (664 mm)	37-1/8" (943 mm)	48-1/8" (1222 mm)	59-1/8" (1502 mm)
RD	4-1/8" (105 mm)			
RL	26-3/8" (670 mm)	37-3/8" (949 mm)	48-3/8" (949 mm)	59-3/8" (1508 mm)
WT*	3 lbs (1361 grams)	4 lbs (1814 grams)	5 lbs (2268 grams)	6 lbs (2722 grams)


\*not including mud frame

## FEATURES

- Integral driver
- Versatile mounting: horizontally or vertically on wall, or ceiling mount
- Low output recommended for wall installation, high output recommended for ceiling installation
- Shallow recessed housing rated for through-circuit wiring
- Mud Frame available to be shipped ahead
- Mud Frame only requires furring strips along long edges of wall opening, structural blocking not required
- Extruded aluminum body and frame
- Extruded white acrylic diffuser with matte finish; UV stable; UL94 Flame Class rated
- IC rated
- ETL listed for damp locations. Not suited for exterior applications



## RELATIVE SCALE DRAWING



# CV1609/CV1611/CV1613/CV1615 VISAGE (cont.)



Indoor — Flush Frame

Fill in shaded boxes using information listed below

<b>MODEL<sup>1</sup></b> CV1609 CV1611 CV1613 CV1615  See page 1	<b>SOURCE<sup>2</sup></b> <ul style="list-style-type: none"> <li>• L30K(H)</li> <li>• L30K(L)</li> <li>• L35K(H)</li> <li>• L35K(L)</li> <li>• L40K(H)</li> <li>• L40K(L)</li> </ul>	<b>VOLTAGE<sup>3</sup></b> MVOLT 347V	<b>FINISH</b>  See last page for finish order codes	<b>OPTIONS<sup>4</sup></b> DCC RB XPS
--	---	---	---	--

**SOURCE<sup>2</sup>** (Select One)

Dimmable 0-10V to 1%, Minimum 80CRI, within 3-step MacAdam

Source	CCT	CV1609		CV1611		CV1613		CV1615	
		Delivered Lumens	Power/Watts	Delivered Lumens	Power/Watts	Delivered Lumens	Power/Watts	Delivered Lumens	Power/Watts
• L30K(H)	3000K	1600	19	2400	27	3200	36	3900	43
• L30K(L)	3000K	1050	12	1600	17	2100	23	2600	27
L35K(H)	3500K	1650	19	2400	27	3300	36	4000	43
L35K(L)	3500K	1100	12	1600	17	2200	23	2600	27
• L40K(H)	4000K	1700	19	2500	27	3300	36	4100	43
• L40K(L)	4000K	1100	12	1650	17	2200	23	2700	27

**VOLTAGE<sup>3</sup>** (Select One)

<b>MVOLT</b>	120-277V, 50/60 Hz
<b>347V</b>	347V, 50/60 Hz

**LUMEN MAINTENANCE RATING**


L80 (reported)	≥50,000hrs
----------------	------------

**OPTIONS<sup>4</sup>** (Multiple Selections Allowed)

▲ Option availability may be interdependent with Voltage, Source or Other Options

<b>DCC</b>	Damp clear coat for metal finishes (required for 5 year warranty when used in damp locations)
<b>RB</b>	Pre-ship mud frame
<b>XPS</b>	Express 10 day shipping. Items marked with a bullet (•) are not available with XPS

**PHOTOMETRICS**



# CV1609/CV1611/CV1613/CV1615 VISAGE (cont.)



Indoor — Flush Frame

## VISAGE PRODUCT FAMILY

<b>Outdoor</b>	<ul style="list-style-type: none"> <li>• OW1600 — Surface Frame</li> <li>• OW1604 — Surface Frame</li> <li>• OW1606 — Surface Frame</li> <li>• OW1610 — Surface Frame</li> </ul>
<b>Indoor Wall/Ceiling</b>	<ul style="list-style-type: none"> <li>• CV1601 — Surface Frame</li> <li>• CV1603 — Surface Frame</li> <li>• CV1605 — Surface Frame</li> <li>• CV1607 — Surface Frame</li> <li>• CV1609 — Flush Frame</li> <li>• CV1611 — Flush Frame</li> <li>• CV1613 — Flush Frame</li> <li>• CV1615 — Flush Frame</li> <li>• CV1680 — Behavioral Health</li> </ul>

## SUGGESTED VARIATIONS

- Custom color or material
- Increase or decrease fixture height and/or width
- Special lens or diffuser inserts

See [Visalighting.com/products/Visage](https://visalighting.com/products/Visage) for more information

# CV1609/CV1611/CV1613/CV1615 VISAGE (cont.)



## FINISHES

Specify color code when ordering. For accurate color matching, individual paint and finish samples are [available upon request](#). For more information about our finishes visit [visalighting.com/finishes](https://visalighting.com/finishes)


### Powder Coat Paint Finishes (Standard)

						
<b>AGGY</b> Agate Grey	<b>ALGN</b> Alpine Green	<b>BJBG</b> Baja Beige	<b>BMAT</b> Bronze Matte	<b>BRNZ</b> Bronze	<b>BSIL</b> Blade Silver	<b>CVBL</b> Cove Blue
						
<b>DEOR</b> Deoro Gold	<b>GLWT</b> Glacier White	<b>GSIL</b> Graphite Siver	<b>HRGR</b> Harbor Grey	<b>JTBK</b> Jet Black	<b>OCBL</b> Ocean Blue	<b>SHGR</b> Shoreline Grey
						
<b>SBGN</b> Sagebrush Green	<b>SLGR</b> Slate Grey	<b>SSTP</b> Sierra Taupe	<b>TRCN</b> Terracotta Canyon	<b>TRWT</b> Traffic White	<b>VBLK</b> Velvet Black	<b>VNRD</b> Vineyard Red

### Alternative Metal Finishes (Premium)

			
<b>BBA</b> Brushed Brass Alternative	<b>BCA</b> Brushed Chrome Alternative	<b>BUA</b> Brushed Copper Alternative	<b>BZA</b> Brushed Bronze Alternative
			
<b>OBA</b> Oil-Rubbed Bronze Alternative	<b>PRA</b> Pewter Alternative	<b>RBA</b> Rustic Brass Alternative	<b>SNA</b> Satin Nickel Alternative

### Metal Finish (Premium)


<b>BA</b> Brushed Aluminum