


# CB1911-W UNITY™ SLOT

3" Single Recessed Wall Unit



[VisaLighting.com/Families/Unity](http://VisaLighting.com/Families/Unity)


Type: \_\_\_\_\_ Project: \_\_\_\_\_ Location: \_\_\_\_\_



## DIMENSIONS

W = Weight L = Length D = Depth RD = Recessed Depth WT = Weight


W	3"	(76 mm)
L	47"	(1194 mm)
D	4"	(102 mm)
RD	4"	(102 mm)
WT	8.8 lbs	




## FEATURES

- Integral drivers
- Optional 90+ CRI
- Formed acrylic lenses
- Snap-in acrylic lens for tool-less access
- Drywall (smooth wall) mounting only
- Horizontal or vertical orientation
- ETL listed for damp locations. Not suited for exterior applications

## RELATIVE SCALE DRAWING



## PHOTOMETRICS



ADA



ETL Listed



5 Year Warranty

# CB1911-W UNITY SLOT (cont.)

## 3" Single Recessed Wall Unit



Fill in shaded boxes using information listed below

### CB1911-W

#### MODEL

#### SOURCE<sup>1</sup>

L30K(H)  
L30K(L)  
L35K(H)  
L35K(L)  
L40K(H)  
L40K(L)

#### SOURCE OPTION<sup>2</sup>

90CRI

Minimum 80CRI is  
standard if option  
is not selected

#### VOLTAGE<sup>3</sup>

347V  
MVOLT

#### DIMMING CONTROL<sup>4</sup>

DALI

#### FRAME FINISH

See last page  
for finish  
order codes

#### SOURCE<sup>1</sup> (Select one)

Dimmable 0-10V to 1%, Minimum 80CRI, within 3-step MacAdam

Source	CCT Range	Delivered Lumens	Power (Watts)
L30K(H)	3000K	1950	19
L30K(L)	3000K	950	9
L35K(H)	3500K	2000	19
L35K(L)	3500K	1000	9
L40K(H)	4000K	2100	19
L40K(L)	4000K	1000	9

#### VOLTAGE<sup>3</sup> (Select one)

MVOLT	120-277V, 50/60 Hz
347V	347V, 50/60 Hz

#### SOURCE OPTION<sup>2</sup>

80 CRI within 3-step MacAdam is standard if option is not selected

90CRI	Color rendering index minimum 90, minimum R9 value of 50 (delivered lumens reduced by 5%)
-------	---

#### DIMMING CONTROL OPTION<sup>4</sup>

▲ Option availability may be interdependent with Voltage, Source or Other Options

0-10V dimming to 1% standard if no option is selected

DALI	Control via DALI protocol, dimming to minimum 1% (not available with 347V)
------	--

# CB1911-W UNITY SLOT (cont.)

## 3" Single Recessed Wall Unit



### UNITY SLOT PRODUCT FAMILY

<b>Wall Units</b>	<ul style="list-style-type: none"> <li>• <a href="#">CB1911-T — 3" Tunable Slot Sconce</a></li> <li>• <a href="#">CB1911-W — 3" Slot Sconce</a></li> </ul>
<b>Ceiling Mount Units</b>	<ul style="list-style-type: none"> <li>• <a href="#">CM1910-W — 3" Tandem Overbed Units</a></li> <li>• <a href="#">CM1910-T — 3" Tunable Tandem Overbed Units</a></li> <li>• <a href="#">CM1911-W — 3" Single Slot Ceiling Unit</a></li> <li>• <a href="#">CM1911-T — 3" Tunable Slot Ceiling Unit</a></li> </ul>

See [Visalighting.com/families/Unity-Healthcare-Lighting](https://visalighting.com/families/Unity-Healthcare-Lighting) for more information

### FINISHES

Specify color code when ordering. For accurate color matching, individual paint and finish samples are [available upon request](#). For more information about our finishes visit [visalighting.com/finishes](https://visalighting.com/finishes)

#### Powder Coat Paint Finishes (Standard)

						
<b>AGGY</b> Agate Grey	<b>ALGN</b> Alpine Green	<b>BJBG</b> Baja Beige	<b>BMAT</b> Bronze Matte	<b>BRNZ</b> Bronze	<b>BSIL</b> Blade Silver	<b>CVBL</b> Cove Blue
						
<b>DEOR</b> Deoro Gold	<b>GLWT</b> Glacier White	<b>GSIL</b> Graphite Silver	<b>HRGR</b> Harbor Grey	<b>JTBK</b> Jet Black	<b>OCBL</b> Ocean Blue	<b>SHGR</b> Shoreline Grey
						
<b>SBGN</b> Sagebrush Green	<b>SLGR</b> Slate Grey	<b>SSTP</b> Sierra Taupe	<b>TRCN</b> Terracotta Canyon	<b>TRWT</b> Traffic White	<b>VBLK</b> Velvet Black	<b>VNRD</b> Vineyard Red