


# CB5201/CB5203 SEQUENCE™

Indoor Wall Sconces



[VisaLighting.com/products/Sequence](https://VisaLighting.com/products/Sequence)

Type: \_\_\_\_\_ Project: \_\_\_\_\_ Location: \_\_\_\_\_



## DIMENSIONS<sup>1</sup>

Depth is measured from wall to front of fixture

W = Width H = Height D = Depth


	CB5201	CB5203
<b>W</b>	5" (127 mm)	
<b>H</b>	34-1/4" (870 mm)	45-1/4" (1150 mm)
<b>D</b>	5-7/8" (149 mm)	5-1/2" (140 mm)




## FEATURES

- BAA (Buy American Act) and BABA (Build American, Buy America) compliant
- High or low lumen output options
- Integral driver
- Even Illumination
- Modular design for replacement of LED sources and driver
- Extruded matte white acrylic diffuser
- Spun aluminum endcaps
- Cast driver housing
- Rolled solid aluminum bars for the decorative trim
- Thermally managed
- No VOC powder coat paint finish; low VOC clear coat on metal finishes
- ETL listed for damp locations

## RELATIVE SCALE DRAWING



## PHOTOMETRICS




# CB5201/CB5203 SEQUENCE (cont.)



## Indoor Wall Sconces

Fill in shaded boxes using information listed below



### SOURCE² (Select one)

Dimmable 0-10V to 1%, Minimum 80CRI, within 3-step MacAdam

Source	CCT	CB5201		CB5203	
		Delivered Lumens	Power/Watts	Delivered Lumens	Power/Watts
L30K(H)	3000K	2600	23	3700	33
L30K(L)	3000K	1100	10	1600	15
L35K(H)	3500K	2600	23	3700	33
L35K(L)	3500K	1100	10	1600	15
L40K(H)	4000K	2600	23	3700	33
L40K(L)	4000K	1100	10	1600	15

### VOLTAGE

MVOLT	120-277V, 50/60 Hz
-------	--------------------

### LUMEN MAINTENANCE RATING

L80 (reported)	>60,000 hrs
----------------	-------------

### OPTION³

**⚠** Option availability may be interdependent with Other Options

DCC	Damp clear coat for metal finishes (required for 5 year warranty when used in damp locations)
-----	---

# CB5201/CB5203 SEQUENCE (cont.)

## Indoor Sconces



### SEQUENCE PRODUCT FAMILY

<b>Outdoor Catenary</b>	4" Diameter	• OP2232, OP2233, OP2234
	8" Diameter	• OP2262, OP2263, OP2264
<b>Outdoor Cord and Cable</b>	4" Diameter	• OP2222, OP2223, OP2224
	8" Diameter	• OP2252, OP2253, OP2254
<b>Outdoor Stem</b>	4" Diameter	• OP2242, OP2243, OP2244
	8" Diameter	• OP2272, OP2273, OP2274
<b>Indoor Pendants</b>	4" Diameter	• CP2020, CP2022, CP2024, CP2026, CP2028, CP2030
	8" Diameter	• CP2036, CP2038, CP2040, CP2042, CP2044, CP2046
	12" Diameter	• CP2052, CP2054, CP2056, CP2058, CP2060, CP2062
<b>Wall Sconce</b>	Indoor	• CB5201, CB5203
	Outdoor	• OW5201, OW5203

### SUGGESTED VARIATION

- Custom colors
- RGB source
- Remove accent bars

See [Visalighting.com/Families/Sequence](https://visalighting.com/Families/Sequence) for more information

# CB5201/CB5203 SEQUENCE (cont.)



## Indoor Sconces

### FINISHES

Specify color code when ordering. For accurate color matching, individual paint and finish samples are [available upon request](#). For more information about our finishes visit [visalighting.com/finishes](https://visalighting.com/finishes)

#### Powder Coat Paint Finishes (Standard)

<b>AGGY</b> Agate Grey	<b>ALGN</b> Alpine Green	<b>BJBG</b> Baja Beige	<b>BMAT</b> Bronze Matte	<b>BRNZ</b> Bronze	<b>BSIL</b> Blade Silver	<b>CVBL</b> Cove Blue
<b>DEOR</b> Deoro Gold	<b>GLWT</b> Glacier White	<b>GSIL</b> Graphite Siver	<b>HRGR</b> Harbor Grey	<b>JTBK</b> Jet Black	<b>OCBL</b> Ocean Blue	<b>SHGR</b> Shoreline Grey
<b>SBGN</b> Sagebrush Green	<b>SLGR</b> Slate Grey	<b>SSTP</b> Sierra Taupe	<b>TRCN</b> Terracotta Canyon	<b>TRWT</b> Traffic White	<b>VBLK</b> Velvet Black	<b>VNRD</b> Vineyard Red

#### Alternative Metal Finishes (Premium)

<b>BBA</b> Brushed Brass Alternative	<b>BCA</b> Brushed Chrome Alternative	<b>BUA</b> Brushed Copper Alternative	<b>BZA</b> Brushed Bronze Alternative
<b>OBA</b> Oil-Rubbed Bronze Alternative	<b>PRA</b> Pewter Alternative	<b>RBA</b> Rustic Brass Alternative	<b>SNA</b> Satin Nickel Alternative

#### Metal Finish (Premium)

<b>BA</b> Brushed Aluminum