

# OP2130 ZUME™ OUT

## 16" Cord and Cable Suspension



[VisaLighting.com/products/Zume-out](https://www.VisaLighting.com/products/Zume-out)

Type: \_\_\_\_\_ Project: \_\_\_\_\_ Location: \_\_\_\_\_




### DIMENSIONS<sup>4</sup>

**OAH MUST BE SPECIFIED**


DIA = Diameter    OAH = Overall Height    X = Body Height    WT=Weight

OAH is the distance (in inches) from the bottom of the fixture to the ceiling plane.  
Example - OAH(42) indicates an overall fixture height of 42"

DIA 16" (406 mm)  
X 16-1/4" (413 mm)  
OAH 42" (1067 mm)  
WT 9 lbs




### RELATIVE SCALE DRAWING



### FEATURES

- BAA (Buy American Act) and BABA (Build American, Buy America) compliant
- High and low lumen output
- Integral driver
- IP65 rated
- Parallel mounting cables reduce twisting
- Mounts to standard electrical junction box (by others)
- **Tether cables connecting fixtures to each other or to structural elements are to be designed by a qualified structural engineer**
- Tether cable connections to the fixture accept 3/32" to 1/4" diameter cables
- Black power cord
- 3 spun aluminum cap styles (short, solid, slotted); cast aluminum mounting component
- Fixture body tested to ANSI C136.31 'American National Standard for Roadway and Area Lighting Equipment' at or above 3G vibration levels for 100,000 cycles in X, Y, Z axes
- White acrylic diffuser or frosted translucent acrylic diffuser; UV stable; UL-94 Flame Class rated
- No VOC powder coat finish
- ETL listed for wet locations

### PHOTOMETRICS



IP65



ETL Listed



5 Year Warranty



Buy American Compliant

# OP2130 ZUME OUT (cont.)

## 16" Cord and Cable Suspension



Fill in shaded boxes using information listed below

OP2130		-		MVOLT			
<b>MODEL</b>	<b>CAP<sup>1</sup></b> ShortCAP SolidCAP SlottedCAP	<b>SOURCE<sup>2</sup></b> L30K(H) L30K(L) L35K(H) L35K(L) L40K(H) L40K(L)	<b>VOLTAGE</b> MVOLT	<b>CAP FINISH</b>  See last page for finish order codes	<b>DIFFUSER<sup>3</sup></b> AC FRST	<b>OAH<sup>4</sup></b>  See page 1	

CAP<sup>1</sup> (Select One)

<b>ShortCAP</b>	Short cap
<b>SolidCAP</b>	Solid cap
<b>SlottedCAP</b>	Slotted cap



Short Cap (ShortCAP)



Solid Cap (SolidCAP)



Slotted Cap (SlottedCAP)

SOURCE<sup>2</sup> (Select one)

Dimmable 0-10V to 1%, minimum 80CRI, within 3-step MacAdam

Source	CCT	Delivered Lumens						Power (Watts)
		Short Cap White	Short Cap FRST	Solid Cap White	Solid Cap FRST	Slotted Cap White	Slotted Cap FRST	
L30K(H)	3000K	2600	2900	1600	1800	2100	2600	27
L30K(L)	3000K	1700	1800	1000	1200	1300	1600	17
L35K(H)	3500K	2700	2900	1600	1900	2200	2600	27
L35K(L)	3500K	1700	1900	1000	1200	1400	1700	17
L40K(H)	4000K	2700	3000	1700	1900	2200	2700	27
L40K(L)	4000K	1800	1900	1100	1200	1400	1700	17

VOLTAGE

<b>MVOLT</b>	120-277V, 50/60 Hz
--------------	--------------------

DIFFUSER<sup>3</sup> (Select One)

- AC** White acrylic globe
- FRST** Frosted translucent globe



White



Frosted Translucent

# OP2130 ZUME OUT (cont.)

## 16" Cord and Cable Suspension



### ZUME PRODUCT FAMILY

Zume Out – Outdoor	<b>Cord and Cable Suspension</b>	<ul style="list-style-type: none"> <li>• OP2120-ShortCap – 12"</li> <li>• OP2130-ShortCap – 16"</li> <li>• OP2140-ShortCap – 20"</li> </ul>	<ul style="list-style-type: none"> <li>• OP2120-SolidCap – 12"</li> <li>• OP2130-SolidCap – 16"</li> <li>• OP2140-SolidCap – 20"</li> </ul>	<ul style="list-style-type: none"> <li>• OP2120-SlottedCap – 12"</li> <li>• OP2130-SlottedCap – 16"</li> <li>• OP2140-SlottedCap – 20"</li> </ul>
	<b>Catenary Suspension</b>	<ul style="list-style-type: none"> <li>• OP2122-ShortCap – 12"</li> <li>• OP2132-ShortCap – 16"</li> <li>• OP2142-ShortCap – 20"</li> </ul>	<ul style="list-style-type: none"> <li>• OP2122-SolidCap – 12"</li> <li>• OP2132-SolidCap – 16"</li> <li>• OP2142-SolidCap – 20"</li> </ul>	<ul style="list-style-type: none"> <li>• OP2122-SlottedCap – 12"</li> <li>• OP2132-SlottedCap – 16"</li> <li>• OP2142-SlottedCap – 20"</li> </ul>
	<b>Stem Suspension</b>	<ul style="list-style-type: none"> <li>• OP2124-ShortCap – 12"</li> <li>• OP2134-ShortCap – 16"</li> <li>• OP2144-ShortCap – 20"</li> </ul>	<ul style="list-style-type: none"> <li>• OP2124-SolidCap – 12"</li> <li>• OP2134-SolidCap – 16"</li> <li>• OP2144-SolidCap – 20"</li> </ul>	<ul style="list-style-type: none"> <li>• OP2124-SlottedCap – 12"</li> <li>• OP2134-SlottedCap – 16"</li> <li>• OP2144-SlottedCap – 20"</li> </ul>
Indoor	<b>Zume In</b>	<ul style="list-style-type: none"> <li>• CP7120-8</li> <li>• CP7120-12</li> <li>• CP7120-16</li> <li>• CP7120-22</li> </ul>	<div style="background-color: #e0e0e0; padding: 5px;"><b>SUGGESTED VARIATIONS</b></div> <ul style="list-style-type: none"> <li>• Link fixtures together to create a chain</li> <li>• Custom cap options</li> </ul>	
	<b>Zume DL</b>	<ul style="list-style-type: none"> <li>• CP7122-12</li> <li>• CP7122-16</li> <li>• CP7122-22</li> </ul>		

See [Visalighting.com/products/Zume-out](https://visalighting.com/products/Zume-out) for more information

### TETHER ACCESSORIES (Order Separately)

Stainless Steel  
Compression Sleeve  
(AY-CS3/32)



Qty (10)

3/32" Stainless Steel Cable  
(AY-CBL3/32-50)



50 feet

Accessory	Quantity

Accessories are made for Visa Lighting canopy mount fixture applications.  
If sourced elsewhere, materials must be of equivalent grade.  
For important information about accessory applications and installation, see [Installation Instructions](#)

# OP2130 ZUME OUT (cont.)

## Finishes

### FINISHES

Specify color code when ordering. For accurate color matching, individual paint and finish samples are [available upon request](#).  
For more information about our finishes visit [visalighting.com/finishes](https://visalighting.com/finishes)

#### Powder Coat Paint Finishes (Standard)

						
<b>AGGY</b> Agate Grey	<b>ALGN</b> Alpine Green	<b>BJBG</b> Baja Beige	<b>BMAT</b> Bronze Matte	<b>BRNZ</b> Bronze	<b>BSIL</b> Blade Silver	<b>CVBL</b> Cove Blue
						
<b>DEOR</b> Deoro Gold	<b>GLWT</b> Glacier White	<b>GSIL</b> Graphite Silver	<b>HRGR</b> Harbor Grey	<b>JTBK</b> Jet Black	<b>OCBL</b> Ocean Blue	<b>SHGR</b> Shoreline Grey
						
<b>SBGN</b> Sagebrush Green	<b>SLGR</b> Slate Grey	<b>SSTP</b> Sierra Taupe	<b>TRCN</b> Terracotta Canyon	<b>TRWT</b> Traffic White	<b>VBLK</b> Velvet Black	<b>VNRD</b> Vineyard Red