$\mathsf{DECK}^{{}^{\scriptscriptstyle{\mathsf{M}}}}$ CB1972 and CB1975 Single Layer Diffuser - Surface Mount


VISA LIGHTING

Visalighting.com/products/Deck

Type:

Project:

Location:




DIMENSIONS¹

Depth is measured from wall to front of fixture


W = Width H = Height D = Depth

	CB1972	CB1975				
W	23-1/2" (597 mm)	34-1/2" (876 mm)				
Н	1-1/2" (38 mm)					
D	2-1/2" (64 mm)					






RELATIVE SCALE DRAWING




FEATURES

- Remote driver
- Horizontal or vertical mounting
- Surface mount
- Diffuser is 1/8" thick clear acrylic with matte finish
- No VOC powder coat paint finish; low VOC clear coat on metal finishes
 ETL listed for damp locations





DECK (cont.) CB1972 and CB1975 Single Layer Diffuser - Surface Mount



SOURCE² (Select one)


Dimmable 0-10V to 1%, Minimum 80CRI, within 3-step MacAdam

		CB197	12	CB1975			
Source	ССТ	Delivered Lumens	Power (Watts)	Delivered Lumens	Power (Watts)		
• L30K(H)	3000K	950	14	1400	21		
• L30K(L)	3000K	650	10	950	13		
L35K(H)	3500K	950	14	1400	21		
L35K(L)	3500K	650	10	950	13		
• L40K(H)	4000K	950	14	1400	21		
• L40K(L)	4000K	650	10	950	13		

OPTIONS³ (Multiple Selections Allowed)

A Option availability may be interdependent with Other Options


DCC	Damp clear coat for metal finishes (required for 5 year warranty when used in damp locations)
NOJBC	Mounting plate used when not mounting over standard junction box
JBC	Junction box cover (5" square) for use with an existing 4" junction box. Painted to match surface housing finish
• MRI	MRI room application, not available with dimming
XPS	Express 10 day shipping. Items marked with a bullet (•) are not available with XPS



MOUNTING DETAIL

VOLTAGE

MVOLT



120-277V, 50/60 Hz



DECK (cont.) CB1972 and CB1975 Single Layer Diffuser - Surface Mount

DECK PRODUCT FAMILY

		24"	• CB1972
Single Layer	Surface Mount	35"	• CB1975
Diffuser	Recessed Mount	24"	• CB1971
	Recessed Mount	35"	• CB1974
	Conferen Marriet	24"	• CB1978
Dual Layer	Surface Mount	35"	• CB1980
Diffuser	De conse d Marriet	24"	• CB1977
	Recessed Mount	35"	• CB1979

See <u>Visalighting.com/products/Deck</u> for more information



SUGGESTED VARIATIONS

- 2700K
- Custom colors
- Nominal 4' height

DECK (cont.) CB1972 and CB1975 Single Layer Diffuser - Surface Mount



FINISHES

Specify color code when ordering. For accurate color matching, individual paint and finish samples are <u>available upon request</u>. For more information about our finishes visit <u>visalighting.com/finishes</u>


Powder Coat Paint Finishes (Standard)	Powder coat finishes available for Diffuser Retainer or Housing
---------------------------------------	---

				•									
AGGY	Agate Grey	ALGN	Alpine Green	BMAT	Bronze Matte	BRNZ	Bronze	BSIL	Blade Silver	CVBL	Cove Blue	DEOR	Deoro Gold
GLWT	Glacier White	GSIL	Graphite Siver	HRGR	Harbor Grey	JTBK	Jet Black	OCBL	Ocean Blue	SHGR	Shoreline Grey	SBGN	Sagebrush Green
												<u> </u>	
SLGR	Slate Grey	SSTP	Sierra Taupe	TRCN	Terracotta Canyon	TRWT	Traffic White	VBLK	Velvet Black	VNRD	Vineyard Red	-	

Alternative Metal Finishes (Premium) Metal finishes available for Diffuser Retainer

BBA	Brushed Brass Alternative	BCA Brushed Chrome Alternative	BUA Copp	Brushed er Alternative	BZA Bron	Brushed ze Alternative
OBA Bro	Oil-Rubbed nze Alternative	PRA Pewter Alternative	RBA	Rustic Brass Alternative	SNA	Satin Nickel Alternative

Metal Finish (Premium)



This document contains information which is the property of Visa Lighting, and may not, in whole or in part, be duplicated, disclosed, or used for design or manufacturing purposes without the prior written permission of Visa Lighting. OVisa Lighting. Design Modification Rights Reserved. Visa Lighting reserves the right to change specifications for product improvement without notification.