DECK™ CB1978 and CB1980 Dual Layer Diffuser - Surface Mount



Visalighting.com/products/Deck

Type: Project:	Location:
----------------	-----------








DIMENSIONS¹


Depth is measured from wall to front of fixture

W = Width H = Height D = Depth

CB1978		CB1980	
W	23-1/2" (597 mm)	34-1/2" (876 mm)	
Н	3-1/2" (89 mm)		
D	2-5/8" (67 mm)		









FEATURES

- Remote driver
- Horizontal or vertical mounting
- Surface mount
- Dual Layer diffuser; rear layer is 1/8" thick frosted acrylic with a matte finish
- No VOC powder coat paint finish; low VOC clear coat on metal finishes
- ETL listed for damp locations

RELATIVE SCALE DRAWING



PHOTOMETRICS













XPS ETL Listed

DECK (cont.) CB1978 and CB1980 Dual Layer Diffuser - Surface Mount



Fill in shaded boxes using information listed below **MVOLT** DIFFUSER3 MODEL¹ SOURCE² **VOLTAGE DIFFUSER RETAINER HOUSING FINISH** OPTION(S)4 CB1978 • L30K(H) MVOLT FINISH AMDCC See last page for NOJBC • KA CB1980 • L30K(L) See last page for finish order codes L35K(H) • OLIN JBC See page 1 finish order codes L35K(L) • MRI • SL • L40K(H) XPS • L40K(L)

SOURCE² (Select one)

Dimmable 0-10V to 1%, Minimum 80CRI, within 3-step MacAdam

		CB1978		CB1980	
Source	ССТ	Delivered Lumens	Power (Watts)	Delivered Lumens	Power (Watts)
• L30K(H)	3000K	950	14	1400	21
• L30K(L)	3000K	650	10	950	13
L35K(H)	3500K	950	14	1400	21
L35K(L)	3500K	650	10	950	13
• L40K(H)	4000K	1000	14	1500	21
• L40K(L)	4000K	700	10	1000	13

VOLTAGE

MVOLT	120-277V, 50/60 Hz

DIFFUSER³ (Select one)


Rear diffuser is Matte White Acrylic

AM	Clear acrylic with matte finish	
• KA	Kauri Lumicor [®]	
• OLIN	Oyster Linen Lumicor	
• SL	Silver Spun Lumicor	










OPTIONS³ (Multiple Selections Allowed)

A Option availability may be interdependent with Other Options

DCC	Damp clear coat for metal finishes (required for 5 year warranty when used in damp locations)
NOJBC	Mounting plate used when not mounting over standard junction box
JBC	Junction box cover (5" square) for use with an existing 4" junction box. Painted to match surface housing finish
• MRI	MRI room application, not available with dimming
XPS	Express 10 day shipping. Items marked with a bullet (•) are not available with XPS



DECK (cont.) CB1978 and CB1980 Dual Layer Diffuser - Suface Mount



DECK PRODUCT FAMILY

Single Layer Diffuser	Surface Mount	24"	• CB1972
		35"	• CB1975
	Recessed Mount	24"	• CB1971
		35"	• CB1974
Dual Layer Diffuser	Surface Mount	24"	• CB1978
		35"	• CB1980
	Recessed Mount	24"	• CB1977
		35"	• CB1979

See <u>Visalighting.com/products/Deck</u> for more information

SUGGESTED VARIATIONS

- 2700K
- Custom colors
- Nominal 4' height

DECK (cont.) CB1978 and CB1980 Dual Layer Diffuser - Suface Mount



FINISHES

Specify color code when ordering. For accurate color matching, individual paint and finish samples are <u>available upon request</u>. For more information about our finishes visit <u>visalighting.com/finishes</u>

Powder Coat Paint Finishes (Standard) Powder coat finishes available for Diffuser Retainer or Housing



Alternative Metal Finishes (Premium) Metal finishes available for Diffuser Retainer



Metal Finish (Premium)



BA Brushed Aluminum