


# CB3107 ART SCONCE™

## Single Window


[Visalighting.com/products/Art-Sconce](https://visalighting.com/products/Art-Sconce)

Type: \_\_\_\_\_ Project: \_\_\_\_\_ Location: \_\_\_\_\_




### DIMENSIONS

Depth is measured from wall to front of fixture

W = Width H = Height D = Depth


W 12" (305 mm)  
H 12" (305 mm)  
D 2-5/16" (58 mm)




### FEATURES

- BAA (Buy American Act) and BABA (Build American, Buy America) compliant
- Integral driver
- Modular design for replacement of source and driver
- Mounts to standard electrical junction box (by others) with provided hardware
- Heavy gauge fabricated metal housing; solid metal accent bars
- No VOC powder coat paint
- ETL listed for damp locations. Not suited for exterior applications

### RELATIVE SCALE DRAWING



### PHOTOMETRICS



# CB3107 ART SCONCE (cont.)

## Single Window

Fill in shaded boxes using information listed below

CB3107		MVOLT				
MODEL	SOURCE <sup>1</sup>	VOLTAGE MVOLT	DIFFUSER <sup>2</sup> OPTION	HOUSING FINISH	BACKGROUND FINISH	OPTION <sup>3</sup> XPS
	<ul style="list-style-type: none"> <li>• L30K(H)</li> <li>• L30K(L)</li> <li>• L35K(H)</li> <li>• L35K(L)</li> <li>• L40K(H)</li> <li>• L40K(L)</li> </ul>		AM • KA • SL	See last page for finish order codes	See last page for finish order codes	

### SOURCE<sup>1</sup> (Select one)

Dimmable 0-10V to 1%, Minimum 83CRI, within 3-step MacAdam

Source	CCT	Delivered Lumens	Power (Watts)
• L30K(H)	3000K	1200	16
• L30K(L)	3000K	700	10
L35K(H)	3500K	1200	16
L35K(L)	3500K	700	10
• L40K(H)	4000K	1200	16
• L40K(L)	4000K	800	10

### VOLTAGE

MVOLT	120-277V, 50/60 Hz
-------	--------------------

### DIFFUSER OPTION<sup>2</sup>

Background is painted white when diffuser option is selected

AM	Matte White Acrylic
• KA	Kauri Lumicor
• SL	Silver Spun Lumicor®



Matte White



Kauri



Silver Spun

### OPTION<sup>3</sup>

⚠ Option availability may be interdependent with Other Options

XPS	Express 10 day shipping. Items marked with a bullet (•) are not available with XPS
-----	--

# CB3107 ART SCONCE (cont.)

## Single Window



### SUGGESTED VARIATIONS

- Remote driver
- Custom colors

See [Visalighting.com/products/Art-Sconce](https://visalighting.com/products/Art-Sconce) for more information

### FINISHES

Specify color code when ordering. For accurate color matching, individual paint and finish samples are [available upon request](#). For more information about our finishes visit [visalighting.com/finishes](https://visalighting.com/finishes)

#### Powder Coat Paint Finishes (Standard)

						
<b>AGGY</b> Agate Grey	<b>ALGN</b> Alpine Green	<b>BMAT</b> Bronze Matte	<b>BRNZ</b> Bronze	<b>BSIL</b> Blade Silver	<b>CVBL</b> Cove Blue	<b>DEOR</b> Deoro Gold
						
<b>GLWT</b> Glacier White	<b>GSIL</b> Graphite Silver	<b>HRGR</b> Harbor Grey	<b>JTBK</b> Jet Black	<b>OCBL</b> Ocean Blue	<b>SHGR</b> Shoreline Grey	<b>SBGN</b> Sagebrush Green
						
<b>SLGR</b> Slate Grey	<b>SSTP</b> Sierra Taupe	<b>TRCN</b> Terracotta Canyon	<b>TRWT</b> Traffic White	<b>VBLK</b> Velvet Black	<b>VNRD</b> Vineyard Red	



# CB3109 ART SCONCE™

Four Windows



[Visalighting.com/products/Art-Sconce](https://visalighting.com/products/Art-Sconce)

Type: \_\_\_\_\_ Project: \_\_\_\_\_ Location: \_\_\_\_\_




## DIMENSIONS

Depth is measured from wall to front of fixture

W = Width H = Height D = Depth


W 12" (305 mm)  
H 12" (305 mm)  
D 2-5/16" (58 mm)




## FEATURES

- Integral driver
- Modular design for replacement of source and driver
- Mounts to standard electrical junction box (by others) with provided hardware
- Heavy gauge fabricated metal housing; solid metal accent bars
- No VOC powder coat paint
- ETL listed for damp locations. Not suited for exterior applications

## RELATIVE SCALE DRAWING



## PHOTOMETRICS



XPS



ETL Listed



5 Year Warranty

# CB3109 ART SCONCE (cont.)

Four Windows



Fill in shaded boxes using information listed below

CB3109		MVOLT				
MODEL	SOURCE <sup>1</sup> • L30K(H) • L30K(L) L35K(H) L35K(L) • L40K(H) • L40K(L)	VOLTAGE MVOLT	DIFFUSER <sup>2</sup> OPTION AM • KA • SL	HOUSING FINISH See last page for finish order codes	BACKGROUND FINISH See last page for finish order codes	OPTION <sup>3</sup> XPS

## SOURCE<sup>1</sup> (Select one)

Dimmable 0-10V to 1%, Minimum 83CRI, within 3-step MacAdam

Source	CCT	Delivered Lumens	Power (Watts)
• L30K(H)	3000K	1200	16
• L30K(L)	3000K	700	10
L35K(H)	3500K	1200	16
L35K(L)	3500K	700	10
• L40K(H)	4000K	1200	16
• L40K(L)	4000K	800	10

## VOLTAGE

MVOLT	120-277V, 50/60 Hz
-------	--------------------

## DIFFUSER OPTION<sup>2</sup>

AM	Matte White Acrylic
• KA	Kauri Lumicor
• SL	Silver Spun Lumicor®



Matte White



Kauri



Silver Spun

## OPTION<sup>3</sup>

⚠ Option availability may be interdependent with Other Options

XPS	Express 10 day shipping. Items marked with a bullet (•) are not available with XPS
-----	--

# CB3109 ART SCONCE (cont.)

## Four Windows



### ART SCONCE PRODUCT FAMILY

- [CB3107 - Single Window](#)
- [CB3109 - Four Windows](#)

See [Visalighting.com/products/Art-Sconce](https://visalighting.com/products/Art-Sconce) for more information

### SUGGESTED VARIATIONS

- Remote driver
- Custom colors

### FINISHES

Specify color code when ordering. For accurate color matching, individual paint and finish samples are [available upon request](#). For more information about our finishes visit [visalighting.com/finishes](https://visalighting.com/finishes)

#### Powder Coat Paint Finishes (Standard)

<b>AGGY</b> Agate Grey	<b>ALGN</b> Alpine Green	<b>BMAT</b> Bronze Matte	<b>BRNZ</b> Bronze	<b>BSIL</b> Blade Silver	<b>CVBL</b> Cove Blue	<b>DEOR</b> Deoro Gold
<b>GLWT</b> Glacier White	<b>GSIL</b> Graphite Silver	<b>HRGR</b> Harbor Grey	<b>JTBK</b> Jet Black	<b>OCBL</b> Ocean Blue	<b>SHGR</b> Shoreline Grey	<b>SBGN</b> Sagebrush Green
<b>SLGR</b> Slate Grey	<b>SSTP</b> Sierra Taupe	<b>TRCN</b> Terracotta	<b>TRWT</b> Traffic White	<b>VBLK</b> Velvet Black	<b>VNRD</b> Vineyard Red	

