
CB3664 SHIELD™


Rectangular



Visalighting.com/products/Shield

Type: Project: Location:






DIMENSIONS

Depth is measured from wall to front of fixture

W = Width H = Height D = Depth


W 7" (178 mm) H 16" (406 mm) D 4" (102 mm)




FEATURES

- Integral driver
- Modular design for replacement of LED source and driver
- Mounts to standard electrical junction box (by others) with provided hardware
- Heavy gauge fabricated metal housing
- Front shield features snap lock for easy toolless relamping
- No VOC powder coat paint
- ETL listed for indoor damp locations. Not suited for exterior applications

RELATIVE SCALE DRAWING



PHOTOMETRICS














CB3664 SHIELD (cont.)

Rectangular





SOURCE¹ (Select one)

Dimmable 0-10V to 1%, Minimum 80CRI, within 3-step MacAdam

SOURCE	ССТ	Delivered Lumens	Power (Watts)
• L30K(H)	3000K	850	14
• L30K(L)	3000K	550	9
L35K(H)	3500K	850	14
L35K(L)	3500K	550	9
• L40K(H)	4000K	900	14
• L40K(L)	4000K	600	9

VOLTAGE

MVOLT	120-277V, 50/60 Hz
-------	--------------------

OPTION²

▲ Option availability may be interdependent with Other Options

XPS Express 10 day shipping. Items marked with a bullet (•) are not available with XPS

CB3664 SHIELD (cont.) Rectangular



SHIELD PRODUCT FAMILY

- CB3660 16" Curved
- CB3664 16" Rectangular

See <u>Visalighting.com/products/Shield</u> for more information

SUGGESTED VARIATIONS

· Custom colors

FINISHES

Specify color code when ordering. For accurate color matching, individual paint and finish samples are <u>available upon request</u>. For more information about our finishes visit <u>visalighting.com/finishes</u>

Powder Coat Paint Finishes (Standard)

