

CYPRESS™

CB5120_CB5122_CB5124

13" Indoor



[Visalighting.com/products/Cypress](https://visalighting.com/products/Cypress)

Type: _____ Project: _____ Location: _____




DIMENSIONS¹

Depth is measured from wall to front of fixture


W = Width L = Length D = Depth

W 6" (152 mm)
H 13-1/4" (337 mm)
D 4" (102 mm)




W: 6" (152 mm)
H: 13-1/4" (337 mm)
D: 4" (102 mm)

CB5120



W: 6" (152 mm)
H: 13-1/4" (337 mm)
D: 4" (102 mm)

CB5122




W: 6" (152 mm)
H: 13-1/4" (337 mm)
D: 4" (102 mm)

CB5124


FEATURES

- Uplight or downlight application
- Surface mounts over a standard electrical junction box (by others)
- Clear tempered glass top lens
- 1/8" thick matte white acrylic diffuser
 - F1 rated, UV stable
 - UL-94 HB Flame Class rated
- Housing fabricated of heavy gauge welded and gasketed aluminum
- No VOC powder coat paint finish
- ETL listed for damp location. Not suitable for exterior applications

PHOTOMETRICS



RELATIVE SCALE DRAWING



Compliant



ADA Compliant



XPS



ETL Listed



5 Year Warranty

CYPRESS (cont.)

CB5120_CB5122_CB5124

13" Indoor



Fill in shaded boxes using information listed below

- MVOLT						
MODEL¹ CB5120 CB5122 CB5124	SOURCE² • L30K(H) • L35K(H) • L40K(H)	VOLTAGE MVOLT	FACE FINISH See last page for finish order codes	SIDE PANEL FINISH See last page for finish order codes	DIFFUSER OPTION³ • SL	OPTION(S)⁴ • DCC XPS

See page 1

Premium finishes available for face finish only

SOURCE² (Select one)

Dimmable 0-10V to 1%, Minimum 80CRI, within 3-step MacAdam

SOURCE	CCT	Delivered Lumens	Power (Watts)
• L30K	3000K	950	14
L35K	3500K	950	
• L40K	4000K	1000	

VOLTAGE

MVOLT	120-277V, 50/60 Hz
--------------	--------------------

DIFFUSER OPTION³

Diffuser is Matte White Acrylic unless SL diffuser option is selected

• SL	Silver Spun Lumicor™
------	----------------------



OPTIONS⁴ (Multiple Selections Allowed)

⚠ Option availability may be interdependent with Other Options

• DCC	Damp clear coat for metal finishes (required for 5 year warranty when used in damp locations)
XPS	Express 10 day shipping. Items marked with a bullet (●) are not available with XPS

CYPRESS (cont.)

CB5120_CB5122_CB5124

13" Indoor



CYPRESS PRODUCT FAMILY

Outdoor	Single Window	18"	• 0W1200
		24"	• 0W1202
		32"	• 0W1204
	Multi-Window	18"	• 0W1210
		24"	• 0W1212
		32"	• 0W1214
	Accent Bar	19"	• 0W1220
		25"	• 0W1222
		33"	• 0W1224
Indoor	Single Window	13"	• CB5120
	Multi-Window	13"	• CB5122
	No Window	13"	• CB5124

SUGGESTED VARIATIONS

- Custom colors
- Custom windows
- Color gels on face or sides

See [Visalighting.com/products/Cypress](https://visalighting.com/products/Cypress) for more information

CYPRESS (cont.)

CB5120_CB5122_CB5124

13" Indoor

FINISHES

Specify color code when ordering. For accurate color matching, individual paint and finish samples are [available upon request](#).

For more information about our finishes visit visalighting.com/finishes


Powder Coat Paint Finishes (Standard)

						
AGGY Agate Grey	ALGN Alpine Green	BMAT Bronze Matte	BRNZ Bronze	BSIL Blade Silver	CVBL Cove Blue	DEOR Deoro Gold
						
GLWT Glacier White	GSIL Graphite Silver	HRGR Harbor Grey	JTBK Jet Black	OCBL Ocean Blue	SHGR Shoreline Grey	SBGN Sagebrush Green
						
SLGR Slate Grey	SSTP Sierra Taupe	TRCN Terracotta Canyon	TRWT Traffic White	VBLK Velvet Black	VNRD Vineyard Red	

Alternative Metal Finishes (Premium) Premium finishes available for face finish only

			
BBA Brushed Brass Alternative	BCA Brushed Chrome Alternative	BUA Brushed Copper Alternative	BZA Brushed Bronze Alternative
			
OBA Oil-Rubbed Bronze Alternative	PRA Pewter Alternative	RBA Rustic Brass Alternative	SNA Satin Nickel Alternative

Metal Finish (Premium)


BA Brushed Aluminum

BB Brushed Brass