### CB5201/CB5203 SEQUENCE™

Project:


Indoor Wall Sconces

Type:



VisaLighting.com/products/Sequence

Location:



#### DIMENSIONS<sup>1</sup>


#### Depth is measured from wall to front of fixture

W = Width	H = HeightD = Depth
vv – vviutii	n – neightu – veptn

	CB5201 CB520						
W	5" (12	5" (127 mm)					
H	34-1/4" (870 mm)	45-1/4" (1150 mm)					
D	5-7/8" (149 mm)	5-1/2" (140 mm)					




#### **RELATIVE SCALE DRAWING**



### FEATURES

- BAA (Buy American Act) and BABA (Build American, Buy America) compliant
- High or low lumen output options
- Integral driver
- Even Illumination
- Modular design for replacement of LED sources and driver
- Extruded matte white acrylic diffuser
- Spun aluminum endcaps
- Cast driver housing
- Rolled solid aluminum bars for the decorative trim
- Thermally managed
- No VOC powder coat paint finish; low VOC clear coat on metal finishes
- ETL listed for damp locations

#### PHOTOMETRICS









### CB5201/CB5203 SEQUENCE (cont.)



Indoor Wall Sconces

	Fill in shaded b	poxes using information listed belo	W	
		- MVOLT		
MODEL <sup>1</sup> CB5201 CB5203 See page 1	SOURCE <sup>2</sup> L30K(H) L30K(L) L35K(H) L35K(L) L40K(H) L40K(L)	<b>VOLTAGE</b> MVOLT	FINISH See last page for finish order codes	OPTION <sup>3</sup> DCC

#### SOURCE<sup>2</sup> (Select one)

Dimmable 0-10V to 1%, Minimum 80CRI, within 3-step MacAdam

		CB52	201	CB5203		
Source	ССТ	Delivered Lumens	Power/ Watts	Delivered Lumens	Power/ Watts	
L30K(H)	3000K	2600	23	3700	33	
L30K(L)	3000K	1100	10	1600	15	
L35K(H)	3500K	2600	23	3700	33	
L35K(L)	3500K	1100	10	1600	15	
L40K(H)	4000K	2600	23	3700	33	
L40K(L)	4000K	1100	10	1600	15	

#### OPTION<sup>3</sup>

A Optio	n availability ma	y be interdependent	with Other Options
---------	-------------------	---------------------	--------------------

DCC	Damp clear coat for metal finishes (required for 5 year warranty when used in
	damp locations)

#### VOLTAGE

MVOLT 120-277V, 50/60 Hz

#### LUMEN MAINTENANCE RATING

L80 (reported) >60,000 hrs

## CB5201/CB5203 SEQUENCE (cont.)



#### SEQUENCE PRODUCT FAMILY

Outdoor	4" Diameter	• OP2232, OP2233, OP2234	
Catenary	8" Diameter	• OP2262, OP2263, OP2264	
Outdoor Cord	4" Diameter	• OP2222, OP2223, OP2224	
and Cable	8" Diameter	• OP2252, OP2253, OP2254	
Outdoor Cham	4" Diameter	• OP2242, OP2243, OP2244	
Outdoor Stem	8" Diameter	• OP2272, OP2273, OP2274	
	4" Diameter	• CP2020, CP2022, CP2024, CP2026, CP2028, CP2030	
Indoor Pendants	8" Diameter	• CP2036, CP2038, CP2040, CP2042, CP2044, CP2046	
	12" Diameter	• CP2052, CP2054, CP2056, CP2058, CP2060, CP2062	
Wall Sconco	Indoor	• CB5201, CB5203	
Wall Sconce	Outdoor	• 0W5201, 0W5203	

See Visalighting.com/Families/Sequence for more information

#### SUGGESTED VARIATION

VISA LIGHTING

- Custom colors
- RGB source
- Remove accent bars

Rev: 2025/01/14

# CB5201/CB5203 SEQUENCE (cont.) Indoor Sconces



#### FINISHES

Specify color code when ordering. For accurate color matching, individual paint and finish samples are <u>available upon request</u>. For more information about our finishes visit <u>visalighting.com/finishes</u>

Powder Coat Paint Finishes (Standard)

AGGY	Agate Grey	ALGN	Alpine Green	BMAT	Bronze Matte	BRNZ	Bronze	BSIL	Blade Silver	CVBL	Cove Blue	DEOR	Deoro Gold
GLWT	Glacier White	GSIL	Graphite Siver	HRGR	Harbor Grey	JTBK	Jet Black	OCBL	Ocean Blue	SHGR	Shoreline Grey	SBGN	Sagebrush Green
SLGR	Slate Grey	SSTP	Sierra Taupe	TRCN	Terracotta Canyon	TRWT	Traffic White	VBLK	Velvet Black	VNRD	Vineyard Red	-	

#### Alternative Metal Finishes (Premium)

BBA	Brushed Brass Alternative	BCA Brushed Chrome Alternative	BUA Brushe Copper Alternativ	
<b>OBA</b> Bro	Oil-Rubbed nze Alternative	PRA Pewter Alternative	<b>RBA</b> Rustic Bra: Alternativ	

Metal Finish (Premium)



Brushed Aluminum

This document contains information which is the property of Visa Lighting, and may not, in whole or in part, be duplicated, disclosed, or used for design or manufacturing purposes without the prior written permission of Visa Lighting. ©Visa Lighting. Design Modification Rights Reserved. Visa Lighting reserves the right to change specifications for product improvement without notification.