


CB5500 BLUSH™

28" Sconce


[Visalighting.com/products/Blush](https://visalighting.com/products/Blush)

Type: _____ Project: _____ Location: _____




DIMENSIONS

Depth is measured from wall to front of fixture

L = Length D = Depth W = Width


L	28"	(711 mm)
W	4"	(102 mm)
D	4"	(102 mm)




FEATURES

- BAA (Buy American Act) and BABA (Build American, Buy America) compliant
- Integral driver
- Modular design for replacement of LED source and driver
- Vertical or horizontal mounting
- Mounts over 2x4 standard electrical junction box (by others) with provided hardware (orient j-box horizontally or vertically to match fixture orientation)
- Optional junction box cover (JBC option) available for 4" junction box
- Optional Lumicor® diffuser material available
- No VOC powder coat paint finish; Low VOC clearcoat on metal finishes
- ETL listed for damp locations. Not suited for exterior applications

RELATIVE SCALE DRAWING



PHOTOMETRICS



CB5500 BLUSH (cont.)

28" Sconce

Fill in shaded boxes using information listed below

CB5500	-	MVOLT				
MODEL	SOURCE ¹	VOLTAGE MVOLT	FRONT SHIELD FINISH	HOUSING FINISH	LENS OPTION ²	OPTION(S) ³
	<ul style="list-style-type: none"> • L30K(H) • L30K(L) • L35K(H) • L35K(L) • L40K(H) • L40K(L) 		See last page for finish order codes	See last page for finish order codes	<ul style="list-style-type: none"> • KA • OLIN • SL 	DCC XPS
					Diffuser is matte white acrylic if no diffuser option is selected	

SOURCE¹ (Select one)

Dimmable 0-10V to 1%, Minimum 80CRI, within 3-step MacAdam

SOURCE	CCT	Delivered Lumens	Power (Watts)
• L30K(H)	3000K	1100	15
• L30K(L)	3000K	700	10
L35K(H)	3500K	1100	15
L35K(L)	3500K	700	10
• L40K(H)	4000K	1100	15
• L40K(L)	4000K	750	10

VOLTAGE

MVOLT	120-277V, 50/60 Hz
-------	--------------------

LENS OPTION²

Diffuser is matte white acrylic if no diffuser option is selected

• KA	Kauri Lumicor
• OLIN	Oyster Linen Lumicor
• SL	Silver Spun Lumicor



KA



OLIN



SL

OPTIONS³ (Multiple Selections Allowed)

⚠ Option availability may be interdependent with Other Options

DCC	Damp clear coat for metal finishes (required for 5 year warranty when used in damp locations)
XPS	Express 10 day shipping. Items marked with a bullet (●) are not available with XPS

CB5500 BLUSH (cont.)

28" Sconce



BLUSH PRODUCT FAMILY

- CB5500 - 28" Sconce
- CB5502 - 40" Sconce
- CB5504 - 52" Sconce

See [Visalighting.com/products/Blush](https://visalighting.com/products/Blush) for more information

SUGGESTED VARIATIONS

- Different Lumicor insert
- Remove windows
- Increase fixture length
- Custom color or material

FINISHES

Specify color code when ordering. For accurate color matching, individual paint and finish samples are [available upon request](#).

For more information about our finishes visit visalighting.com/finishes


Powder Coat Paint Finishes (Standard)

						
AGGY Agate Grey	ALGN Alpine Green	BMAT Bronze Matte	BRNZ Bronze	BSIL Blade Silver	CVBL Cove Blue	DEOR Deoro Gold
						
GLWT Glacier White	GSIL Graphite Silver	HRGR Harbor Grey	JTBK Jet Black	OCBL Ocean Blue	SHGR Shoreline Grey	SBGN Sagebrush Green
						
SLGR Slate Grey	SSTP Sierra Taupe	TRCN Terracotta Canyon	TRWT Traffic White	VBLK Velvet Black	VNRD Vineyard Red	

Alternative Metal Finishes (Premium)

			
BBA Brushed Brass Alternative	BCA Brushed Chrome Alternative	BUA Brushed Copper Alternative	BZA Brushed Bronze Alternative
			
OBA Oil-Rubbed Bronze Alternative	PRA Pewter Alternative	RBA Rustic Brass Alternative	SNA Satin Nickel Alternative

Metal Finish (Premium)


BA Brushed Aluminum

