CB5522 POSH™
52" ADA Sconce

VISA LIGHTING

Type: _____   Project: _____   Location: _____

DIMENSIONS

Depth is measured from wall to front of fixture

W = Width   L = Length   D = Depth

|		
W	3"	(72 mm)
L	51-3/4"	(1315 mm)
D	4"	(102 mm)

FEATURES

• Integral driver
• Modular design for replacement of LED source and driver
• Horizontal or vertical mount
• Mounts without electrical junction box with provided hardware, or to 4" x 4" standard electrical junction box (by others) if JBC option is selected
• Extruded white acrylic diffuser with matte finish
   • UV stable
   • UL-94 HB Flame Class rated
• No VOC powder coat paint; Low VOC clear coat on metal finishes
• ETL listed for damp locations. Not suited for exterior applications

RELATIVE SCALE DRAWING

Door Height = 7'
Ceiling Height = 9'
Silhouette Height = 6'

PHOTOMETRICS

BAA BABA **Compliant**   XPS **XPS**   **ADA Compliant**   ETL Listed   5 **5 Year Warranty**

Rev: 2025/03/17

CB5522 POSH (cont.)
52" ADA Sconce

VISA LIGHTING

Fill in shaded boxes using information listed below

CB5522	-	MVOLT		
MODEL	**SOURCE**[1] • L30K(H) • L30K(L) L35K(H) L35K(L) • L40K(H) • L40K(L)	**VOLTAGE** MVOLT	**FINISH** See last page for finish order codes	**OPTION(S)** [2] NOJBC JBC XPS

SOURCE[1] (Select one)

Dimmable 0-10V to 1%, Minimum 80CRI, within 3-step MacAdam

SOURCE	CCT	Delivered Lumens	Power (Watts)
• L30K(H)	3000K	3600	32
• L30K(L)	3000K	2400	20
L35K(H)	3500K	3600	32
L35K(L)	3500K	2400	20
• L40K(H)	4000K	3700	32
• L40K(L)	4000K	2500	20

VOLTAGE

| **MVOLT**	120-277V, 50/60 Hz

OPTIONS[2] (Multiple Selections Allowed)

⚠ Option availability may be interdependent with Other Options

NOJBC	Mounting plate used when not mounting over standard junction box
JBC	Junction box cover (4-1/2" square) for use with an existing 4" octagonal junction box. Painted to match finish
XPS	Express 10 day shipping. Items marked with a bullet (●) are not available with **XPS**

JBC OPTION DETAIL

1" Wall to Lens Face
1-3/8" with JBC option

Plan View

Lens Face

Wall

MW

(JBC option reduces MW by 3-1/4")

JBC

CB5522 POSH (cont.)
52" ADA Sconce

VISA LIGHTING

POSH PRODUCT FAMILY

- CB5518 - 28" Sconce ADA
- CB5519 - 28" Sconce
- CB5520 - 40" Sconce ADA
- CB5521 - 40" Sconce
- CB5522 - 52" Sconce ADA
- CB5523 - 52" Sconce

See Visalighting.com/products/Posh for more information

SUGGESTED VARIATIONS

- 2700K
- Increase/decrease length
- Custom colors

FINISHES

Specify color code when ordering. For accurate color matching, individual paint and finish samples are available upon request.
For more information about our finishes visit visalighting.com/finishes

Powder Coat Paint Finishes (Standard)

AGGY Agate Grey	ALGN Alpine Green	BMAT Bronze Matte	BRNZ Bronze	BSIL Blade Silver	CVBL Cove Blue	DEOR Deoro Gold
GLWT Glacier White	GSIL Graphite Siver	HRGR Harbor Grey	JTBK Jet Black	OCBL Ocean Blue	SHGR Shoreline Grey	SBGN Sagebrush Green
SLGR Slate Grey	SSTP Sierra Taupe	TRCN Terracotta Canyon	TRWT Traffic White	VBLK Velvet Black	VNRD Vineyard Red	

Alternative Metal Finishes (Premium)

BBA Brushed Brass Alternative	BCA Brushed Chrome Alternative	BUA Brushed Copper Alternative	BZA Brushed Bronze Alternative
OBA Oil-Rubbed Bronze Alternative	PRA Pewter Alternative	RBA Rustic Brass Alternative	SNA Satin Nickel Alternative

Metal Finish (Premium)

BA Brushed Aluminum

VisaLighting.com