


# CB5523 POSH™

## 52" Sconce

[Visalighting.com/products/Posh](https://visalighting.com/products/Posh)

Type: \_\_\_\_\_ Project: \_\_\_\_\_ Location: \_\_\_\_\_




### DIMENSIONS

Depth is measured from wall to front of fixture

W = Width L = Length D = Depth


W	3"	(72 mm)
L	51-3/4"	(1315 mm)
D	4-5/8"	(111 mm)




### FEATURES

- Integral driver
- Modular design for replacement of LED source and driver
- Horizontal or vertical mount
- Mounts without electrical junction box with provided hardware, or to 4" x 4" standard electrical junction box (by others) if JBC option is selected
- Extruded white acrylic diffuser with matte finish
  - UV stable
  - UL-94 HB Flame Class rated
- No VOC powder coat paint; Low VOC clear coat on metal finishes
- ETL listed for damp locations. Not suited for exterior applications

### RELATIVE SCALE DRAWING



### PHOTOMETRICS



# CB5523 POSH (cont.)

52" Sconce

Fill in shaded boxes using information listed below

CB5523	-	MVOLT		
MODEL	SOURCE <sup>1</sup>	VOLTAGE MVOLT	FINISH	OPTION(S) <sup>2</sup>
	<ul style="list-style-type: none"> <li>• L30K(H)</li> <li>• L30K(L)</li> <li>• L35K(H)</li> <li>• L35K(L)</li> <li>• L40K(H)</li> <li>• L40K(L)</li> </ul>		See last page for finish order codes	NOJBC JBC XPS

## SOURCE<sup>1</sup> (Select one)

Dimmable 0-10V to 1%, Minimum 80CRI, within 3-step MacAdam

SOURCE	CCT	Delivered Lumens	Power (Watts)
• L30K(H)	3000K	3600	32
• L30K(L)	3000K	2400	20
L35K(H)	3500K	3600	32
L35K(L)	3500K	2400	20
• L40K(H)	4000K	3700	32
• L40K(L)	4000K	2500	20

## VOLTAGE



MVOLT	120-277V, 50/60 Hz
-------	--------------------

## OPTIONS<sup>2</sup> (Multiple Selections Allowed)

▲ Option availability may be interdependent with Other Options

NOJBC	Mounting plate used when not mounting over standard junction box
JBC	Junction box cover (4-1/2" square) for use with an existing 4" octagonal junction box. Painted to match finish
XPS	Express 10 day shipping. Items marked with a bullet (●) are not available with XPS

## JBC OPTION DETAIL



# CB5523 POSH (cont.)

## 52" Sconce



### POSH PRODUCT FAMILY

- CB5518 - 28" Sconce ADA
  - CB5519 - 28" Sconce
  - CB5520 - 40" Sconce ADA
  - CB5521 - 40" Sconce
  - CB5522 - 52" Sconce ADA
  - CB5523 - 52" Sconce
- See [Visalighting.com/products/Posh](https://visalighting.com/products/Posh) for more information

### SUGGESTED VARIATIONS

- 2700K
- Increase/decrease length
- Custom colors

### FINISHES

Specify color code when ordering. For accurate color matching, individual paint and finish samples are [available upon request](#).  
For more information about our finishes visit [visalighting.com/finishes](https://visalighting.com/finishes)


#### Powder Coat Paint Finishes (Standard)

						
<b>AGGY</b> Agate Grey	<b>ALGN</b> Alpine Green	<b>BMAT</b> Bronze Matte	<b>BRNZ</b> Bronze	<b>BSIL</b> Blade Silver	<b>CVBL</b> Cove Blue	<b>DEOR</b> Deoro Gold
						
<b>GLWT</b> Glacier White	<b>GSIL</b> Graphite Silver	<b>HRGR</b> Harbor Grey	<b>JTBK</b> Jet Black	<b>OCBL</b> Ocean Blue	<b>SHGR</b> Shoreline Grey	<b>SBGN</b> Sagebrush Green
						
<b>SLGR</b> Slate Grey	<b>SSTP</b> Sierra Taupe	<b>TRCN</b> Terracotta Canyon	<b>TRWT</b> Traffic White	<b>VBLK</b> Velvet Black	<b>VNRD</b> Vineyard Red	

#### Alternative Metal Finishes (Premium)

			
<b>BBA</b> Brushed Brass Alternative	<b>BCA</b> Brushed Chrome Alternative	<b>BUA</b> Brushed Copper Alternative	<b>BZA</b> Brushed Bronze Alternative
			
<b>OBA</b> Oil-Rubbed Bronze Alternative	<b>PRA</b> Pewter Alternative	<b>RBA</b> Rustic Brass Alternative	<b>SNA</b> Satin Nickel Alternative

#### Metal Finish (Premium)


<b>BA</b> Brushed Aluminum

