

CP4069 CARLTON™

42" Bowl, Stem Suspension


[Visalighting.com/products/Carlton](https://visalighting.com/products/Carlton)

Type: _____ Project: _____ Location: _____



DIMENSIONS⁴


OAH is the distance (in inches) from the bottom of the fixture to the ceiling plane. Example - OAH(38) indicates an overall fixture height of 38"

⚠ OAH must be specified


W = Width OAH = Standard Overall Height

X = Body Height NBS = Nominal Bowl Size

W	41-1/2"	(1054 mm)
OAH	38"	(965 mm)
X	10-1/2"	(267 mm)
NBS	37x9"	(940x229 mm)




RELATIVE SCALE DRAWING



FEATURES

- Integral driver
- Modular design for replacement of LED source and driver
- Easy toolless bowl cleaning
- Mounts through 4" octagonal by 2-1/8" deep electrical junction box (by others) to structural blocking (by others) with provided hardware for ceiling slopes up to 45 degrees from horizontal
- Spun metal trim
- Thermally formed 1/8" thick white acrylic diffuser with matte finish
 - UV stable
 - UL-94 HB Flame Class rated
- No VOC powder coat paints; Low VOC clear coat on metal finishes
- ETL listed for damp locations. Not suited for exterior applications

PHOTOMETRICS



CP4069 CARLTON (cont.)

42" Bowl, Stem Suspension



Fill in shaded boxes using information listed below

CP4069	- MVOLT					
MODEL	SOURCE ¹	VOLTAGE MVOLT	TRIM FINISH	DIFFUSER OPTION ²	OPTION(S) ³	OAH ⁴
	<ul style="list-style-type: none"> L30K L35K L40K 		See last page for finish order codes	<ul style="list-style-type: none"> ABA 	AF DCC XPS	See page 1

SOURCE¹ (Select one)

Dimmable 0-10V to 10%, Minimum 83CRI, within 3-step MacAdam

Source	CCT	Uplight		Downlight	
		Delivered Lumens	Power (Watts)	Delivered Lumens	Power (Watts)
• L30K	3000K	21900	205	6200	67
L35K	3500K	22800		6500	
• L40K	4000K	23500		6700	

VOLTAGE

MVOLT	120-277V, 50/60 Hz
-------	--------------------

DIFFUSER OPTION²

Diffuser is matte white acrylic unless ABA option is selected

• ABA	Hand Painted Alabaster Alternative
-------	------------------------------------

OPTIONS³ (Multiple Selections Allowed)


⚠ Option availability may be interdependent with Other Options

AF	Add Finial. Addition of AF option increases H dimension (height) by 1-1/8"
DCC	Damp clear coat for metal finishes (required for 5 year warranty when used in damp locations)
XPS	Express 10 day shipping. Items marked with a bullet (•) are not available with XPS

AF OPTION



STRUCTURAL BLOCKING DETAIL



CP4069 CARLTON (cont.)

42" Bowl, Stem Suspension



CARLTON PRODUCT FAMILY

Wall Sconce	19" Deep Bowl	• CB3442
	21" Shallow Bowl	• CB3444
Ceiling Surface Mount	19" Shallow Bowl	• CM1091
	26" Deep Bowl	• CM1093
Stem Suspension Pendant	27" Bowl	• CP4061
	35" Bowl	• CP4065
	42" Bowl	• CP4069
Power Art Cable Suspension Pendant	27" Bowl	• CP4101
	35" Bowl	• CP4105
	42" Bowl	• CP4109

SUGGESTED VARIATIONS

- Decrease in lumens
- Custom colors

See [Visalighting.com/products/carlton](https://visalighting.com/products/carlton) for more information

CP4069 CARLTON (cont.)

42" Bowl, Stem Suspension



FINISHES

Specify color code when ordering. For accurate color matching, individual paint and finish samples are [available upon request](#).
For more information about our finishes visit visalighting.com/finishes


Powder Coat Paint Finishes (Standard)

						
AGGY Agate Grey	ALGN Alpine Green	BMAT Bronze Matte	BRNZ Bronze	BSIL Blade Silver	CVBL Cove Blue	DEOR Deoro Gold
						
GLWT Glacier White	GSIL Graphite Silver	HRGR Harbor Grey	JTBK Jet Black	OCBL Ocean Blue	SHGR Shoreline Grey	SBGN Sagebrush Green
						
SLGR Slate Grey	SSTP Sierra Taupe	TRCN Terracotta Canyon	TRWT Traffic White	VBLK Velvet Black	VNRD Vineyard Red	

Alternative Metal Finishes (Premium)

			
BBA Brushed Brass Alternative	BCA Brushed Chrome Alternative	BUA Brushed Copper Alternative	BZA Brushed Bronze Alternative
			
OBA Oil-Rubbed Bronze Alternative	PRA Pewter Alternative	RBA Rustic Brass Alternative	SNA Satin Nickel Alternative

Metal Finish (Premium)


BA Brushed Aluminum