CP4109 CARLTON[™]

42" Bowl, Power Art Cable Suspension

Project:

VISA LIGHTING

Visalighting.com/products/Carlton

Location:



DIMENSIONS⁴

Type:


OAH is the distance (in inches) from the bottom of the fixture to the ceiling plane. Example – OAH(38) indicates an overall fixture height of 38"

A OAH must be specified


W = Width	OAH = Standard	Overall Height	X = Body Height
NBS = Nomina	I Bow Size	MP = Stem Accent	Midpoint

W	41-1/2"	(1054 mm)	
OAH	38"	(965 mm)	
Х	10-1/2"	(267 mm)	
NBS	37x9"	(940x229 mm)	
MP	31-5/8"	(804 mm)	OAH

Power Art Cable[™] (U.S. Patent 8,097,804 B1)




RELATIVE SCALE DRAWING



FEATURES


- Integral driver
- Modular design for replacement of LED source and driver
- Easy toolless bowl cleaning
- Mounts through 4" octogonal by 2-1/8" deep electrical junction box (by others) to structural blocking (by others) with provided hardware for ceiling slopes up to 45 degrees from horizontal
- Spun metal trim
- Patented Power Art Cable mounting system uses a braided stainless steel jacket to encapsulate power conductors and provide support
- Thermally formed 1/8" thick white acrylic diffuser with matte finish UV stable
- UL-94 HB Flame Class rated
- No VOC powder coat paint; Low VOC clear coat on metal finishes
- ETL listed for damp locations. Not suited for exterior applications

PHOTOMETRICS





CP4109 CARLTON (cont.) 42" Bowl, Power Art Cable Suspension



SOURCE¹ (Select one)

Dimmable 0-10V to 10%, Minimum 83CRI, within 3-step MacAdam

Sourco	<i>((</i> T	Upligh	ıt	Downlight		
Source CCT		Delivered Lumens	Power (Watts)	Delivered Lumens	Power (Watts)	
• L30K	3000K	21900		6200		
L35K	3500K	22800	205	6500	67	
• L40K	4000K	23500		6700		

VOLTAGE

MVOLT 120-277V, 50/60 Hz

VISALIGHTING

DIFFUSER OPTION²

Diffusor is matta	white acr	dic uplace ADA	option is selected
DITUNET NUMBER	while acry		001101115 500000


• ABA Hand Painted Alabaster Alternative

OPTIONS³ (Multiple Selections Allowed)

A Option availability may be interdependent with Other Options					
AF	AF Add Finial. Addition of AF option increases H dimension (height) by 1-1/8"				
DCC	Damp clear coat for metal finishes (required for 5 year warranty when used in damp locations)				
XPS	Express 10 day shipping. Items marked with a bullet (•) are not available with XPS				



STRUCTURAL BLOCKING DETAIL



CP4109 CARLTON (cont.) 42" Bowl, Power Art Cable Suspension



CARLTON PRODUCT FAMILY

	19" Deep Bowl	• CB3442
Wall Sconce	21" Shallow Bowl	• CB3444
Colling Surface Mount	19" Shallow Bowl	• CM1091
Ceiling Surface Mount	26" Deep Bowl 27" Bowl	• CM1093
	27" Bowl	• CP4061
Stem Suspension Pendant	35" Bowl	• CP4065
i chuant	42" Bowl	• CP4069
	27" Bowl	• CP4101
Power Art Cable Suspension Pendant	35" Bowl	• CP4105
Suspension rendant	42" Bowl	• CP4109

See <u>Visalighting.com/products/carlton</u> for more information

SUGGESTED VARIATIONS

- Decrease in lumens
- Custom colors

CP4109 CARLTON (cont.) 42" Bowl, Power Art Cable Suspension



FINISHES

Specify color code when ordering. For accurate color matching, individual paint and finish samples are <u>available upon request</u>. For more information about our finishes visit <u>visalighting.com/finishes</u>


Powder Coat Paint Finishes (Standard)

				1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1									
AGGY	Agate Grey	ALGN	Alpine Green	BMAT	Bronze Matte	BRNZ	Bronze	BSIL	Blade Silver	CVBL	Cove Blue	DEOR	Deoro Gold
GLWT	Glacier White	GSIL	Graphite Siver	HRGR	Harbor Grey	JTBK	Jet Black	OCBL	Ocean Blue	SHGR	Shoreline Grey	SBGN	Sagebrush Green
SLGR	Slate Grey	SSTP	Sierra Taupe	TRCN	Terracotta Canyon	TRWT	Traffic White	VBLK	Velvet Black	VNRD	Vineyard Red	-	

Alternative Metal Finishes (Premium)

BBA	Brushed Brass Alternative	BCA Chrom	Brushed ne Alternative	BUA Cop	Brushed per Alternative	BZA Bron	Brushed ze Alternative
OBA Bro	Oil-Rubbed nze Alternative	PRA	Pewter Alternative	RBA	Rustic Brass Alternative	SNA	Satin Nickel Alternative

Metal Finish (Premium)



This document contains information which is the property of Visa Lighting, and may not, in whole or in part, be duplicated, disclosed, or used for design or manufacturing purposes without the prior written permission of Visa Lighting. ©Visa Lighting. Design Modification Rights Reserved. Visa Lighting reserves the right to change specifications for product improvement without notification.