## CP4452 ARIES<sup>™</sup> 32" Diameter



Visalighting.com/products/Aries

Type:

Project:

Location:




## DIMENSIONS<sup>4</sup>

OAH is the distance (in inches) from the bottom of the fixture to the ceiling plane. Example - OAH(36) indicates an overall fixture height of 36"

## A OAH must be specified

W = Width		0AH = Overall He	ight	X = Body Height	
W X OAH	32" 3-5/8" 30"	(813 mm) (92 mm) (762 mm)	Γ	<sup>©</sup>	
		()	OAH		
			¢,		
			L	W	


## RELATIVE SCALE DRAWING



## FEATURES

- BAA (Buy American Act) and BABA (Build American, Buy America) compliant
- Integral driver
- Modular design for replacement of LED source and driver
- Mounts to standard electrical junction box (by others) for sloped ceiling up to 45° from horizontal
- Thermally formed 1/8" thick white acrylic diffuser with matte finish
  UV stable
  - UL-94 HB Flame Class rated
- No VOC powder coat paint finish; low VOC clear coat on metal finishes
- ETL listed for damp locations. Not suitable for exterior applications

## PHOTOMETRICS





# CP4452 ARIES (cont.) 32" Diameter



#### Fill in shaded boxes using information listed below CP4452 **MVOLT** SOURCE OPTION<sup>2</sup> MODEL SOURCE<sup>1</sup> VOLTAGE FINISH **OPTION<sup>3</sup>** OAH<sup>4</sup> L30K(H) IEM MVOLT DCC See last page See page 1 L30K(L) for finish L35K(H) order codes L35K(L) L40K(H) L40K(L)

## SOURCE<sup>1</sup> (Select one)

## Dimmable 0-10V to 1%, Minimum 83CRI, within 3-step MacAdam

Source	ССТ	Delivered Lumens	Power/Watts
L30K(H)	3000K	16700	148
L30K(L)	3000K	12400	104
L35K(H)	3500K	17300	148
L35K(L)	3500K	12800	104
L40K(H)	4000K	17600	148
L40K(L)	4000K	13000	104

## VOLTAGE

MVOLT 120-277V, 50/60 Hz

## SOURCE OPTION<sup>2</sup>

A Option availability may be interdependent with Voltage, Source or Other Options		
IEM	Integral emergency battery pack, specify 120V or 277V	

## OPTION<sup>3</sup>

### A Option availability may be interdependent with Other Options

DCC	Damp clear coat for metal finishes (required for 5 year warranty	
	when used in damp locations)	

SUGGESTED VARIATIONS

Custom colors

# CP4452 ARIES (cont.) 32" Diameter



## ARIES PRODUCT FAMILY

## • CP4450 - 22" Diameter

- CP4452 32" Diameter
- CP4454 42" Diameter

See www.Visalighting.com/products/Aries for more information


## FINISHES

Specify color code when ordering. For accurate color matching, individual paint and finish samples are <u>available upon request</u>. For more information about our finishes visit <u>visalighting.com/finishes</u>

Powder Coat Paint Finishes (Standard)

#### BRNZ Alpine Green **BMAT** Bronze Matte BSIL **Blade Silver** CVBL Cove Blue DEOR Deoro Gold AGGY Agate Grey ALGN Bronze **GLWT** Glacier White **GSIL** Graphite Siver HRGR Harbor Grey JTBK Jet Black **OCBL** Ocean Blue SHGR Shoreline Grey SBGN Sagebrush Green SLGR Slate Grey SSTP TRCN **TRWT** Traffic White VBLK Velvet Black VNRD Vineyard Red Sierra Taupe Terracotta Canyon

Alternative Metal Finishes (Premium)



Metal Finish (Premium)



Aluminum

This document contains information which is the property of Visa Lighting, and may not, in whole or in part, be duplicated, disclosed, or used for design or manufacturing purposes without the prior written permission of Visa Lighting. ©Visa Lighting. Design Modification Rights Reserved. Visa Lighting reserves the right to change specifications for product improvement without notification.