


CP7126 ZUME™ IN

Indoor Luminous Globe with RGBW Bodylight



VisaLighting.com/products/Zume-In

Type: _____ Project: _____ Location: _____



DIMENSIONS ^{1,3}

OAH MUST BE SPECIFIED


OAH is the distance (in inches) from the bottom of the fixture to the ceiling plane

DIA = Diameter OAH = Standard Overall Height WT=Weight


CP7126--	8	12	16	22
DIA	8" (203 mm)	12" (305 mm)	16" (406 mm)	22" (559 mm)
MIN OAH	16" (406 mm)	20" (508 mm)	24" (610 mm)	30" (762 mm)
STD OAH	72" (1829 mm)	72" (1829 mm)	72" (1829 mm)	72" (1829 mm)
MAX OAH	192" (4877 mm)	192" (4877 mm)	192" (4877 mm)	192" (4877 mm)
WT	4 lbs	5 lbs	6 lbs	10 lbs

FEATURES


- BAA (Buy American Act) and BABA (Build American, Buy America) compliant
- Remote Driver (RMD) standard, suitable for insulation contact (Type IC)
- Includes round canopy 5-1/4" diameter and 1/2" deep
- Suspended by 5/8" diameter stem
- Canopy mounts over 4" octagonal junction box (by others) with provided hardware. Canopy finished to match cap and finial (if present)
- Bottom finial standard on 12", 16", and 22" sizes (optional on 8" size)
- One piece gloss white acrylic globe for seamless appearance
- Non-VOC powder coat finishes
- ETL listed for damp locations. Not suited for exterior applications



RELATIVE SCALE DRAWING



PHOTOMETRICS



Compliant



ETL Listed



5 Year Warranty

CP7126 ZUME IN (cont.)

Indoor Luminous Globe with RGBW Bodylight

Fill in shaded boxes using information listed below

CP7126		RGBW	-	MVOLT			
MODEL	DIAMETER ¹	SOURCE		VOLTAGE	CAP, CANOPY AND	FINIAL	OAH ³
	8" 12" 16" 22"	RGBW		MVOLT	STEM FINISH	OPTION ²	See page 1
	See page 1				See last page for finish order codes	AF 8" size only (CP7126-8)	

SOURCE

RGB Source	Total Delivered Lumens			
	CP7126-8	CP7126-12	CP7126-16	CP7126-22
Red Only	125	130	195	245
Green Only	120	335	500	625
Blue Only	120	60	90	115
3000K Only (80CRI min)	455	430	640	805
All ON	750	885	1315	1645
Power (Watts)	15	20	28	38


VOLTAGE

MVOLT	120-277V, 50/60 Hz
-------	--------------------

FINIAL OPTION²


AF	Add Finial (8" size optional). 12", 16", and 22" sizes, finial is standard Finial finished to match Cap, Canopy and Stem
----	---

REMOTE DRIVER (RMD) INFORMATION Driver and DMX module included with each fixture**



WIRE AWG	Maximum Remote Distance per Fixture			
	CP7126-8	CP7126-12	CP7126-16	CP7126-22
12	100	100	100	100
14	100	100	100	100
16	100	100	75	50
18	100	75	50	40

All distances in feet



**Remote driver with DMX decoder is included with each fixture. DMX controllers are supplied by others. Multiple fixtures can be powered by one remote driver. Please contact factory to help configure any unique installation.

CP7126 ZUME IN (cont.)

Indoor Luminous Globe with RGBW Bodylight



DMX SETTINGS AND MAXIMUM LUMEN OUTPUTS FOR VARIOUS COLORS - CP7126-8 ONLY

Color	8-Bit DMX values				Max Lumens
	R	G	B	W	CP7126-8
Red	255	0	0	0	127
Green	0	255	0	0	120
Blue	0	0	0	255	120
2700K	87	34	5	255	515
3000K	0	0	0	255	456
3500K	3	90	11	255	508
4000K	5	128	37	255	538
5000K	3	190	79	255	583
6500K	5	254	125	238	605

DMX SETTINGS AND MAXIMUM LUMEN OUTPUTS FOR VARIOUS COLORS - CP7126-12, -16, -22

Color	8-Bit DMX values				Max Lumens		
	R	G	B	W	CP7126-12	CP7126-16	CP7126-22
Red	255	0	0	0	133	197	247
Green	0	255	0	0	337	500	626
Blue	0	0	0	255	62	92	115
2700K	52	0	3	255	461	684	857
3000K	0	0	0	255	434	644	808
3500K	7	21	25	255	470	697	873
4000K	15	61	34	255	532	789	989
5000K	22	100	79	255	594	881	1104
6500K	8	87	138	255	585	868	1088

CP7126 ZUME IN (cont.)

Indoor Luminous Globe with RGBW Bodylight



ZUME PRODUCT FAMILY

Indoor	White LED		RGBW	
Zume In	• CP7120-8 • CP7120-12 • CP7120-16	Cord Suspension	• CP7126-8 • CP7126-12 • CP7126-16	Stem
	• CP7120-22	Cord & Cable Suspension	• CP7126-22	
Zume DL	• CP7122-12 • CP7122-16 • CP7122-22	Cord & Cable Suspension	• CP7128-8 • CP7128-12 • CP7128-16 • CP7128-22	Stem
Outdoor				
Zume Out	Cord & Cable Suspension	• OP2120-ShortCap — 12" • OP2130-ShortCap — 16" • OP2140-ShortCap — 20"	• OP2120-SolidCap — 12" • OP2130-SolidCap — 16" • OP2140-SolidCap — 20"	• OP2120-SlottedCap — 12" • OP2130-SlottedCap — 16" • OP2140-SlottedCap — 20"
	Catenary Suspension	• OP2122-ShortCap — 12" • OP2132-ShortCap — 16" • OP2142-ShortCap — 20"	• OP2122-SolidCap — 12" • OP2132-SolidCap — 16" • OP2142-SolidCap — 20"	• OP2122-SlottedCap — 12" • OP2132-SlottedCap — 16" • OP2142-SlottedCap — 20"
	Stem Suspension	• OP2124-ShortCap — 12" • OP2134-ShortCap — 16" • OP2144-ShortCap — 20"	• OP2124-SolidCap — 12" • OP2134-SolidCap — 16" • OP2144-SolidCap — 20"	• OP2124-SlottedCap — 12" • OP2134-SlottedCap — 16" • OP2144-SlottedCap — 20"

See [Visalighting.com/families/zume](https://visalighting.com/families/zume) for more information

CP7126 ZUME IN (cont.)

Indoor Luminous Globe with RGBW Bodylight



FINISHES

Specify color code when ordering. For accurate color matching, individual paint and finish samples are [available upon request](#).
For more information about our finishes visit visalighting.com/finishes

Powder Coat Paint Finishes (Standard)

AGGY Agate Grey	ALGN Alpine Green	BMAT Bronze Matte	BRNZ Bronze	BSIL Blade Silver	CVBL Cove Blue	DEOR Deoro Gold
GLWT Glacier White	GSIL Graphite Silver	HRGR Harbor Grey	JTBK Jet Black	OCBL Ocean Blue	SHGR Shoreline Grey	SBGN Sagebrush Green
SLGR Slate Grey	SSTP Sierra Taupe	TRCN Terracotta Canyon	TRWT Traffic White	VBLK Velvet Black	VNRD Vineyard Red	

Alternative Metal Finishes (Premium)

BBA Brushed Brass Alternative	BCA Brushed Chrome Alternative	BUA Brushed Copper Alternative	BZA Brushed Bronze Alternative
OBA Oil-Rubbed Bronze Alternative	PRA Pewter Alternative	RBA Rustic Brass Alternative	SNA Satin Nickel Alternative

Metal Finish (Premium)

BA Brushed Aluminum

