


CV1680 VISAGE™

Behavioral Health


VisaLighting.com/products/Visage


Type: _____ Project: _____ Location: _____



DIMENSIONS

W = Width L = Length RD = Recessed Depth RL = Recessed Length


W 4-5/8" (117 mm)
L 48-1/8" (1222 mm)
RD 4-1/8" (105 mm)
RL 47" (1197 mm)




FEATURES

- Integral driver
- Recessed Housing, conduit entry
- Extruded aluminum frame
- Pin-in-Torx screws standard for lens door
- Ligature resistant; sheetrock/drywall installation (see installation instructions), not suited for grid ceiling installation. Housing integrates with drywall ceilings via mud flange
- High Abuse lens and frame features high impact clear polycarbonate secured with tamper resistant fasteners
- Sealed, gasketed lens
- IP65 rated
- Housing is fully sealed from room side
- Not suited for exterior applications
- ETL listed for wet locations

PHOTOMETRICS



RELATIVE SCALE DRAWING



Compliant



IP65



ADA



ETL Listed



5 Year Warranty

CV1680 VISAGE (cont.)

Behavioral Health

Fill in shaded boxes using information listed below

CV1680				
MODEL	SOURCE ¹ L30K(H) L30K(L) L35K(H) L35K(L) L40K(H) L40K(L)	VOLTAGE ² MVOLT 347V	FINISH See last page for finish order codes	OPTION ³ RB CP

SOURCE¹ (Select One)

Dimmable 0-10V to 1%, Minimum 80CRI, within 3-step MacAdam

Source	CCT Range	Delivered Lumens	Power (Watts)
L30K(H)	3000K	2900	36
L30K(L)	3000K	1950	23
L35K(H)	3500K	3000	36
L35K(L)	3500K	2000	23
L40K(H)	4000K	3100	36
L40K(L)	4000K	2000	23

VOLTAGE² (Select One)

MVOLT	120-277V, 50/60 Hz
347V	347V, 50/60 Hz

OPTION³

RB	Pre-ship recessed mud frame
CP	Chicago Plenum certification

TAMPER RESISTANT SCREW DETAIL



CV1680 VISAGE (cont.)

Behavioral Health



VISAGE PRODUCT FAMILY

Outdoor	• OW1600 — Surface Frame • OW1604 — Surface Frame • OW1606 — Surface Frame • OW1610 — Surface Frame
Indoor Wall/Ceiling	• CV1601 — Surface Frame • CV1603 — Surface Frame • CV1605 — Surface Frame • CV1607 — Surface Frame • CV1609 — Flush Frame • CV1611 — Flush Frame • CV1613 — Flush Frame • CV1615 — Flush Frame • CV1680 — Behavioral Health

See [Visalighting.com/products/Visage](https://visalighting.com/products/Visage) for more information

FINISHES

Specify color code when ordering. For accurate color matching, individual paint and finish samples are [available upon request](#).

For more information about our finishes visit visalighting.com/finishes

Powder Coat Paint Finishes (Standard)

AGGY Agate Grey	ALGN Alpine Green	BMAT Bronze Matte	BRNZ Bronze	BSIL Blade Silver	CVBL Cove Blue	DEOR Deoro Gold
GLWT Glacier White	GSIL Graphite Silver	HRGR Harbor Grey	JTBL Jet Black	OCBL Ocean Blue	SHGR Shoreline Grey	SBGN Sagebrush Green
SLGR Slate Grey	SSTP Sierra Taupe	TRCN Terracotta Canyon	TRWT Traffic White	VBLK Velvet Black	VNRD Vineyard Red	

