AVATAR[™] INDOOR – DUAL ACCENT BAR CV2025/CV2027/CV2029/CV2031




VisaLighting.com/products/Avatar

Type: Project: Location: Location:











DIMENSIONS1

Depth is measured from wall to front of fixture

L = Length D = Depth W = Width

	CV2025	CV2025 CV2027		CV2031	
L	19-3/4" (502 mm)	25-1/8" (638 mm)	36-1/8" (918 mm)	47-1/4" (1200 mm)	
D	4" (102 mm)				
W	7-1/4" (184 mm)				






FEATURES

- BAA (Buy American Act) and BABA (Build American, Buy America) compliant
- Integral driver
- Modular design for replacement of LED source and integral driver
- Versatile mounting; ceiling or wall mount (vertical or horizontal orientation)
- Mounts over standard electrical junction box (by others) with provided hardware
- Removable cam-action hinged frame for ease of maintenance
- Auxiliary mounting holes and hardware provided
- Extruded aluminum backplate and center accent; die cast end caps. Solid metal accent bars
- Extruded white acrylic diffuser
 - UV stable
 - UL-94 HB Flame Class rated
- No VOC powder coat paint
- ETL listed for wet location mounting 4' above grade

PHOTOMETRICS














VisaLighting.com Page 1

AVATAR INDOOR – DUAL ACCENT BAR (cont.) CV2025/CV2027/CV2029/CV2031



Fill in shaded boxes using information listed below



SOURCE² (Select one)

Dimmable 0-10V to 1%, Minimum 80CRI, within 3-step MacAdam

	ССТ	CV2025		CV2027		CV2029		CV2031	
Source		Delivered Lumens	Power/ Watts	Delivered Lumens	Power/ Watts	Delivered Lumens	Power/ Watts	Delivered Lumens	Power/ Watts
• L30K(H)	3000K	1200	15	1600	19	2400	29	3300	38
• L30K(L)	3000K	800	9	1100	13	1600	19	2200	25
L35K(H)	3500K	1200	15	1600	19	2400	29	3300	38
L35K(L)	3500K	800	9	1100	13	1600	19	2200	25
• L40K(H)	4000K	1200	15	1700	19	2500	29	3400	38
• L40K(L)	4000K	800	9	1100	13	1700	19	2200	25

VOLTAGE

MVOLT 120-277V, 50/60 Hz

OPTIONS³ (Multiple Selections Allowed)

▲ Option availability may be interdependent with Other Options

DCC	Damp clear coat for metal finishes (required for 5 year warranty when used in damp locations)
PMO (Painted)	Perforated metal overlay painted. Color Code Required - see finish order codes on last page
PMO (BA)	Perforated metal overlay in Brushed Aluminum
XPS Express 10 day shipping. Items marked with a bullet (•) are not available with XPS	

AVATAR INDOOR – DUAL ACCENT BAR (cont.) CV2025/CV2027/CV2029/CV2031



AVATAR PRODUCT FAMILY

	Single Bar	• 0W1301, 0W1303, 0W1305, 0W1307
Outdoor	Dual Bars • 0W1311, 0W1313, 0W1315, 0W1317	
	Perforated	• 0W1331, 0W1333, 0W1335, 0W1337
lu de eu	Single Bar	• CV2009, CV2011, CV2013, CV2015
Indoor	Dual Bars	• CV2025, CV2027, CV2029, CV2031

See <u>Visalighting.com/Products/Avatar</u> for more information

SUGGESTED VARIATIONS

- Increase length
- Add/remove bar stock

AVATAR INDOOR – DUAL ACCENT BAR (cont.) CV2025/CV2027/CV2029/CV2031



FINISHES

Specify color code when ordering. For accurate color matching, individual paint and finish samples are <u>available upon request</u>. For more information about our finishes visit <u>visalighting.com/finishes</u>

Powder Coat Paint Finishes (Standard)



Alternative Metal Finishes (Premium)



Metal Finishes (Premium) – Premium metals for PMO(BA) option only

