
OP2120 ZUME™ OUT

12" Cord and Cable Suspension



VisaLighting.com/products/Zume-out

Location: Type: Project:








DIMENSIONS 4

OAH MUST BE SPECIFIED


OAH = Overall Height X = Body Height WT=Weight DIA = Diameter

OAH is the distance (in inches) from the bottom of the fixture to the ceiling plane. Example - OAH(40) indicates an overall fixture height of 40"

DIA 12" (305 mm) 12-1/4" Χ (311 mm) 40" 0AH (1016 mm) WT



RELATIVE SCALE DRAWING












Compliant

FEATURES


- BAA (Buy American Act) and BABA (Build American, Buy America) compliant
- · High and low lumen output
- Integral driver
- IP65 rated
- Parallel mounting cables reduce twisting
- Mounts to standard electrical junction box (by others)
- Tether cables connecting fixtures to each other or to structural elements are to be designed by a qualified structural engineer
- Tether cable connections to the fixture accept 3/32" to 1/4" diameter cables
- Black power cord
- 3 spun aluminum cap styles (short, solid, slotted); cast aluminum mounting component
- Fixture body tested to ANSI C136.31 'American National Standard for Roadway and Area Lighting Equipment' at or above 3G vibration levels for 100,000 cycles in X, Y, Z axes
- White acrylic diffuser or frosted translucent acrylic diffuser; UV stable; UL-94 Flame Class rated
- No VOC powder coat finish
- · ETL listed for wet locations

PHOTOMETRICS



Short Cap Frosted

Solid Cap Frosted




Slotted Cap Frosted

OP2120 ZUME OUT (cont.)

12" Cord and Cable Suspension





CAP¹ (Select One)

ShortCAP	Short cap
SolidCAP	Solid cap
SlottedCAP	Slotted cap







Short Cap (ShortCAP)

Solid Cap (SolidCAP)

Slotted Cap (SlottedCAP)

SOURCE² (Select one)

Dimmable 0-10V to 1%, minimum 80CRI, within 3-step MacAdam

	ССТ	Delivered Lumens								
Source		Short Cap White	Short Cap FRST	Solid Cap White	Solid Cap FRST	Slotted Cap White	Slotted Cap FRST	Power (Watts)		
L30K(H)	3000K	1700	1900	1200	1400	1300	1500	17		
L30K(L)	3000K	1100	1200	800	900	800	900	10		
L35K(H)	3500K	1800	1900	1200	1500	1300	1500	17		
L35K(L)	3500K	1100	1200	800	900	800	900	10		
L40K(H)	4000K	1800	2000	1300	1500	1300	1500	17		
L40K(L)	4000K	1100	1200	800	900	800	1000	10		

VOLTAGE

MVOLT	120-277V, 50/60 Hz

DIFFUSER³ (Select One)

AC White acrylic globe
FRST Frosted translucent globe





White

Frosted Translucent

OP2120 ZUME OUT (cont.)

12" Cord and Cable Suspension



ZUME PRODUCT FAMILY

Zume Out – Outdoor	Cord and Cable Suspension	 OP2120-ShortCap — 12" OP2130-ShortCap — 16" OP2140-ShortCap — 20" 	 OP2120-SolidCap — 12" OP2130-SolidCap — 16" OP2140-SolidCap — 20" 	 OP2120-SlottedCap — 12" OP2130-SlottedCap — 16" OP2140-SlottedCap — 20" 			
	Catenary Suspension	 OP2122-ShortCap — 12" OP2132-ShortCap — 16" OP2142-ShortCap — 20" 	 OP2122-SolidCap — 12" OP2132-SolidCap — 16" OP2142-SolidCap — 20" 	 OP2122-SlottedCap — 12" OP2132-SlottedCap — 16" OP2142-SlottedCap — 20" 			
	Stem Suspension	 OP2124-ShortCap — 12" OP2134-ShortCap — 16" OP2144-ShortCap — 20" 	 OP2124-SolidCap — 12" OP2134-SolidCap — 16" OP2144-SolidCap — 20" 	 OP2124-SlottedCap — 12" OP2134-SlottedCap — 16" OP2144-SlottedCap — 20" 			
Indoor	Zume In	• CP7120-8 • CP7120-12 • CP7120-16 • CP7120-22	SUGGESTED VAR • Link fixtures tog • Custom cap opti	ether to create a chain			
	Zume DL	• CP7122-12 • CP7122-16 • CP7122-22					

See <u>Visalighting.com/products/Zume-out</u> for more information

TETHER ACCESSORIES (Order Separately)

Stainless Steel Compression Sleeve (AY-CS3/32)

3/32" Stainless Steel Cable (AY-CBL3/32-50)





Accessory Quantity

Accessories available for Visa Lighting's Outdoor Pendant (OP) applications. If sourced elsewhere, materials must be of equivalent grade.

For important information about accessory applications and installation, see <u>Installation Instructions</u>.

OP2120 ZUME OUT (cont.)

Finishes



FINISHES

Specify color code when ordering. For accurate color matching, individual paint and finish samples are <u>available upon request</u>. For more information about our finishes visit <u>visalighting.com/finishes</u>

Powder Coat Paint Finishes (Standard)

AGGY	Agate Grey	ALGN	Alpine Green	BMAT	Bronze Matte	BRNZ	Bronze	BSIL	Blade Silver	CVBL	Cove Blue	DEOR	Deoro Gold
GLWT	Glacier White	GSIL	Graphite Siver	HRGR	Harbor Grey	JTBK	Jet Black	OCBL	Ocean Blue	SHGR	Shoreline Grey	SBGN	Sagebrush Green
SLGR	Slate Grey	SSTP	Sierra Taupe	TRCN	Terracotta Canyon	TRWT	Traffic White	VBLK	Velvet Black	VNRD	Vineyard Red	_	