


CYPRESS™

OW1210_OW1212_OW1214
Multi-Window Outdoor


Visalighting.com/products/Cypress

Type: _____ Project: _____ Location: _____




DIMENSIONS¹


Depth is measured from wall to front of fixture

W = Width H = Height D = Depth

	OW1210	OW1212	OW1214
W	8" (203 mm)	10-1/2" (267 mm)	13-1/2" (343 mm)
H	18" (457 mm)	24-1/8" (613 mm)	32-1/8" (816 mm)
D	5-3/4" (146 mm)	7-1/2" (191 mm)	9-1/2" (241 mm)




RELATIVE SCALE DRAWING



FEATURES

- Integral driver
- Modular design for replacement of LED source and driver
- Uplight or downlight application
- Surface mounts over a standard electrical junction box (by others)
- Clear tempered glass top lens
- 1/8" thick white acrylic diffuser
 - F1 rated, UV stable
 - UL-94 HB Flame Class rated
- Housing fabricated of heavy gauge welded and gasketed aluminum
- No VOC powder coat paint finish
- ETL listed for wet location mounting 4' above grade

PHOTOMETRICS



Compliant



XPS



ETL Listed



5 Year Warranty

CYPRESS (cont.)

OW1210_OW1212_OW1214

Multi-Window Outdoor



Fill in shaded boxes using information listed below

-		MVOLT			
MODEL¹ OW1210 OW1212 OW1214 See page 1	SOURCE² • L30K(H) • L30K(L) • L35K(H) • L35K(L) • L40K(H) • L40K(L)	VOLTAGE MVOLT	FINISH See last page for finish order codes	OPTION³ XPS	

SOURCE² (Select one)

Dimmable 0-10V to 1%, Minimum 80CRI, within 3-step MacAdam

SOURCE	CCT	OW1210		OW1212		OW1214	
		Delivered Lumens	Power (Watts)	Delivered Lumens	Power (Watts)	Delivered Lumens	Power (Watts)
• L30K(H)	3000K	750	21	1200	28	1900	46
• L30K(L)	3000K	350	10	600	13	950	20
L35K(H)	3500K	750	21	1200	28	1900	46
L35K(L)	3500K	350	10	600	13	950	20
• L40K(H)	4000K	750	21	1200	28	1900	46
• L40K(L)	4000K	350	10	600	13	950	20

VOLTAGE

MVOLT	120-277V, 50/60 Hz
--------------	--------------------

OPTION³

⚠ Option availability may be interdependent with Other Options

XPS	Express 10 day shipping. Items marked with a bullet (●) are not available with XPS
------------	--

CYPRESS (cont.)

OW1210_OW1212_OW1214

Multi-Window Outdoor



CYPRESS PRODUCT FAMILY

Outdoor	Single Window	18"	• OW1200
		24"	• OW1202
		32"	• OW1204
	Multi-Window	18"	• OW1210
		24"	• OW1212
		32"	• OW1214
	Accent Bar	19"	• OW1220
		25"	• OW1222
		33"	• OW1224
Indoor	Single Window	13"	• CB5120
	Multi-Window	13"	• CB5122
	No Window	13"	• CB5124

SUGGESTED VARIATIONS

- Custom colors
- Custom windows
- Color gels on face or sides

See [Visalighting.com/products/Cypress](https://visalighting.com/products/Cypress) for more information

FINISHES

Specify color code when ordering. For accurate color matching, individual paint and finish samples are [available upon request](#).
For more information about our finishes visit visalighting.com/finishes

Powder Coat Paint Finishes (Standard)

AGGY Agate Grey	ALGN Alpine Green	BMAT Bronze Matte	BRNZ Bronze	BSIL Blade Silver	CVBL Cove Blue	DEOR Deoro Gold
GLWT Glacier White	GSIL Graphite Siver	HRGR Harbor Grey	JTBK Jet Black	OCBL Ocean Blue	SHGR Shoreline Grey	SBGN Sagebrush Green
SLGR Slate Grey	SSTP Sierra Taupe	TRCN Terracotta Canyon	TRWT Traffic White	VBLK Velvet Black	VNRD Vineyard Red	

