CYPRESS[™] 0W1220_0W1222_0W1224 Accent Bar Outdoor




Visalighting.com/products/Cypress

Type:

Project:

Location:




DIMENSIONS¹

Depth is measured from wall to front of fixture W = Width H = Height D = Depth

| | 0W1220 | OW1222 | 0W1224 |
|---|------------------|------------------|------------------|
| W | 8" (203 mm) | 10-1/2" (267 mm) | 13-1/2" (343 mm) |
| Η | 18-3/4" (457 mm) | 25" (635 mm | 33-1/8" (841 mm) |
| D | 6" (152 mm) | 7-3/4" (197 mm) | 10" (254 mm) |




RELATIVE SCALE DRAWING



FEATURES

- Integral driver
- Modular design for replacement of LED source and driver
- Uplight or downlight application
- Surface mounts over a standard electrical junction box (by others)
- Clear tempered glass top lens
- 1/8" thick white acrylic diffuser
 - F1 rated, UV stable • UL-94 HB Flame Class rated
- Housing fabricated of heavy gauge welded and gasketed aluminum
- No VOC powder coat paint finish
- ETL listed for wet location mounting 4' above grade

PHOTOMETRICS










VisaLighting.com

CYPRESS (cont.) 0W1220_0W1222_0W1224 Accent Bar Outdoor



Fill in shaded boxes using information listed below



SOURCE² (Select one)

Dimmable 0-10V to 1%, Minimum 80CRI, within 3-step MacAdam

VOLTAGE

MVOLT 120-277V, 50/60 Hz

| | | 0W1 | 220 | 0W | 1222 | 0W1224 | | |
|-----------|-------|-----------------------------------|-----|---------------------|------------------|---------------------|------------------|--|
| SOURCE | CCT | Delivered Power Lumens (Watts) | | Delivered Lumens | Power (Watts) | Delivered Lumens | Power (Watts) | |
| • L30K(H) | 3000K | 750 | 21 | 1200 | 28 | 1900 | 46 | |
| • L30K(L) | 3000K | 350 | 10 | 600 | 13 | 950 | 20 | |
| L35K(H) | 3500K | 750 | 21 | 1200 | 28 | 1900 | 46 | |
| L35K(L) | 3500K | 350 | 10 | 600 | 13 | 950 | 20 | |
| • L40K(H) | 4000K | 750 | 21 | 1200 | 28 | 1900 | 46 | |
| • L40K(L) | 4000K | 350 | 10 | 600 | 13 | 950 | 20 | |

OPTION³

A Option availability may be interdependent with Other Options

XPS Express 10 day shipping. Items marked with a bullet (•) are not available with **XPS**

CYPRESS (cont.) 0W1220_0W1222_0W1224 Accent Bar Outdoor

CYPRESS PRODUCT FAMILY

| | | 18" | • 0W1200 | | |
|---------|---------------|-----|----------|--|--|
| | Single Window | 24" | • 0W1202 | | |
| | | 32" | • 0W1204 | | |
| | | 18" | • 0W1210 | | |
| Outdoor | Multi-Window | 24" | • 0W1212 | | |
| | | 32" | • 0W1214 | | |
| | | 19" | • 0W1220 | | |
| | Accent Bar | 25" | • 0W1222 | | |
| | | 33" | • 0W1224 | | |
| | Single Window | 13" | • CB5120 | | |
| Indoor | Multi-Window | 13" | • CB5122 | | |
| | No Window | 13" | • CB5124 | | |

See Visalighting.com/products/Cypress for more information



SUGGESTED VARIATIONS

- Custom colors
- Custom windows
- Color gels on face or sides

CYPRESS (cont.) 0W1220_0W1222_0W1224 Accent Bar Outdoor



FINISHES

Specify color code when ordering. For accurate color matching, individual paint and finish samples are <u>available upon request</u>. For more information about our finishes visit <u>visalighting.com/finishes</u>

Powder Coat Paint Finishes (Standard)

| AGGY | Agate Grey | ALGN | Alpine Green | BMAT | Bronze Matte | BRNZ | Bronze | BSIL | Blade Silver | CVBL | Cove Blue | DEOR | Deoro Gold |
|------|---------------|------|----------------|------|----------------------|------|---------------|------|--------------|------|----------------|------|--------------------|
| | | | | | | | | | | | | | |
| GLWT | Glacier White | GSIL | Graphite Siver | HRGR | Harbor Grey | JTBK | Jet Black | OCBL | Ocean Blue | SHGR | Shoreline Grey | SBGN | Sagebrush Green |
| | | | | | | | | | | | | | |
| SLGR | Slate Grey | SSTP | Sierra Taupe | TRCN | Terracotta Canyon | TRWT | Traffic White | VBLK | Velvet Black | VNRD | Vineyard Red | - | |

Premium finishes available for accent bar finish only

Metal Finishes (Premium)



This document contains information which is the property of Visa Lighting, and may not, in whole or in part, be duplicated, disclosed, or used for design or manufacturing purposes without the prior written permission of Visa Lighting. ©Visa Lighting. Design Modification Rights Reserved. Visa Lighting reserves the right to change specifications for product improvement without notification.