


CB1911-W UNITY™ SLOT

3" Single Recessed Wall Unit


VisaLighting.com/Families/Unity


Type: _____ Project: _____ Location: _____



DIMENSIONS

W = Weight L = Length D = Depth RD = Recessed Depth WT = Weight


W	3"	(76 mm)
L	47"	(1194 mm)
D	4"	(102 mm)
RD	4"	(102 mm)
WT	8.8 lbs	




FEATURES

- Integral drivers
- Optional 90+ CRI
- Formed acrylic lenses
- Snap-in acrylic lens for tool-less access
- Drywall (smooth wall) mounting only
- Horizontal or vertical orientation
- ETL listed for damp locations. Not suited for exterior applications

RELATIVE SCALE DRAWING



PHOTOMETRICS



CB1911-W UNITY SLOT (cont.)

3" Single Recessed Wall Unit



Fill in shaded boxes using information listed below

CB1911-W

MODEL

SOURCE¹

L30K(H)
L30K(L)
L35K(H)
L35K(L)
L40K(H)
L40K(L)

SOURCE OPTION²

90CRI

Minimum 80CRI is
standard if option
is not selected

VOLTAGE³

347V
MVOLT

DIMMING CONTROL⁴

DALI

FRAME FINISH

See last page
for finish
order codes

SOURCE¹ (Select one)

Dimmable 0-10V to 1%, Minimum 80CRI, within 3-step MacAdam

Source	CCT Range	Delivered Lumens	Power (Watts)
L30K(H)	3000K	1950	17
L30K(L)	3000K	950	8
L35K(H)	3500K	2000	17
L35K(L)	3500K	1000	8
L40K(H)	4000K	2100	17
L40K(L)	4000K	1000	8

VOLTAGE³ (Select one)

MVOLT	120-277V, 50/60 Hz
347V	347V, 50/60 Hz

SOURCE OPTION²

80 CRI within 3-step MacAdam is standard if option is not selected

90CRI	Color rendering index minimum 90, minimum R9 value of 50 (delivered lumens reduced by 5%)
-------	---

DIMMING CONTROL OPTION⁴

▲ Option availability may be interdependent with Voltage, Source or Other Options

0-10V dimming to 1% standard if no option is selected

DALI	Control via DALI protocol, dimming to minimum 1% (not available with 347V)
------	--

CB1911-W UNITY SLOT (cont.)

3" Single Recessed Wall Unit



UNITY SLOT PRODUCT FAMILY


Wall Units	<ul style="list-style-type: none"> • CB1911-T — 3" Tunable Slot Sconce • CB1911-W — 3" Slot Sconce
Ceiling Mount Units	<ul style="list-style-type: none"> • CM1910-W — 3" Tandem Overbed Units • CM1910-T — 3" Tunable Tandem Overbed Units • CM1911-W — 3" Single Slot Ceiling Unit • CM1911-T — 3" Tunable Slot Ceiling Unit

See [Visalighting.com/families/Unity-Healthcare-Lighting](https://visalighting.com/families/Unity-Healthcare-Lighting) for more information

FINISHES

Specify color code when ordering. For accurate color matching, individual paint and finish samples are [available upon request](#). For more information about our finishes visit visalighting.com/finishes

Powder Coat Paint Finishes (Standard)

						
AGGY Agate Grey	ALGN Alpine Green	BMAT Bronze Matte	BRNZ Bronze	BSIL Blade Silver	CVBL Cove Blue	DEOR Deoro Gold
						
GLWT Glacier White	GSIL Graphite Silver	HRGR Harbor Grey	JTBK Jet Black	OCBL Ocean Blue	SHGR Shoreline Grey	SBGN Sagebrush Green
						
SLGR Slate Grey	SSTP Sierra Taupe	TRCN Terracotta Canyon	TRWT Traffic White	VBLK Velvet Black	VNRD Vineyard Red	

