


CP7400 ANNA™

Pendant


VisaLighting.com/products/Anna


Type: _____ Project: _____ Location: _____



DIMENSIONS

DIA = Diameter X = Body Height OAH = Standard Overall Height WT = Weight


DIA 12.75" (324 mm)
X 14" (356 mm)
OAH 120" (3048 mm)
WT 10 lbs (4536 gm)




FEATURES

- BAA (Buy American Act) and BABA (Build American, Buy America) compliant
- Part of a family of multiple shade sizes for many configurations
- Four different shade material configurations, with hundreds of potential color combinations
- 90+ CRI Standard for all sources
- High, medium and low lumen output options
- Solid shades are hand-crafted spun aluminum
- Luminous shades are translucent white acrylic
- Slim power cord and canopy with aircraft cable suspension
- Mounts over standard 4x4 or octagonal j-box
- Non-VOC powder-coat or environmentally friendly low VOC alternative metal finishes available
- Remote Driver (RMD) includes round canopy 6-1/4" diameter and 1/2" deep
- Driver in canopy (SDC) includes round canopy 9" diameter and 1-3/4" deep
- ETL listed for damp locations. Not suitable for exterior applications


RELATIVE SCALE DRAWING




PHOTOMETRICS




LUM UP/LUM DOWN



LUM UP/SOL DOWN



SOL UP/LUM DOWN



SOL UP/SOL DOWN



Compliant



ETL Listed



5 Year Warranty

CP7400 ANNA (cont.)

Pendant



Fill in shaded boxes using information listed below

CP7400		- MVOLT									
MODEL	SOURCE ¹	VOLTAGE MVOLT	DRIVER RMD SDC	TOP SHADE MATERIAL SOL LUM	TOP SHADE FINISH If SOL, all colors and alternative metal finishes If LUM, NA	BOTTOM SHADE MATERIAL SOL LUM	BOTTOM SHADE FINISH If SOL, all colors and alternative metal finishes If LUM, NA	CORD COLOR WSC (white) BSC (black) GSC (grey)	CANOPY COLOR Canopy is painted white if no selection is made See last page for finish order codes	OPTION ² DCC	OAH See page 1
	L27K(H) L27K(M) L27K(L) L30K(H) L30K(M) L30K(L) L35K(H) L35K(M) L35K(L) L40K(H) L40K(M) L40K(L)										

SOURCE¹ (Select one)

Dimmable 0-10V to 1%, Minimum 90CRI, within 3-step MacAdam

Source	Delivered Lumens				Input W
	Luminous- Luminous	Luminous-Solid	Solid-Luminous	Solid-Solid	
L27K(L)	1900	1750	1750	1650	20
L30K(L)	1950	1800	1800	1700	
L35K(L)	2050	1900	1900	1800	
L40K(L)	2100	1950	1950	1850	
L27K(M)	2850	2650	2650	2450	30
L30K(M)	2900	2750	2750	2550	
L35K(M)	3050	2850	2850	2650	
L40K(M)	3150	2900	2900	2700	
L27K(H)	3750	3550	3550	3300	41
L30K(H)	3900	3650	3650	3400	
L35K(H)	4050	3800	3800	3550	
L40K(H)	4150	3900	3900	3650	

OPTION²

⚠ Option availability may be interdependent with Other Options

DCC	Damp clear coat for metal finishes (required for 5 year warranty when used in damp locations)
-----	--

CP7400 ANNA (cont.)

Pendant



FINISHES

Specify color code when ordering. For accurate color matching, individual paint and finish samples are [available upon request](#).
For more information about our finishes visit visalighting.com/finishes

Powder Coat Paint Finishes (Standard)

AGGY Agate Grey	ALGN Alpine Green	BMAT Bronze Matte	BRNZ Bronze	BSIL Blade Silver	CVBL Cove Blue	DEOR Deoro Gold
GLWT Glacier White	GSIL Graphite Silver	HRGR Harbor Grey	JTBK Jet Black	OCBL Ocean Blue	SHGR Shoreline Grey	SBGN Sagebrush Green
SLGR Slate Grey	SSTP Sierra Taupe	TRCN Terracotta Canyon	TRWT Traffic White	VBLK Velvet Black	VNRD Vineyard Red	

Alternative Metal Finishes (Premium)

BBA Brushed Brass Alternative	BCA Brushed Chrome Alternative	BUA Brushed Copper Alternative	BZA Brushed Bronze Alternative
OBA Oil-Rubbed Bronze Alternative	PRA Pewter Alternative	RBA Rustic Brass Alternative	SNA Satin Nickel Alternative

Metal Finish (Premium)

BA Brushed Aluminum

SUGGESTED VARIATIONS

- Stem suspension
- Custom colors
- Smaller sizes
- Alternate controls

ANNA PRODUCT FAMILY

- [CP7402](#)
- [CP7404](#)
- [CP7406](#)

See [Visalighting.com/products/Anna](https://visalighting.com/products/Anna) for more information