

# CM1978-W SYMMETRY™

Behavioral Health/High Abuse – 45" General Use

U.S. Patent D822,888

Type: \_\_\_\_\_ Project: \_\_\_\_\_ Location: \_\_\_\_\_

 **VISA LIGHTING**

[VisaLighting.com/products/Symmetry](https://VisaLighting.com/products/Symmetry)




## DIMENSIONS

DIA = Diameter RD = Recessed Depth RW = Recessed Width


DIA 45-11/16" (1160 mm)

RD 6" (152 mm)

RW 47-3/4" (1213 mm)




## RELATIVE SCALE DRAWING



## FEATURES

- BAA (Buy American Act) and BABA (Build American, Buy America) compliant
- Integral driver located within the housing and accessible from below the ceiling
- 90 CRI standard
- Remote emergency driver
- High Abuse lens and frame features 3/16" thick, high impact clear polycarbonate secured with tamper resistant fasteners; tested to >100 joules impact
- Ligature resistant; sheetrock/drywall installation (see installation instructions), not suited for grid ceiling installation
- Suitable for insulation contact
- Recyclable aluminum housing
- Frosted acrylic lens uniquely formed in a gentle concave profile with graceful, shallow dome in the center (patent pending)
- No VOC powder coat paint finish
- Antimicrobial finishes (no VOC) on all interior and exterior painted surfaces
- ETL listed for damp locations. Not suited for exterior applications

## PHOTOMETRICS



# CM1978-W SYMMETRY (cont.)

## Behavioral Health/High Abuse – 45" General Use



Fill in shaded boxes using information listed below

CM1978-W		MVOLT			
MODEL	SOURCE <sup>1</sup>	VOLTAGE	DIMMING CONTROL <sup>2</sup>	LENS FRAME FINISH	OPTION <sup>3</sup>
	L30K(H) L30KL L35K(H) L35K(L) L40K(H) L40KL	MVOLT	DALI	See last page for finish order codes	REM

### SOURCE<sup>1</sup> (Select one)

Dimmable 0-10V to 1%  
Minimum 80CRI, within 3-step MacAdam

Source	CCT	Delivered Lumens	Power (Watts)
L30K(H)	3000K	4600	49
L30K(L)	3000K	2700	29
L35K(H)	3500K	4700	49
L35K(L)	3500K	2800	29
L40K(H)	4000K	4800	49
L40K(L)	4000K	2800	29

### VOLTAGE

MVOLT	120-277V, 50/60 Hz
-------	--------------------

### DIMMING CONTROL OPTION<sup>2</sup>

⚠ Option availability may be interdependent with Voltage, Source or Other Options  
Dimmable 0-10V to 1% is standard if option is not selected

DALI	Control via DALI protocol, dimming to minimum 1%
------	--

### OPTION<sup>3</sup>

REM	Remote emergency driver (ambient), 10W output for 90 minutes Locate outside of patient room for ease of service
-----	--

### TM-30 DATA

For TM-30 data please contact us at [info@visalighting.com](mailto:info@visalighting.com)

# CM1978-W SYMMETRY (cont.)

## Behavioral Health/High Abuse – 45" General Use



### SYMMETRY PRODUCT FAMILY

Behavioral Health – 4" Downlight	CM2500 – 4"	Overbed	CM1970-W – 45"
Behavioral Health – Overbed	CM1976-W – 45"		CM1980-W – 23"
	CM1986-W – 23"		CM1990 – 33"
	CM1996 – 33"		CM1996 – 33"
Behavioral Health – General Use	CM1978-W – 45"	General Use	CM1972-W – 45"
	CM1988-W – 23"		CM1982-W – 23"
	CM1998 – 33"		CM1992 – 33"
	CM1998 – 33"		CM1998 – 33"
Behavioral Health – Tunable	CM1978-T – 45"	Tunable	CM1972-T – 45"
	CM1988-T – 23"		CM1982-T – 23"
	CM1998 – 33"		CM1992 – 33"

See [Visalighting.com/Families/Symmetry](https://visalighting.com/Families/Symmetry) for more information

### FINISHES

Specify color code when ordering. For accurate color matching, individual paint and finish samples are [available upon request](#). For more information about our finishes visit [visalighting.com/finishes](https://visalighting.com/finishes)

#### Powder Coat Paint Finishes (Standard)

AGGY	Agate Grey	ALGN	Alpine Green	BMAT	Bronze Matte	BRNZ	Bronze	BSIL	Blade Silver	CVBL	Cove Blue	DEOR	Deoro Gold
GLWT	Glacier White	GSIL	Graphite Siver	HRGR	Harbor Grey	JTBK	Jet Black	OCBL	Ocean Blue	SHGR	Shoreline Grey	SBGN	Sagebrush Green
SLGR	Slate Grey	SSTP	Sierra Taupe	TRCN	Terracotta Canyon	TRWT	Traffic White	VBLK	Velvet Black	VNRD	Vineyard Red		

This document contains information which is the property of Visa Lighting, and may not, in whole or in part, be duplicated, disclosed, or used for design or manufacturing purposes without the prior written permission of Visa Lighting. U.S. Design Patent #D822,888. ©Visa Lighting. Design Modification Rights Reserved. Visa Lighting reserves the right to change specifications for product improvement without notification.

