

CP4408 HELLEN

16" Direct Pendant


 VISA LIGHTINGVisaLighting.com/products/Hellen

Type: _____ Project: _____ Location: _____


DIMENSIONS⁴

DIA = Diameter X = Body Height OAH = Standard Overall Height WT = Weight

DIA 16" (406 mm)
 X 6-1/4" (159 mm)
 OAH 120" (3048 mm)
 WT 5 lbs (2268 gm)




RELATIVE SCALE DRAWING



FEATURES

- Flat white acrylic lens and contoured bottom reflector
- High or low lumen output options
- Integral driver in canopy
- 90 CRI Standard
- Slim white power cord and aircraft cable suspension
- Canopy is painted white
- Mounts over standard octagonal junction box
- Hand spun aluminum dome and bottom reflector
- Non-VOC powder-coat or environmentally friendly low VOC metal alternative finishes available on outer dome
- Non-VOC powder-coat finishes available on bottom reflector
- ETL listed for damp locations. Not suitable for exterior applications

PHOTOMETRICS



CP4408 HELLEN (cont.)

16" Direct Pendant



Fill in shaded boxes using information listed below

CP4408	MVOLT	VOLTAGE	OUTER FINISH	REFLECTOR FINISH	OPTION ²	OAH ³
MODEL	SOURCE ¹	MVOLT	OUTER FINISH	REFLECTOR FINISH	OPTION ²	OAH ³
	L27K(H) L27K(L) L30K(H) L30K(L) L35K(H) L35K(L) L40K(H) L40K(L)		See last page for finish order codes	See last page for finish order codes	DCC	See page 1
			Canopy is painted white			
			Alternative and premium finishes are for outer dome only			

SOURCE¹ (Select one)

Dimmable 0-10V to 1%, Minimum 80CRI, within 3-step MacAdam

Source	CCT Range	Delivered Lumens**	Power (Watts)
L27K(H)	2700K	2500	27
L27K(L)	2700K	1700	17
L30K(H)	3000K	2600	27
L30K(L)	3000K	1800	17
L35K(H)	3500K	2700	27
L35K(L)	3500K	1850	17
L40K(H)	4000K	2800	27
L40K(L)	4000K	1900	17

90CRI standard

**Delivered lumen output tested with white interior finish

Dark interior finish reduces lumen output up to 10%

VOLTAGE

MVOLT	VOLTAGE
	120-277V, 50/60 Hz

LUMEN MAINTENANCE RATING

L70 (reported)	50,000 hrs
----------------	------------

OPTION²

⚠ Option availability may be interdependent with Other Options

DCC	Damp clear coat for metal finishes (required for 5 year warranty when used in damp locations)
-----	---

CP4408 HELLEN (cont.)

16" Direct Pendant



AGGY-DEOR



PRA-GSIL



VBLK-DEOR




BZA-TRWT



BCA-VBLK



DEOR-TRWT



AGGY-CVBL

SUGGESTED VARIATIONS

- Stem suspension
- Remote driver
- Custom colors
- Larger size

HELLEN PRODUCT FAMILY

- CP4408 – 16"
- CP4410 – 24"
- CP4412 – 32"

See Visalighting.com/products/Hellen for more information

CP4408 HELLEN (cont.)

16" Direct Pendant



FINISHES

Specify color code when ordering. For accurate color matching, individual paint and finish samples are [available upon request](#). For more information about our finishes visit visalighting.com/finishes

Powder Coat Paint Finishes (Standard)

AGGY	Agate Grey	ALGN	Alpine Green	BMAT	Bronze Matte	BRNZ	Bronze	BSIL
								Blade Silver
GLWT	Glacier White	GSIL	Graphite Silver	HRGR	Harbor Grey	JTBK	Jet Black	OCBL
								Ocean Blue
SLGR	Slate Grey	SSTP	Sierra Taupe	TRCN	Terracotta Canyon	TRWT	Traffic White	VBLK
								Velvet Black
								VNRD
								Vineyard Red

Alternative Metal Finishes (Premium)

Alternative finishes and premium metal finishes are for outer dome only

Metal Finish (Premium)

BBA	Brushed Brass Alternative	BCA	Brushed Chrome Alternative
OB	Oil-Rubbed Bronze Alternative	PR	Pewter Alternative



BA Brushed Aluminum